

581.997.4

~~11551~~



LIBRARY OF  
THE NEW YORK BOTANICAL GARDEN

*By exchange 1904*

Septemb 1899

R. W. Gibson - Invt.









1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

---

BUREAU OF GOVERNMENT LABORATORIES.

---

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, BOTANIST.

---

MANILA:  
BUREAU OF PUBLIC PRINTING.  
1903.





1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

---

BUREAU OF GOVERNMENT LABORATORIES.

LIBRARY  
— OF —  
— YORP  
— BOTANICAL  
— GARDEN

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, BOTANIST.

---

MANILA:  
BUREAU OF PUBLIC PRINTING.  
1903.

21.561.1  
.M398

LIBRARY  
NEW YORK  
SEP 22 1903

## LETTER OF TRANSMITTAL.

---

DEPARTMENT OF THE INTERIOR,  
BUREAU OF GOVERNMENT LABORATORIES,  
OFFICE OF THE SUPERINTENDENT OF LABORATORIES,  
*Manila, P. I., September 22, 1903.*

SIR: I have the honor to submit herewith manuscript of a paper entitled "A dictionary of the plant names of the Philippine Islands," by Elmer D. Merrill, Botanist.

I am, very respectfully,

PAUL C. FREER,  
*Superintendent of Government Laboratories.*

Hon. JAMES F. SMITH,  
*Acting Secretary of the Interior, Manila, P. I.*



# A DICTIONARY OF THE NATIVE PLANT NAMES OF THE PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, *Botanist.*

---

## INTRODUCTION.

The preparation of the present work was undertaken at the request of Capt. G. P. Ahern, Chief of the Forestry Bureau, the object being to facilitate the work of the various employees of that Bureau in identifying the tree species of economic importance found in the Archipelago.

For the interests of the Forestry Bureau the names of the various tree species only are of importance, but in compiling this list all plant names available have been included in order to make the present work more generally useful to those Americans resident in the Archipelago who are interested in the vegetation about them.

In the preparation of this paper the double arrangement alphabetically, both under the native and scientific names, has been deemed essential, the latter arrangement especially, because it is often very important to have all the synonyms of the native names together in one place, and, moreover, the notes regarding the species are best given under the scientific name in order to prevent repetition of the same information under each of the native names given for the same species. The family of each genus and short notes regarding species of economic importance have been given in order to aid in the identification of the species.

The native names used to designate species of economic importance, those which produce edible fruits, medicinal plants, trees valuable for timber, etc., are almost invariably applied to the same species, although in critical genera some variation and confusion of names are found, which is to be expected. The names applied to plants of little or no economic importance are frequently very unreliable, and accordingly, in using this dictionary, whenever

possible the plant should be compared with at least the generic description before accepting the scientific name to which the native name refers.

Most of the names in the present work not compiled from data on the specimens now in the herbarium have been taken from the following works: Blanco, "Flora de Filipinas," first edition, 1837, and second edition, 1845; Fernandez-Villar and Naves, "Novissima Appendix ad Floram Philippinarum," 1880-1883; Vigil, "Diccionario de los nombres vulgares que se dan en filipinas á muchas plantas usuales y notables," 1879; Vidal, S., "Sinopsis de familias y generos de plantas leñosas de filipinas," 1883; "Reseña de la flora del archipiélago filipino," 1883; "Revisión de plantas vasculares de filipinas," 1886; Ceron, "Catálogo de las plantas del herbario," 1892; Puigdullies, "Apuntes para el mejor conocimiento, clasificación, y valuación de las principales especies arboreo-forestales de filipinas," 1895; Tavera, "Plantas medicinales de filipinas," 1892; Espejo, "Cartilla de agricultura filipina," 1892; "Catálogo de la exposición general de las islas filipinas," Madrid, 1887; "Guía oficial de las islas filipinas," 1898.

In many instances much difficulty was experienced in properly referring many of the native names recorded in some of these works to the accepted scientific names of to-day, due to the present chaotic state of Philippine botany. The greatest difficulty was met with in attempting to properly refer the many names given by Blanco, for, in spite of all the work done on the Philippine flora since the publication of Blanco's "Flora de Filipinas," his species are to-day very imperfectly known. In most cases in referring the native names given by Blanco to their scientific names I have followed F.-Villar in his generic identifications, as given in the Novissima Appendix, but, except in the case of widely distributed and well-known species, his specific identifications have been discarded. In identifying Blanco's species F.-Villar made few errors in his generic identifications, but his specific identifications of a large per cent of the species can not be accepted.

The present paper enumerates about 5,000 plant names used by natives of the Philippines, and has been compiled chiefly from the publications of the various Spanish botanists who have worked on the flora of the Archipelago. So far as possible these names have been compared with the names on specimens in the herbarium of this Bureau for verification. It seems that in the past there was

never any serious attempt made to carefully compile the various native plant names, and therefore the present list, though drawn from many sources, is comparatively incomplete. By far the greater number of names in the present enumeration are those of the Tagalog language, while of many of the dialects spoken in the Archipelago not a single plant name has ever been recorded.

It is probable that the people of the mountain tribes, the Negritos, the Igorrotes, the Mangyanes, etc., employ even a greater variety of names in specifying the various species of plants than do the more civilized tribes of the lands at lower elevations, but little or no attention has ever been given to the names used by these peoples. The limitations of the present enumeration can best be realized from the fact that most of the names here recorded are from perhaps 12 or 15 of the 70 or 80 dialects spoken by the various peoples of the Archipelago. With the great variation of the names in the same dialect, and the great number of dialects spoken in the Archipelago, the task of compiling a complete or nearly complete dictionary of the native plant names of the Archipelago is an unending one, and one that could be completed only with great difficulty even if the subject were of sufficient importance to warrant it.

Previously but two attempts have been made to compile any extensive lists of the plant names used by the natives of the Archipelago. The first was Vigil's "Diccionario," a pamphlet of 50 pages published in the year 1879, which enumerates about 2,400 names, the identifications being largely based on Blanco's "Flora de Filipinas." The second list is that given by Vidal in Appendix II to his "Sinopsis," where he enumerates about 1,800 names of tree species, giving the generic identifications only. Blanco, in his index to the native names given in his "Flora," gives but a small per cent of the total number enumerated in his text, while F.-Villar gives no index to the native names in his "Novissima Appendix."

The words "puti" or "maputi" (white) and "pula" or "mapula" (red) are frequently used in combination with other words to designate certain species, as are also the words "lalaqui" (man), "babaye" (woman), "dagat" (ocean), "itim" (black), "usá" (deer), "áso" (dog), "bundoc" or "gubat" (forest), and other words. The prefix "mala" is used in the sense that we use the word "false"—"malaacle" is "false aele," "malabanaba" is "false

banaba," etc. Frequently combinations of native and Spanish words are used to designate certain species, such as "matang diablo" (*Erodia*), "the devil's eye"; "malacafé" (*Glochidion*, *Randia*), "false coffee." Sometimes some of the words introduced by the Spaniards have persisted without change, such as tabaco, maíz, cacao, piña, and others, while on the other hand some have become greatly corrupted—for example, see the word "camanchiles" under *Pithecolobium dulce* (p. 176), or "achúete," under *Bixa orellana* (p. 129).

Some of the introduced species are known only by their Spanish names, while for other species native names have been adapted. Of the names of Spanish origin we find two classes—those of pure Spanish origin and those of American origin adopted by the Spaniards and transmitted by them with the plants to the Philippines. Of the former we have such names as coronitas (*Lantana camara*); manzanitas (*Zizyphus jujuba*); madre cacao (*Gliricidia maculata*); dama de noche (*Cestrum nocturnum*); hoyá cruz (*Crescentia alata*); caballero, or rosas de caballero (*Caesalpinia pulcherrima*). Of the second class we have such names as chicos (*Achras sapota*); mamey or chico mamey (*Lucuma mammosa*); tabaco (*Nicotiana tabaco*); achete (*Bixa orellana*); maíz (*Zea mays*); cacuate (*Arachis hypogaea*); maguey (*Agave americana*); casuy (*Anacardium occidentale*); guayabas (*Psidium guayaba*). Among the species that have been introduced into the Archipelago since the Spanish occupation and to which the natives have adapted names may be mentioned durang parang (*Dalea nigra*); macahiya, or damohia, literally, "ashamed," suggested no doubt by the sensitive leaves of the plant (*Mimosa pudica*); diluario (*Argemone mexicana*), etc.

Many of the native plant names are also the names of towns such as Iba (*Phyllanthus distichus*), Quiapo (*Pistia stratiotes*), Paco (*Asplenium esculentum*), Sampaloc or Salomague (*Tamarindus indica*), Calumpit (*Terminalia edulis*), Iloilo (*Aglaia argentea*), and others.

During the past two hundred years there has been considerable change in many of the native plant names, as is proved by an examination of the earlier publications on Philippine botany, such as the works of Camell, Mercado, and Delgado. In all these works, but especially in the first, are found a very large number of names which are unknown to us to-day, and many of the ones of



well-known species are spelled quite differently from their accepted form to-day. One example from Camell's work, published in the year 1704, is sufficient to illustrate this point: Camell's "*Conyza Helenitis odoris salviae*" is undoubtedly the plant known to-day as *Blumea balsamifera* DC., and Camell gives the following native names for his species, which should be compared with those given under *Blumea balsamifera* on page 129: *Sambon, Lacarbulan, Lagdanbulan, Anacadbullan, Olaclanbulan, Guitinggitan, Gabuen, Lalacdan, Ayolan, Alibon, Hantilibun.*

None of the names of these earlier authors, not found in later publications, are included in the present publication, for the reason that we can not accurately identify many of the species.

So far as the dialects of the various names were determinable they have been specified by the following abbreviations: B., Bicol; Cag., Cagayan; Ig., Igorrote; Il., Ilocano; Mang., Mangyane; Pamp., Pampangan; Pang., Pangasinan; Sp., Spanish; Sp.-Fil., Spanish-Filipino; T., Tagalog; V., Visayan; Z., Zambales. Frequently, where the dialect of the name is not specified, the name of the island or province where the name is used has been given in parentheses. It has been impossible to identify the dialects of a large number of the names for the reason that many of the Spanish investigators did not consider such data of sufficient value to warrant recording the same. With the exception of the data compiled from the herbarium of this Bureau, the authority for the dialects of the various names is that of the several Spanish investigators, and certain allowance must be made for errors.

Most of the Spanish authors gave little or no attention to accentuation, and frequently where accent marks were given they were erroneously placed. In the present paper an attempt has been made to properly accent the various words, and with this end in view all the names have been carefully checked over with various native employees of the office familiar with many of the dialects.

As the names have been compiled from different works of Spanish authors, it is to be presumed that the latter recorded the native names by the phonetic system of spelling, giving the different letters the same values as in the Spanish language. A cursory examination of the following work will show at once that there is a great variation in the spelling of the same word, *e* and *i*, *o* and *u*, and frequently *i* and *y* have the same values and are interchangeable. With the exception of *ñg*, which is pronounced like *ng* in *sing*, *bring*,

etc., the letters in the various words have the same values as in the Spanish language.

The only Philippine author who has used any other method of spelling the native names is Tavera in his "Plantas Medicinales." In this work the consonants are pronounced as follows: *g* always as in get; *h* a gutturalized aspirate; *k* as in English; *w* always as the initial *w* in English, as win, won; *ñ* as *ng* in sing, hung, etc. While this method of spelling the native names has much to commend it, it has not been adopted in the present work, for the reason that no attempt has been made by the Americans so far to change the spelling of the words of the native dialects, and accordingly it was deemed advisable to retain the plant names under the spelling recorded.

# PART I.

---

## A.

- AÁGAO, T. *Premna vestita* Schauer.  
ABACÁ, T., V. *Musa textilis* Neé.  
ABÁLONG, V. *Colocasia antiquorum* Schott.  
ABÁNG-ABÁNG, T., V. *Oroxylum indicum* L.  
ABÁNG-ABÁNG, T. *Leea rubra* Blume.  
ÁBAR, T. *Santiria*?.  
ABEGÁSTE, V. *Morinda bracteata* Roxb.  
ABÍÁB, V. *Cyclea peltata* H. f. & Th.  
ABLÁN, Pang. *Livinstonia rotundifolia* Mart.  
ABILÁO, T. *Garuga floribunda* Deene.  
ABÍLO, T. *Garuga floribunda* Deene.  
ABÍBLING, B. *Artocarpus*.  
ABÓBO, B. *Planchonia*.  
ÁBOD, V. *Eurycles amboinensis* Herb.  
ABÓNG-ABÓNG, V. *Oroxylum indicum* L.  
ABSÍC, T. *Eleocharis*.  
ÁBUD, V. *Eurycles amboinensis* Herb.  
ÁBUR, V. *Eurycles sylvestris* Salisb.  
ABÚTAB. *Lophopetalum toxicum* Loher.  
ABÚTRA, Sp.-Fil. *Anamirta cocculus* W. & A.  
ACÁNA. *Sideroxylon*.  
ACAPÚLCO, Sp.-Fil. *Cassia alata* L.  
ACDÁN, T. *Cryptocarya densiflora* Blume.  
ACHÍOTE, Sp.-Fil. *Bixa orellana* Linn.  
ACHÚETE, Sp.-Fil. *Bixa orellana* L.  
ACHÚTE, Sp.-Fil. *Bixa orellana* L.  
ACLÉ. T. *Pithecolobium acle* Vidal.  
ACLÉNG-PÁRANG, Pamp. *Albizzia*.  
ACTOLÍGAN. *Clerodendron macrostegium* Schauer.  
ADAÁN, T., II. *Albizzia procera* Benth.  
ADADÍNCO (Benguet). *Sageretia*.  
ADAMBAGUÉN, II. *Adenantha*.  
ADGÁO, V. *Premna vestita* Schauer.  
ADÍAVAN, T. *Cocos nucifera* L.  
ADÍO (Tayabas). *Premna*.  
ADLÁY, V. *Coix lachryma-jobi* Linn.  
ADÚAS, T. *Canarium*.

- ADYÁNGAO, T. *Albizzia procera* Benth.  
 AETAN, T. *Aristolochia tagala* Cham.  
 AFAPÚYAN (Cagayan). *Musa paradisiaca* L.  
 AFÚYAN (Cagayan). *Musa paradisiaca* L.  
 AGA (N. Eeija). *Ficus*.  
 AGAC-ÁC, V. *Amoora rohituka* W. et A.  
 AGALÁÑGA, V. *Chisocheton* sp.  
 AGÁNA. *Pterocarpus indicus* Willd.  
 ÁGAO. *Ipomoea quamoclit* L.  
 AGAPÁÑGA, II. *Aglaja?* sp.  
 AGÁRO, Z. *Lagerstroemia speciosa* Pers.  
 AGAS-ÁS. *Scolopia roxburghii* Clos.  
 ÁGAY, T. *Phyllanthus*.  
 AGÁY-ON (Cebu). *Abrus precatorius* L.  
 ÁGBO, Cag. *Saccharum officinarum* L.  
 AGBOLÍGAN, II. *Clerodendron macrostegium* Schauer.  
 AGBÓY, V. *Mussaenda grandiflora* Rolfe.  
 AGDÁ, Ig. *Coix lachryma-jobi* Linn.  
 AGDÁO, T. *Premna*.  
 ÁGIN, T. *Dysoxylum blancoi* Vidal.  
 ÁGHO, V. *Leucaena glauca* Benth.  
 AGIYÁÑGYIÁNG, V. *Abrus precatorius* L.  
 AGNÁYA, T. *Lumnitzera purpurea* Presl.  
 AGNÁYA. *Polypodium*.  
 AGNIYÁÑG-YIÁNG, V. *Abrus precatorius* L.  
 AGNOCÁSTO, Sp.-Fil. *Vitex negundo* L.—*Vitex obovata* Thunb.  
 AGÓGO, T. *Dalea nigra* Mart. and Gal.  
 AGÓHO, T., V., Pamp. *Casuarina equisetifolia* Forst.  
 AGÓHO, T., V. *Ipomoea quamoclit* L.  
 AGÓIOI. *Homonoia riparia* Lour.  
 AGÓNOY, V. *Spilanthus aemella* L.  
 AGÓO, T., II. *Casuarina equisetifolia* Forst.  
 AGOPÁNGA (Marinduque). *Chisocheton*.  
 ÁGOR, T. *Fimbristylis miliacea* Vahl.  
 AGÓSO, T. *Casuarina equisetifolia* Forst.  
 AGÓSOC, T. *Ficus hispida* Blanco.  
 AGÓS-OS, T. *Ficus hispida* Blanco.  
 AGÓTAI, V. *Heliconia*.  
 AGÓY-OY, T. *Homonoia riparia* Lour.  
 ÁGPOY, Pamp. *Bauhinia*.  
 AGUÁSON, V. *Strychnos ignatii* Berg.  
 AGUBÁHAN, V. *Crinum asiaticum* Linn.  
 AGUBÁRAO, V. *Vitex obovata* Thunb.  
 AGÚCUC, T. *Homonoia riparia* Lour.  
 AGÚHO, T. *Casuarina equisetifolia* Forst.  
 AGÚHO, V. *Oldenlandia diffusa* Roxb.  
 AGUIBÁGAN (Cagayan). *Hypoestes*.  
 AGUÍÑGÁI, T. *Pennisetum nigricans* Miq.

- ÁGUIO, T. *Dysoxylum blancoi* Vidal.  
 ÁGUIU, Pamp. *Dysoxylum blancoi* Vidal.  
 ÁGUIS, V. *Eugenia*.  
 AGUPÁNŊGA (Mindoro). *Chisocheton*.  
 AGÚPIT. *Ficus quereifolia* Roxb.  
 AGÚSIP, V. *Melastoma imbricatum* Wall.  
 AGÚSO, Z. *Casuarina equisetifolia* Forst.  
 AGÚS-US (Tayabas). *Dysoxylum*.  
 AGÚTAI, V. *Heliconia*.  
 AGÚTAY, V. *Musa*.  
 AGÚT-UT, V. *Cordia subcordata* Lam.  
 AGUYÁNŊGAN, V. *Abrus precatorius* L.  
 AHHÍRO, V. *Bauhinia tomentosa* L.  
 ÁHILING, T. *Mallotus moluccanus* Muell. Arg.  
 AÍMIT, V. *Ficus glomerata* Roxb.  
 ÁJOS-ÁJOS ŊGA MAPOTÍ, V. *Hymenocallis*.  
 ÁJOS-ÁJOS ŊGA MAPOTÍ, V. *Panceratum zeylanicum* Linn.  
 ÁJOS-ÁJOS ŊGA MAPOTÍ, V. *Habranthus*.  
 ALACÁAC, T. *Palaquium latifolium* Blanco.  
 ALÁCAO, Pamp. *Palaquium latifolium* Blanco.  
 ALÁCAP, T. *Palaquium latifolium* Blanco. P. *oleifera* Blanco.  
 ALAGÁ, T. *Premna*.  
 ÁLAG-ÁLAG SONSON, T. *Artabotrys odoratissimus* R. Br.  
 ALAGÁO, T. *Premna vestita* Schauer.  
 ALÁGAO DÁGAT, T. *Premna*.  
 ALÁGAS, V. *Semecarpus perrottetii* March.  
 ALAGÁTTLI, T. *Canarium cumingii* Eng.  
 ALOGBAGÚNIT, T. *Premna*.  
 ALÁŊGASI, V. *Leucosyke capitellata* Wedd.  
 ALAGÚNG-UNG, V. *Capparis micrantha* DC.  
 ALÁHAN, T. *Diospyros* sp.  
 ALAL, Ig. *Pinus insularis* Endl.  
 ALALÁNŊGAT. *Adenantha pavonina* Linn?  
 ÁLAM, T. *Dactyloctenium aegyptium* Pers.  
 ÁLAM (Mindoro). *Toona*.  
 ALÁMAG. *Parinarium*.  
 ALÁMAG, T. *Aporosa*.  
 ALÁMANG. *Villebrunnea frutescens* Blume.  
 ALAMBÍHOR, V. *Bauhinia tomentosa* L.  
 ALÁŊGASI, V. *Leucosyke capitellata* Wedd.  
 ALÁNŊHÍDAN IT BÁNUG, V. *Canthium mite* Bartl.  
 ÁLANG-ÍLANG, T. *Cananga odorata* Hook. f. et Th.  
 ÁLANG-ÍLANG SÓNSON, T. *Artabotrys odoratissimus* R. Br.  
 ALÁNŊÍŊŊGI, V. *Vitis carnosia* Wall.  
 ALÁNŊÍSI, V. *Pipturus asper* Wedd.  
 ALÁNŊÍTŊGIT, T., V. *Ehretia buxifolia* Roxb.  
 ÁLANG-LÁNŊGAL. *Adenantha*.  
 ALÁNŊUIT. *Ehretia buxifolia* Roxb.

- ALANÍGNI (Zamboanga). *Myristica*.  
 ALANÓTI. *Wrightia ovata* A. DC.  
 ALÁNTAG, T. *Diospyros*.  
 ALÁRO, V. *Maranta arundinacea* L.  
 ALÁSAS, Pamp. *Ficus aspera* Blanco.  
 ALÁSAS, T. *Freyinetia*.  
 ALÁSAS, T. *Pandanus exaltatus* Blanco.  
 ALÁSIS. *Streblus asper* Lour.  
 ALATÁNAY (Cagayan). *Musa*.  
 ALÁUI, T. *Vernonia*.  
 ALAUIHAO. *Dracontomelon cumingianum* Baill.  
 ALÁYAN, T. *Quercus ilanosii* A. DC.  
 ALÁYAN (Angat). *Unona odorata?* DC.  
 ALBAHÁCA. *Ocimum sanctum* Linn.  
 ALBAHÁCA MORÁDO, T. *Coleus acuminatus* Benth.  
 ALBÚTRA, Sp.-Fil. *Anamirta cocculus* W. and A.  
 ALCÁNFOR, Sp.-Fil. *Cinnamomum camphoratum* Blume.  
 ÁLEM, H. *Mallotus ricinoides* Muell. Arg.  
 ALGÓA, T. *Premna vestita* Schauer.  
 ÁLI, Ig. *Excoecaria agallocha* Linn.  
 ALIÁMA. *Morinda bracteata* Roxb.  
 ALIBÁCTA, B. *Clerodendron*.  
 ALIBÁNBAN, P., T. *Bauhinia blancoi* Baker.  
 ALIBÁNBAN, T. *Bauhinia purpurea* L.  
 ALIBÁNBAN, T., V., Pamp. *Bauhinia tomentosa* L.  
 ALIBÍHIL. *Bauhinia binnata* Blanco.  
 ALIBÁNGBANG, T., V., Pamp. *Bauhinia malabarica* Roxb., and other species.  
 ALIBANÑGDÁN, Ig. *Alsophila glauca* Blume.  
 ALÍBION, V. *Blumea balsamifera* DC.  
 ALIBÍHIL, V. *Bauhinia tomentosa* L.  
 ALIBÚBUT, V. *Tabernaemontana pandacaqui* Poir.  
 ALÍBUN, V. *Blumea balsamifera* DC.  
 ALICBÁÑGON, T. *Commelina benghalensis* L.  
 ALICBÁÑGON, T. *Cyanotis cristata* R. and S.  
 ALIHÍZO. *Bauhinia binnata* Blanco.  
 ÁLIM, T. *Mallotus ricinoides* Muell. Arg.  
 ÁLIM, T. *Mallotus moluccanus* Muell. Arg.  
 ALIMÍQUEN, H. *Musa paradisiaca* L.  
 ALÍNAO, H.? *Calamus rhomboideus* Blume.  
 ALÍNAO, T. *Callicarpa*.  
 ALÍNAO, B. *Columbia serratifolia* DC.  
 ÁLING, B. *Mallotus moluccanus* Muell. Arg.  
 ALÍÑGAD, Pang. *Shorea*.  
 ALÍÑGARO, T. *Elaeagnus latifolia* L.  
 ÁLING HOTÚNGAS. *Callicarpa*.  
 ALINTÁTAO, T. *Diospyros pilosanthera* Blanco.  
 ALINTUTÚNAS. *Astronia rolfei* Vidal.  
 ALIPÁCHAO, H. *Garcinia*.

- ALÍPAI, T. *Nephelium longana* Camb.  
 ALÍPAI, T. *Nephelium glabrum* Noronh.  
 ALIPÁRO, T. *Sumbavia rottleroides* Baill.  
 ALIPASÍAO, B. *Villebrunea*.  
 ALIPÁTA, V. *Excoecaria agallocha* L.  
 ALIPÁTA, T. *Dodonaea viscosa* Linn.  
 ALIPÁYO, V. *Homalomena*.  
 ALÍPAY, *Nephelium glabrum* Noronh.  
 ALIPÁYONG, V. *Homalomena*.  
 ALIPÓONG, V. *Pavetta angustifolia* R. and S.  
 ALIPÓONG, V. *Ixora lanceolaria* Coleb.  
 ALÍPONT, T. *Gmelina*.  
 ALITÁPTAP, B. *Planchonia*.  
 ALMÉNDRO, Sp.-Fil. *Terminalia catappa* L.  
 ALMÉZ. *Celtis philippinensis* Blanco.  
 ALOBÁHAI, T. *Pithecolobium lobatum* Benth.  
 ALÓCAN, II. *Allaeanthus luzonicus* Benth et Hook.  
 ALOCÁSOC, V. *Clerodendron intermedium* Cham.  
 ALÓDIG, II., T. *Streblus asper* Lour.  
 ALÓPAG. *Euphorbia litchi* DC.  
 ÁLPAY, T. *Nephelium glabrum* Noronh.  
 ALPOSÓTES, Sp.-Fil. *Chenopodium ambrosioides* L.  
 ALUBÍHOD, V. *Spondias mangifera* Wall.  
 ALUBÍHON, T. *Spondias mangifera* Willd.  
 ALUGBÁTI, V. *Basella rubra* L.  
 ALULÚAN, Cag. *Pistia stratiotes* Linn.  
 ÁLUM, V. *Mallotus ricinoides* Muell. Arg.  
 ÁLUNG-CÁGAY, V. *Decaspermum paniculatum* Kurz.  
 ÁLUNG-CÁGAY, V. *Nelitris*.  
 ALÚPAG, T. *Nephelium longana* Camb.  
 ALÚPAG, T. *Nephelium glabrum* Noronh.  
 ALÚPAI, T. *Nephelium longana* Camb.  
 ALUPÍDAN, V. *Vitis lanceolaria* Roxb.  
 ALUPÍHAN, T. *Muehlenbeckia*.  
 ALÚSANG, T. *Cyperus*.  
 ALUSÍMANG, V. *Trianthema*.  
 ALYÓPYOP, V. *Erianthemum bicolor* Schrank.  
 AMAÉT, V. *Xylosma cumingii* Clos.  
 AMAGÁ. *Diospyros blancoi* DC.  
 AMAGÁ, V., T. *Diospyros pilosantha* Blanco.  
 AMAGÁ, V., T. *Diospyros discolor* Willd.  
 AMAMÁLE, V. *Leca sambucina* Willd.  
 AMAMÁNGPANG (Albay). *Gironniera celtidifolia* Gaud.  
 AMARGÓSO, Sp.-Fil. *Momordica balsamina* L.  
 AMARGÓRO BÁBI, Pamp. *Mollugo*.  
 AMBÁLOD, T., V. *Nauclea obtusa* Blume.  
 AMBABÁLUD, V. *Nauclea obtusa* Blume.  
 AMBOGUÉS. *Koordersiodendron pinnatum* Merrill.

- AMBÓLONG, V. *Metroxylon*.  
 AMÍRAY, T. *Boehmeria nivea* H. and A.  
 AMÍSON. *Ficus glomerata* Roxb.  
 ANLÁNG, T. *Stereulia*.  
 ANLÍS, T. *Calamus piscicarpus* Blume.  
 AMOGUÍS, T. *Koordersiodendron pinnatum* Merrill.  
 AMÓLONG, H. *Epipremnum medium* Engl.  
 AMÓRES SECOS, Sp.-Fil. *Chrysopogon aciculatus* Trin.  
 AMPÁL, V. *Musa sapientum* L.  
 AMPALÉA, T. *Momordica balsamina* L.  
 AMPALÁYA, T. *Momordica balsamina* L.  
 ÁMPAS, Pamp. *Streblus asper* Lour.  
 AMPUPÚYOT, V. *Homalium panayamum* F. Vill.  
 AMUÁUAN. *Vitex littoralis* Decne.  
 AMÚBLIT, V. *Macaranga bicolor* Muell. Arg.  
 AMÚGAN, T. *Pygeum*.  
 AMUGÁNAN. *Vitex littoralis* Decne.  
 AMÚGNI, V. *Artocarpus*.  
 AMUGUÍS, T., V. *Koordersiodendron pinnatum* Merrill.  
 AMÚLUNG, Cag. *Rhaphidophora*.  
 AMURÁONG, B. *Vitex*.  
 AMUYÁON. *Vitex littoralis* Decne.  
 AMÚYON, B. *Xylopia dehiscens* Merrill.  
 AMÚYON. *Melodorum fulgens* Hook. f. and Th.  
 AMÚYON, T. *Xylopia*.  
 AMÚYON (Tayabas). *Unona*.  
 AMÚYONG, Pamp. *Melodorum fulgens* Hook. and Th.  
 ANADÓ, H. *Livistonia rotundifolia* Mart.  
 ANABÍON, V. *Trema aspera* Blume.  
 ANABÁ, T. *Abroma alata* Blanco.  
 ANABÓ, V. *Malachia bracteata* Cav.  
 ANABÓ. *Abroma angusta* L.  
 ANABÓ. *Abroma fastuosa* R. Br.  
 ANÁBONG, V. *Abroma alata* Blanco.  
 ANACÚ, T. *Cupania*.  
 ANAGÁB. *Pithecolobium lobatum* Benth.  
 ANAGÁP, T. *Pithecolobium lobatum* Benth.  
 ANAGÁP, T. *Pithecolobium montanum* Benth.  
 ANÁGAS. *Semecarpus anacardium* L. f.  
 ANÁGAS. *Semecarpus microcarpa* Wall.  
 ANÁGAS, BABÁE, T. *Semecarpus*.  
 ANAGÁSI, B. *Leucosyke capitellata* Wedd.  
 ANAGÁT. *Pithecolobium lobatum* Benth.  
 ANAGATLÍ, T. *Canarium eumingii* Engl.  
 ANAGUÉP. *Pithecolobium lobatum* Benth.  
 ANÁHMO, T., V. *Licuala spectabilis* Miq.  
 ANÁHMO, T. *Licula elegans* Mart.  
 ANÁHMO, T. *Livistonia rotundifolia* Mart.



- ANÁHAO, T. *Corypha*.  
 ANÁHAO, T. *Rhapis flabelliformis* Ait.  
 ANÁHAO, T., V. *Livistonia*.  
 ANAHÁNON, B. *Stereulia*.  
 ANAM, V. *Buchanania florida* Schauer.  
 AN-AN, Mang. *Buchanania florida* Schauer.  
 ANANÁGTAG, V. *Dysoxylum blancoi* Vidal.  
 ANANÁNGTANG, V. *Dysoxylum blancoi* Vidal.  
 ANANÁPLA. *Albizzia procera* Benth.  
 ANANÁPLAS, T. *Albizzia procera* Benth.  
 ANANG, T. *Diospyros*.  
 ANÁNŨGI, T. *Canarium*.  
 ANÁO, Pamp. *Livistonia papuana* Becc.  
 ANÁREP, H. *Pithecolobium lobatum* Benth.  
 ANAS, Pamp. *Bambusa*.  
 ANÁTAN, T. *Memecylon*.  
 ANÁTAO, T. *Linociera coriacea* Vidal.  
 ANAN, Cag. *Livistonia rotundifolia* Mart.  
 ANAVÍŨGA. *Casearia cinerea* Turcz.  
 ANÁTE. *Bixa orellana* L.  
 ANCHÉRIAN, T. *Cassia fistula* L.  
 ANDARÁYAN (Cagayan). *Alstonia scholaris* R. Br.  
 ANŨGAI, Pamp. *Curcuma longa* L.  
 ANŨGÁŨGE, Ig. *Elattostema*.  
 ANŨGHET, T. *Premna*.  
 ANŨGÍLANG (Jolo). *Cananga odorata* H. f. et Th.  
 ANŨGLAI, V. *Aegiceras florida* R. and S.  
 ANŨGUD, Pamp. *Achyranthes aspera* L.  
 ANIÁS, T. *Andropogon*.  
 ANLÁTAN, T. *Brackenridgea fascicularis* F. Vill.  
 ANÍBONG. *Abroma alata* Blanco.  
 ANÍBONG, T. *Abroma angusta* L.  
 ANÍBONG, T. *Abroma alata* Blanco.  
 ANÍBONG, T. *Abroma angusta* L.  
 ANÍBONG, V., T. *Areca nibung* Mart.  
 ANÍBONG, V. *Cocos nucifera* Linn.  
 ANÍBONG, Pamp. *Talauma angatensis* Blanco.  
 ANÍBUNG, V., T. *Areca nibung* Mart.  
 ANÍBUNG, Pang. *Arenga saccharifera* Labill.  
 ANÍ, T. *Erythrina ovalifolia* Roxb.  
 ANÍLAO, T. *Columbia serratifolia* DC.  
 ANÍLAO-UAN, T. *Columbia*.  
 ANINAPLÁ, T. *Albizzia lebbek* Benth.  
 ANÍNO, V. *Morinda bracteata* Roxb.  
 ANÍS, Sp.-Fil. *Foeniculum vulgare* Gaertn.  
 ANÍS CÁHOI, T. *Myristica philippinensis* Lam.  
 ANÍS MOSCÁDA, T. *Myristica philippinensis* Lam.

- ANÍTAG, T. *Stephegyne*.  
 ANÍTAP, Pamp. *Albizzia procera* Benth.  
 ANÍTAP, Ig. *Macaranga*.  
 ANÍTAP, Ig. *Albizzia procera* Benth.  
 ANOÁANG. *Premna*.  
 ANÓBING, T. *Artocarpus cumingiana* Trec.  
 ANÓBING CAGUÍOSING, T. *Artocarpus nitida* Trec.  
 ANÓBION, Pamp. *Artocarpus cumingiana* Trec.  
 ANÓBLING, T. *Talauma villariana* Rolfe.  
 ANÓBLING, T. *Talauma angatensis* F. Vill.  
 ANÓBLING, V. *Artocarpus cumingiana* Trec.  
 ANÓBLING, T. *Artocarpus nitida* Trec.  
 ANÓBLING-CAQUÍESING. *Artocarpus lamellosa* Blanco.  
 ANOBRÁN, Il. *Premna vestita* Schauer.  
 ANÓLANG, T. *Polyalthia lanceolata* Vid.  
 ANÓNAG, T. *Litsea*.  
 ANÓNAG, B. *Cordia blancoi* Vidal.  
 ÁNONG, T. *Cordia blancoi* Vidal.  
 ANÓNAS, Sp.-Fil. *Anona reticulata* L.  
 ANONÓO. *Musa sapientum* L.  
 ANÓPOL (Albay). *Conocephalus acuminatus* Turcz.  
 ÁNOS. *Bambusa*.  
 ANÓSEP, T. *Palaquium cuneatum* Vid.  
 ANÓTONG (Zambales). *Wrightia ovata* DC.  
 ANSÓHAN, V. *Stereospermum quadripinnatum* F. Vill.  
 ANTÁGAN. *Pterocarpus indicus* L.  
 ÁNTEN, Il. *Canarium luzonicum* Miq.  
 ÁNTEN, Il. *Canarium cumingii* Engl.  
 ANTIPÓLO, T., V., Pamp. *Artocarpus incisa* L.  
 ANTO, V. *Amorphophalus campanulatus* Blume.  
 ANTOBÁNAG, T. *Glochidion*.  
 ANTÓLANG, T. *Graptophyllum hortense* Nees.  
 ANTOLÁNGAN, T., V. *Hibiscus rosa-sinensis* L.  
 ANTÓNG (Nueva Ecija). *Casuarina equisetifolia* Forst.  
 ANTÓNG (Abra). *Canarium*.  
 ANTÓNG, T. *Dipterocarpus*.  
 ANUÁANG. *Musa sapientum* L.  
 ANUÁANG, T. *Musa paradisiaca* L.  
 ANUÁANG, T. *Kyllingia monocephala* Rottb.  
 ANÚBING, T. *Artocarpus odoratissima* Blanco.  
 ANÚBING, T. *Eugenia*.  
 ANÚBING. *Artocarpus cumingiana* Trec.  
 ANÚBING NA CAGUÍOSIN, T. *Artocarpus nitida* Trec.  
 ANÚBION, T. *Artocarpus*.  
 ANÚBIONG (Tayabas). *Talauma*.  
 ANÚBLIN, T. *Artocarpus*.  
 ANÜBLING, V. *Talauma angatensis* F. Vill.  
 ANÚPING (Zamboanga). *Myristica simiarum* A. DC.

- ANÚSEP, T. Palaquium.  
 AÑIL, Sp.-Fil. Indigofera tinctoria Linn.  
 APALAYÁ, T. Momordica balsamina L.  
 APÁLIA, Pamp. Momordica balsamina L.  
 APÁLIT, Pamp. Pterocarpus blancoi Merrill.  
 APÁLONG, Osmoxylon pulcherrimum Vidal.  
 APÁNA, T. Eupatorium ayapana Vent.  
 APARIÁGUA, T., V. Laportea guadichaudiana Wedd.  
 APASÓTIS, T. Chenopodium ambrosioides L.  
 APÁTONG, T. Nephelium.  
 APÁTOT, II. Morinda bracteata Roxb.  
 APÁTUT, T. Morinda bracteata Roxb.  
 APLÁPI, T. Avicinnia officinalis L.  
 APÍT, Ig. Viburnum odoratissimum Ker.  
 APÍPI, V. Colocasia antiquorum Schott.  
 APÍS, T. Pothos.  
 APÍS (Zambales). Calamus.  
 APÍTONG, T. Dipterocarpus grandiflorus Blanco.  
 APÍTONG, T. Dipterocarpus grandiflorus Blanco.  
 APNIT, T. Anona.  
 APNIT, B. Dipterocarpus.  
 APÓIAPOYAN, T. Gynandropsis pentapylla DC.  
 APON, T. Amorphallus campanulatus Blume.  
 APÓO. Bohemeria nivea H. and A.  
 APOPYOT (Cagayan). Diospyros pilosanthera Blanco.  
 APOSÓTIS, T., V., Pamp. Chenopodium ambrosioides L.  
 APÓY-APÓYAN, T. Cleome viscosa L.  
 APÓY-APÓYAN, T. Ammania.  
 APÓY-APÓYAN, T. Cleome viscosa Linn.  
 APAN (Cagayan). Mangifera altissima Blume.  
 APÚLONG, V. Osmoxylon pulcherrimum Vidal.  
 APÚYO (Paragua). Callicarpa.  
 APÚYOT, Z. Mallotus philippinensis Muell. Arg.  
 ARAGÁO, V. Premna.  
 ARAGÓFROY, V. Opilia javanica Miq.  
 ARÁHAN (Albay). Litsea albayana Vidal.  
 ARÁHAN, B. Diospyros.  
 ARÁNA, B. Litsea.  
 ARÁN-CÁLAO, V. Nepenthes.  
 ARANDÓN, II. Wikstroemia ovata Mey.  
 ARÁÑGA, T. Homalium luzoniense F. Vill.  
 ARÁÑGA BLANCO, T. Eugenia.  
 ARÁÑGAN, T. Eugenia.  
 ARÁNA (Manila). Gynandropsis speciosa DC.  
 ARÁT, T. Scleria.  
 ARÁUA, B. Eugenia.  
 ARÁYAN, T. Flagellaria indica Linn.  
 ARBOL DE FUEGO, Sp.-Fil. Poinciana regia Bojer.

- ÁRBON (Paragua). *Cerbera odollam* Gaertn.  
 ARDÁTÁG, V. *Elephantopus spicatus* Juss.  
 ARGÁO, V. *Premna vestita* Schauer.  
 ARICÚNDAL, V. *Musa paradisiaca* L.  
 ARÍLÁO, *Columbia serratifolia* DC.  
 ARÍMAI, II. *Boehmeria nivea* Hook. et Arn.  
 ARÍNGIT, V. *Marsdenia tinctoria* R. Br.  
 ARITÓŃGTONG, II. *Terminalia*.  
 ÁRO, II. *Casuarina equisetifolia* Forst.  
 ARÓE-MÁMAY, B. *Maoutia*.  
 ARODÁYDAY, T., B. *Ipomoea pes-caprae* Roth.  
 AROGÁNAN, T., Pamp., V. *Hibiscus rosa-sinensis* L.  
 ARÓMA, T. *Prosopis juliflora* DC.  
 ARÓMA, T. *Acasia farnesiana* Willd.  
 ARÓRO, V., T. *Maranta arundinacea* L.  
 ARÓSEP, II. *Antidesma ghaesembilla* Gaertn.  
 AROYÁŃGYANG, V. *Abrus precatorius* L.  
 ARQUÍG?, Cag. *Pandanus fascicularis* Lam.  
 ARRÁYAN. *Psidium guayava* L.  
 ARRÓO. *Casuarina equisetifolia* Forst.  
 ARRÓU-ROU, T., V. *Maranta arundinacea* L.  
 ÁRUM. *Mallotus ricinoides* Muell. Arg.  
 ARÚRU. *Maranta arundinacea* L.  
 ÁSAC-TÁLONG. *Phyllanthus?*  
 ASÁNA, T. *Pterocarpus indicus* Willd., *T. vidalianus* Rolfe.  
 ÁS-AS, T. *Ixora stricta* Roxb.  
 ASIÁSÍMANAN, T. *Derris sinuata* Benth.  
 ASÍMAO, T. *Harrisonia bennetii* B. and H.  
 AS-ÍS, T. *Ficus heterophylla* L.  
 AS-ÍS, T., V., Pamp. *Ficus hispida* L.?  
 ASÍSIO, V. *Physalis angulata* L.  
 ASNÁŃGAI, V. *Clerodendron intermedium* Cham.  
 ATALÁTAL, T. *Graptophyllum hortense* Nees.  
 ATALAPÍPIC, Z. *Sapindus*.  
 ATARÓLAN, T. *Ardisia*.  
 ÁTAY-ÁTAY, V. *Eranthemum bicolor* Schrank.  
 ÁTCÚY, Pamp. *Bauhinia*.  
 ÁTON. *Canarium ovatum* Engl.  
 ÁTES, T. *Anona squamosa* L.  
 ATIBÁŃGDAN. *Alsophila glauca* Blume.  
 ATÍLUAG (Abra). *Bryonia acuminata* Muell. Arg.  
 ATÍMON, V. *Cucumis melo* L.  
 ATÓLA. *Bixa orellana* L.  
 ATOÁTONG, Ig. *Selaginella caulescens* Spring.  
 ATSÚTI, T. *Bixa orellana* L.  
 AÚGOD, Pamp. *Achyranthes obtusifolia* Lam.  
 ÁUA, II. *Musa*.  
 AUSÍMAN, B. *Portulaca oleracea* L.

- ΑΥΪΛΟ, T. *Garuga floribunda* Deene.  
 ΑΥΑΜ, V. *Trianthema monogyna* L.  
 ΑΥΔΑΓΑΟ, T. *Albizzia procera* Benth.  
 ΑΥΑΝΤΟΤΟ, Pamp. *Amaranthus spinosus* L.  
 ΑΥΑΡΑΝΑ, Sp. Fil. *Eupatorium ayapana* Vent.  
 ΑΥΜΙΤ, *Ficus glomerata* Roxb.  
 ΑΥΜΙΤ, T. *Ficus minnahassae* Miq.  
 ΑΥΟ, V. *Casuarina equisetifolia* Forst.  
 ΑΥΟ, Pamp. *Oxalis acetosella* L.  
 ΑΥΟ, T. *Vitis capriolata* Don.  
 ΑΥΟ-ΑΥΟ, *Micromelum*.  
 ΑΥΟΒΑΝ, V. *Blumea balsamifera* DC.  
 ΑΥΥ-ΑΥΥ, *Micromelum*.  
 ΑΥΥ, Pamp. *Vitis carnososa* L.  
 ΑΥΪΜΙΤ, T. *Ficus minnahassae* Miq.  
 ΑΥΪΡΑΓ, T. *Nephelium*.  
 ΑΖΪΣΑΝΑ, *Polyanthes tuberosa* L.

## B.

- ΒΑΒΑΓΙΟΝ, *Memecylon floribunda* Blume.  
 ΒΑΒΑΓΙΟΝ, V. *Ardisia humilis* Vahl.  
 ΒΑΒΑΙΣΑΚΑΝ, T. *Quercus*.  
 ΒΑΒΑΛΟΒ, T., V. *Nauclea obtusa* Blume.  
 ΒΑΒΑΝ (Zamboanga). *Donax arundastrum* Lour.  
 ΒΑΒΑΝΑΤ (Nueva Viscaya). *Deeringia indica* Zoll.  
 ΒΑΒΕΒΑΒΕ, Pamp. *Quisqualis indica* L.  
 ΒΑΒΟ-ΒΑΓΟ (Bohol). *Garcinia venulosa* Choisy.  
 ΒΑΒΟΙ-ΓΪΒΑΤ, T. *Thespesia populnea* Corr.  
 ΒΑΒΥ, T. *Thespesia populnea* Corr.  
 ΒΑΒΑΒΟΚ, *Seaevola koenigii* Vahl.  
 ΒΑΒΑ-ΒΑΒΑΗΑΝ, T. *Cyperus*.  
 ΒΑΒΑΛΑΟ, Pang. *Nephelium*.  
 ΒΑΒΑΝ, T. *Litsea*.  
 ΒΑΒΑΝ, T. *Stereulia*.  
 ΒΑΒΑΝ (Tinago). *Bruguiera gymnorhiza* Lam.  
 ΒΑΒΑΝΙΣ (Zamboanga). *Eugenia lineata* DC.  
 ΒΑΒΑΝΥΝ, T. *Bruguiera gymnorhiza* Lam.  
 ΒΑΒΑΟ, T. *Ceriops candolleana* Arn.  
 ΒΑΒΑΟ, T., V. *Rhizophora mucronata* Lam.  
 ΒΑΒΑΟ, T. *Bruguiera gymnorhiza* Lam.  
 ΒΑΒΑΠΕ, V. *Calamus albus* Pers.  
 ΒΑΒΑΥΑΝ, T. *Ceriops candolleana* Arn.  
 ΒΑΒΑΥΑΝ, T. *Bruguiera caryophylloides* Blume.  
 ΒΑΒΑΥΑΝ, T. *Rhizophora mucronata* Lam.  
 ΒΑΒΑΥΑΝ ΓΥΒΑ, Pang. *Carallia integerrima* DC.  
 ΒΑΒΑΥΑΝ ΛΑΛΑΚΥΙ, T. *Rhizophora conjugata* Lam.  
 ΒΑΒΑΥΑΝ, V. *Canarium cumingii* Engl.  
 ΒΑΒΑΥΑΟ, Pang. *Illipe betis* Merrill.

- BACCÁLAO. *Nephelium glabrum* Noronh.  
 BÁCUNG. *Crinum asiaticum* Linn.  
 BÁCONG, T. *Crinum asiaticum* L.  
 BÁCONG, T. *Hippeastrum*.  
 BÁCONG-BÁCONG, V. *Crinum amoenum* Roxb.  
 BÁCONG ÑGA DULÁO, V. *Crinum pratense* Herb.  
 BÁCONG SA PERSIA. *Pancratum zeylanicum* Linn.  
 BÁCONG SA SÓLOG, V. *Crinum pratense* Herb.  
 BACÚGAN, V. *Dysoxylum blancoi* Vidal.  
 BACÚIT, Pang. *Harrisonia bennetii* Hook.  
 BACÚIT, Pang. *Alstonia*.  
 BÁCUNG, V. *Crinum asiaticum* Linn.  
 BÁCUGO, Pang. *Vatica*.  
 BADIÁNG, T., V. *Alocasia indica* Schott.  
 BADIÁNG. *Colocasia antiquorum* Schott.  
 BADIÁRA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 BADLÁN, V. *Sterospermum quadripinatum* F. Vill.  
 BÁDOC, Il. *Gnaphalium indicum* L.  
 BÁGAO. *Ehretia*.  
 BÁGA-BÁBOI, T., V. *Gmelina asiatica* L.  
 BÁGA-BÁBOI, V. *Gmelina villosa* Roxb.  
 BAGÁCAN, T. *Bambusa*.  
 BAGÁCAY, V. *Dendrocalamus membranacens* Munro.  
 BAGÁCBAC, Pamp. *Eugenia*.  
 BAGALÁÑGIT, T. *Palaquium lanceolata* Blanco.  
 BAGALÁÑGIT, T. *Palaquium luzonensis* Vidal.  
 BAGALÍGUAN, B. *Astronia*.  
 BAGALÍRAT. *Nauclea glabra* DC.  
 BAGALOÁN, T. *Marlea begoniaefolia* Roxb.  
 BAGALÚGA, V. *Melia dubia* Cav.  
 BAGÁNAC. *Clerodendron macrostegium* Schauer.  
 BAGÁNG, Cag. *Amorphophallus campanulatus* Blume.  
 BAGÁNG ÁSO, B. *Anaxagorea luzonensis* A. Gray.  
 BAGÁNG-BAGÁNG, B. *Glochidion*.  
 BAGANÍTO (Morong). *Diospyros*.  
 BAGAÓLAN, T. *Marlea begoniaefolia* Roxb.  
 BAGAÓLAN, T. *Guettarda speciosa* L.  
 BÁGAR, Il. *Anisoptera*.  
 BAGARÍLAO, T. *Anthocephalus cadamba* Miq.  
 BAGARÍLAO NA ITÍM, T. *Nauclea*.  
 BAGARÍLAT, T. *Anthocephalus cadamba* Miq.  
 BAGASÓA, T., V. *Ipomoea pes-caprae* Roth.  
 BÁGA-TAMBÁL, V. *Zanthoxylum avicennae* DC.  
 BÁGA-TÚBANG (Samar). *Cratoxylon blancoi* Blume.  
 BAGÁUAC, T. *Clerodendron*.  
 BAGÁUAC NA MORÁDO, T. *Clerodendron blancoanum* F. Vill.  
 BAGAYBÁY, T. *Derris*.  
 BAGBÁO, Il. *Erythrina indica* L.

- BAGGÁB. Clerodendron.  
 BAGMÁN, T. Quercus.  
 BAGNÁ, T. Glochidion.  
 BAGNÍT, T. Tristellateia australasica A. Rich.  
 BAGÓ. Commersonia platyphylla Andr.  
 BAGÓ, V. Gnetum gnemon L.  
 BAGÓ. Garuga floribunda Decne.  
 BAGÓARON, V. Vitex heterophylla Roxb.  
 BÁGO-BÁGO (Bohol). Garcinia cambogia Desrouss.  
 BÁGO-BÁGO. Ixora macrophylla Bartl.  
 BÁGO-BÁGO, V. Garcinia.  
 BAGÓMBON, Pamp., V. Alpinia gigantea L.  
 BÁGONG (Jolo). Amorphophallus campanulatus Blume.  
 BÁGONG, V. Tacca rumphii Schauer.  
 BÁGONG-BÁGONG, V. Tacca rumphii Schauer.  
 BAGÓNGBONG, V. Alpinia brevilabris Presl.  
 BAGÓNITO, B. Cupania.  
 BAGÓ-OEN, II. Parkia roxburghii, G. Don.  
 BAGÓ-SÍLI. Gnetum gnemon Linn.  
 BÁGSANG, V. Caryota rumphiana Mart.  
 BÁGUD, T. Pterospermum diversifolium Blume.  
 BAGÚEN, II. Parkia roxburghii G. Don.  
 BÁGUI-LÓMBOY. Eugenia.  
 BÁGUI-LÚMBAN, T. Aleurites trisperma Blanco.  
 BÁGUING, T. Generally applied to woody vines.  
 BÁGUIN-CASTÍLA, T. Argyreia.  
 BÁGUIN-CASTÍLA, T. Ipomoea. \*  
 BAGUINUNBÁNG NA PULÁ (Negros). Garcinia.  
 BAGUÍR, II. Ixora.  
 BAGUIRÓRO, V. Viburnum luzonicum Rolfe.  
 BAGUIRÓRO, V. Adenantha pavonina L.  
 BÁGUIT, B. Tristillatia australasica A. Rich.  
 BAGUITÁRIM, T. Hopea philippinensis Dyer.  
 BAGULÍBAS (Mindoro). Buchanania florida Schauer.  
 BAGULÍBAS, T. Garuga.  
 BAGUMAÓNIAO, B. Maesa laxa Mez.  
 BÁHAY, V. Pueraria phaseoloides Benth.  
 BÁHAY, T. Ormosia calavensis Blanco.  
 BÁHAY, T., V. Lepidopetalum perrottetii Blume.  
 BÁHAY, T., V. Adenantha pavonina Linn.  
 BÁHAY, T., V. Pygeum.  
 BÁHAY NAMÓC, B. Ardisia.  
 BÁHI, V. Arenga saccharifera Labill.  
 BÁHI, V. Calyptrocalyx spicatus Blume.  
 BÁHI, V. Livistona rotundifolia Mart.  
 BÁHO-BÁHO, V. Cassia tora Linn.  
 BÁIAO, T. Fagraea morindaefolia Blume.  
 BÁIAO, V. Bruguiera eriopetala W. and A.

- BAILÁYAN (Mindoro). Dipterocarpus.  
 BAÍNO, T. Nelumbium speciosum Willd.  
 BAÍO. Bruguiera eriopetala W. and A.  
 BAÍT. Canarium?  
 BAÍT, T., Pamp. Euphorbia neriifolia L.  
 BAÍTO, T. Bambusa.  
 BAIYABÁSIN, T. Cassia alata L.  
 BALABÁGO, V. Hibiscus tiliaceus L.  
 BALABALANÓYAN, T. Cleome viscosa L.  
 BALABALANÓYAN, T. Gynandropsis pentaphylla DC.  
 BALABALÁNTIAN. Cleome viscosa L.  
 BALABALATÚŃGAN, B. Indigofera teysmannii Miq.  
 BALABALÁYAN, T., V. Gmelina asiatica L.  
 BALÁBANG QUILÍNG, V. Conmaropsis philippica F. Vill.  
 BALÁBO, T. Grewia.  
 BALABÓNOT. Stereulia.  
 BALACÁNNOG, T. Eugenia.  
 BALÁCAT, T. Zizyphus trinervis Poir.  
 BALACBÁC, T.? Jussiaea suffruticosa Linn.  
 BALACBÁC, T. Eugenia jambos L.  
 BALACBÁLAC, T. Mallotus ricinoides Muell. Arg.  
 BALACBALÁC, V. Tournefortia argentea L. f.  
 BALAGÁŃGO, T. Melia candollei Juss.  
 BALÁGAY, V. Psophocarpus palustris Desv.  
 BALÁG-BALANGGÓTAN, T. Eleocharis.  
 BALÁGNAN. Calophyllum vidalii F. Vill.  
 BALÁGNAN, V. Calophyllum euneatum Vidal.  
 BALÁI-LAMÓC, H. Mussaenda grandiflora Rolfe.  
 BALÁI-LAMÓC, H. Crataeva religiosa Forst.  
 BALÁI-TOCÁC, H. Ixora.  
 BALÁNGHIAS. Stereulia balanghas Blanco.  
 BALAŃGÍGAN, V. Guettarda speciosa Linn.  
 BALAŃGÍQUIN, Cag. Streblus asper Lour.  
 BALÁŃGOT, T. Typha angustifolia L.  
 BALAŃGÓTAN, T. Cyperus.  
 BALÁŃGUD, T. Scirpus mucronata L.  
 BALÁŃGUN, V. Musa sapientum L.  
 BALÁNOI, T. Ocimum sanctum L.  
 BALANTÁNA, V. Clerodendron intermedium Cham.  
 BALANTÍ, T. Homonoia riparia Lour.  
 BALANTÍ. Croton muricatum DC.  
 BALANTÍ, T. Alchornea mollis Muell. Arg.  
 BALANTÍ, T. Homalanthus fastuosus F. Vill.  
 BÁLAO, T. Dipterocarpus vernicifluus Blanco.  
 BALASÁBIS. Cupania regularis Blume.  
 BALÁSBAS, V., T. Graptophyllum hortense Nees.  
 BALÁSBAS-MALÓMAY, T. Graptophyllum hortense Nees.  
 BALÁSIN, T., V., Pamp. Anamirta cocculus W. and A.



- BALÁTBAT (Paragua). Licuala.  
 BÁLATINAO. Diospyros pilosanthera Blanco.  
 BALÁTONG, V. Vigna catjang Endl.  
 BALÁTONG, T. Phaseolus mungo L.  
 BALÁTONG-ÁSO, T. Cassia tora L.  
 BALÁTONG-ÁSO, T. Cassia occidentalis L.  
 BALÁUEN, Pang. Vitex.  
 BÁLAY, V. Cassia fistula L.  
 BALÁYANG, H. Musa sapientum L.  
 BALÁY-BÁYAN, Z. Pterospermum diversifolium Blume.  
 BALÁY-NAMÚC, H. Crataeva religiosa Forst.  
 BALÁY-OÁC, H. Parkia roxburghii G. Don.  
 BALAYÓHOT, T. Buchanania florida Schauer.  
 BALÁYON, T., V. Afzelia rhomboidea Vidal.  
 BALÁYON, V. Cassia fistula Linn.  
 BALÁYONG, T. Afzelia rhomboidea Vidal.  
 BALÉBO, Ig. Pinus insularis Endl.  
 BALEÑGÁSOY, T. Buchanania florida Schauer.  
 BALENGÚAY. Flagellaria indica L.  
 BALÉTE, T. Ficus clusioides Miq. and other species.  
 BALÉTE-GÁPAÑG (Marinduque). Ficus radicans Roxb.  
 BALÍCAG, V. Dioscorea sativa L.  
 BALIBÁGAN, V. Dalbergia spinosa Roxb.  
 BALIBÁGAN, V. Guettarda speciosa L.  
 BALIBÁGO, T. Grewia.  
 BALIBÁGO, T., Pamp. Hibiscus tiliaceus L.  
 BALÍBAI, Pamp. Symphorema luzonicum F. Vill.  
 BALÍ-BALÍ, V. Couthovia celebica Koorders.  
 BALIBÁNBAN, V. Bauhinia tomentosa L.  
 BALÍBAY. Litsea luzonica Blanco.  
 BALÍC?, V. Allophylus cobbe Blume.  
 BALÍCAO, V. Schizostachyum.  
 BALICÁSAN, T., V. Talamia angatensis F. Vill.  
 BALÍC-BALÍC, Pamp. Amomum ciliatum Blume.  
 BALÍC-BALÍC, T. Hoya diversifolia Blume.  
 BALÍC-BALÍC, T. Pongamia glabra Vent.  
 BALÍCTAN?. Cryptocarya villarii Vidal.  
 BALICTARÍN, T. Clerodendron blancoanum F. Vill.  
 BALICÚPCUP, V. Epipremnum medium Engl.  
 BALIGÁÑGAN, B. Duabanga moluccana Blume.  
 BALIGÁN-NIN-GÁÑGAN, B. Eugenia.  
 BALÍGNON, V. Melochia arborea Blanco.  
 BALIGÓHOT, B. Buchanania florida Schauer.  
 BALIHÚD, T. Buchanania florida Schauer.  
 BALÍLANG OÁC, T. Oroxylum indicum L.  
 BALÍLANG OÁC, T. Clooxylum wallichianum Willd.  
 BALÍLI, Pamp. Imperata arundinacea Cyr.  
 BALIMBÍN, T. Averrhoa carambola L.

- BALIMBÍNG, T. *Averrhoa carambola* L.  
 BALINÁNAY, T. *Calamus*.  
 BALINAÓ-NAÓ (Unisan). *Ixora*.  
 BALINAÓ-NAÓ, T. *Otophora blancoi* Blume.  
 BALIÑGÁCTA, II. *Diospyros pilosanthera* Blanco.  
 BALIÑGÁCTA-COLORADO (Abra). *Diospyros*.  
 BALIÑGÁHOOD, T. *Buchanania florida* Schauer.  
 BALIÑGÁSAY. *Buchanania florida* Schauer.  
 BALÍNGAY. *Flagellaria indica* Blanco.  
 BALIÑGÁYO, T. *Erythralium*.  
 BALIÑGBÍNG, V. *Averrhoa carambola* Linn.  
 BALÍNG CÁHOY, V. *Glochidion*.  
 BALIÑGHÁSAY, T. *Buchanania florida* Schauer.  
 BALINGNÁY, T. *Flagellaria indica* L.  
 BALIÑGÚA, V. *Evodia triphylla* DC.  
 BALIÑGUAY, T. *Flagellaria indica* Linn.  
 BALINIÁSÁ, T. *Buchanania florida* Schauer.  
 BALINIÁSAY (Morong). *Buchanania florida* Schauer.  
 BALINIÁSAY (Abra). *Semecarpus perrottetii* March.  
 BALINSIÁGAO. *Aporosa*.  
 BALINTÚA (Zamboanga). *Myristica philippinensis* Lam.  
 BALINÚAY, T. *Dracaena*.  
 BÁLIO, V. *Pandanus dubius* Spreng.  
 BALÍSCUP (Zamboanga). *Eugenia*.  
 BALÍSENG, V. *Clerodendron inerme* R. Br.  
 BALITÁDIAM, V. *Quisqualis indica* L.  
 BALITBÍTAN, T?. *Cynometra ramiflora* L.  
 BALITBÍTAN, T. *Sideroxylon balitbitan* Blanco.  
 BALÍTI, T., Pamp. *Ficus indica* L. and other species.  
 BALÍTING PAYÁPA, T. *Ficus*.  
 BALÍTI PULÁ, T. *Ficus clusioides* Miq.  
 BALÍTON, V. *Melochia arborea* Blanco.  
 BALITÓSON. *Terminalia*.  
 BALIÚT, Pang. *Hopea*.  
 BALÍYOCO, B. *Andropogon schoenanthus* L.  
 BÁLAM-BÁLAM. *Leea*?.  
 BÁLLANG, Cag. *Livistona rotundifolia* Mart.  
 BALÓBAR, Pamp. *Eugenia jambos* L.  
 BALÓBO, T. *Diplodiscus paniculatus* Turcz.  
 BÁLOC. *Sapindus*?.  
 BALOCÁNAC, T. *Chisocheton paniculatus* Hiern.  
 BALOCÁNAD, T. *Aleurites moluccana* Blume.  
 BALÓC BALÓC, T. *Pongamia glabra* Vent.  
 BALÓC-BALÓC, T. *Gliricidia maculata* H. B. K.  
 BALÓC-BALÓC, T. *Linociera*.  
 BALÓC-BALÓC, T. *Scaevola koenigii* Vahl.  
 BALÓD, T., V. *Nauclea obtusa* Blume.  
 BALOGÓ, T., V., Pamp. *Entada scandens* Benth.

- BÁLOI, V. *Musa paradisiaca* L.  
 BALÓNG-CADYOS, V. *Alleanthus luzonicus* Benth and Hook.  
 BALONGCÁUIT, B. *Cedrela taratara* Blanco.  
 BALONGGÍTA, *Diospyros pilosanthera* Blanco.  
 BÁLONG-LÚYON, Pamp. *Corypha umbraculifera* L.  
 BALÓNOS, V. *Entada scandens* Benth.  
 BALÓTANG-ÁSO, T. *Cassia occidentalis* L.  
 BALÓT-BALÓT (Tayabas). *Pongamia glabra* Vent.  
 BÁLOY, T. *Musa paradisiaca* L.  
 BALÓYONG, V. *Cassia fistula* L.  
 BALTÍC (Paragua). *Agathis loranthifolia* Salisb.  
 BALÚAN. *Macaranga*?  
 BALÚBAD, T. *Anacardium occidentale* L.  
 BALÚBAT, Pang. *Eugenia*.  
 BALÚBO, T. *Diplodiscus paniculatus* Turcz.  
 BALUCÁNAD, T. *Dysoxylum*.  
 BALUCÁNAD, T. *Aleurites moluccana* Blume.  
 BALUCÁNAG, II. *Aleurites moluccana* Blume.  
 BALUCBÚC, T. *Clausena*?  
 BALÚCAO, T. *Chisocheton*.  
 BALUCLÍTU (Morong). *Uncaria hookeri* Vid.  
 BALÚCOT. *Garcinia*.  
 BALUDGÁNĜAN, T. *Digitaria*.  
 BALÚGAI. *Derris*.  
 BALUŅĜCANÁYAN, V. *Pittosporum floribundum* W. and A.  
 BALUŅĜGAY, V. *Moringa oleifera* Lam.  
 BALUNSAYÍNG, V. *Canna indica* L.  
 BALÚNUT, B. *Mangifera caesia* Jack.  
 BÁMBAG. *Plumbago viscosa* L.  
 BAMBÁN, T. *Maranta dichotoma* Lour.  
 BAMBÁN. *Amaranthus spinosus* L.  
 BAMBÉNG, T. *Bauhinia*.  
 BAMTOLÍCO, Z. *Diospyros*.  
 BANÁASI, II. *Murraya exotica* L.  
 BANABÁ, T., V., Mang. *Lagerstroemia speciosa* Pers.  
 BANABANÁLO, T. *Myristica*.  
 BÁNAG, II. *Allium sativum* Linn.  
 BÁNAG, V., T. *Smilax china* L. and other species.  
 BANÁGAN, V. *Smilax indica* Vitm. and other species.  
 BANÁGA-PULÁ, T. *Thespesia macrophylla* Blume.  
 BANNÁGO, T., V. *Thespesia macrophylla* Blume.  
 BANÁGO, T. *Garcinia*.  
 BANÁGO, T.? *Diplodiscus*?  
 BÁNAI, V. *Hedychium*.  
 BÁNAI-BÁNAI, T. *Sterospermum quadripinnatum* F. Vill.  
 BÁNAI-BÁNAI, T. *Sterospermum pinnatum* Rolfe and other species  
 BÁNAI-BÁNAI, II., T. *Naravalia laurifolia* Wall.  
 BÁNAI-BÁNAYAN, V. *Sterospermum quadripinnatum* F. Vill.

- BANÁLO, T. *Thespesia populnea* Corr.  
 BANÁLO, T. *Cordia subcordata* Lam.  
 BANÁOAG, V. *Hedychium hasseltii* Blume.  
 BANÁOT, Z. *Murraya exotica* L.  
 BANÁRO, T. *Guettarda speciosa* L.  
 BANÁRO, Pang. *Thespesia macrophylla* Blume.  
 BANÁSI, Pang. *Murraya exotica* L.  
 BANÁTI, V., Pamp. *Murraya exotica* L.  
 BANÁTO, T. *Mallotus philippinensis* Muell. Arg.  
 BANÁUAC, T., V. *Uvaria purpurea* Blume.  
 BÁNAY, V. *Hedychium coronarium* Koenig.  
 BÁNAY, Pamp. *Alpinia brevilabris* Presl.  
 BÁNAY, *Sterospermum quadripinatum* F. Vill.  
 BANÁYAN, V. *Dioscorea eburnea* Lour.  
 BÁNAY-BÁNAY. *Evodia*.  
 BANÁYAN. *Sterospermum quadripinnatum* F. Vill.  
 BANBÁN, T. *Maranta dichotoma* Wall.  
 BANBÁNG (Morong). *Clinogyne grandis* B. and H.  
 BANBÁYAN, Il. *Shorea*.  
 BANBÓM, T. *Maranta dichotoma* Lour.  
 BANCÁL, T. *Sarcocephalus cordatus* Miq.  
 BANCÁL, T. *Nauclea*.  
 BANCALÁGUAN. *Terminalia calamansanay* Rolfe.  
 BANCALÁN, T. *Calophyllum inophyllum* L.  
 BANCALÁNAN (Zamboanga). *Nauclea*.  
 BANCALÁUAG, V. *Terminalia calamansanay* Rolfe.  
 BANCALÁUAN, T. *Buchanania florida* Schauer.  
 BANCALÁUAN, T. *Terminalia calamansanay* Rolfe.  
 BANCÁL-CÁBOG. *Sarcocephalus cordatus* Miq.  
 BANCÓAN. *Cyperus difformis* L.  
 BANCÓLAN, T. *Bridelia stipularis* Blume.  
 BANCÓRO, T. *Morinda bracteata* Roxb.  
 BANCÚDO, T., V. *Morinda citrifolia* L.  
 BÁÑGA, V. *Calyptrocalyx spicatus* Blume.  
 BÁÑGA (Camarines). *Areca catechu* L.  
 BÁÑGA. *Corypha umbraiculifera* L.  
 BANŊÁL, T. *Gnetum gnemon* L.  
 BANŊÁL, T. *Nauclea*.  
 BANŊÁLAD, V. *Grewia paniculata* Roxb.  
 BANŊÁR, Il. *Stereulia foetida* L.  
 BANŊÁTI, T., V. *Abrus precatorius* L.  
 BANGBÁNG, Il. *Phumbago zeylanica* L.  
 BANGCÁL. *Nauclea glaberrima* Blanco.  
 BANGCÁL, T. *Sarcocephalus cordatus* Miq.  
 BANŊCÓANG-BONDÓC, T. *Pandanus dubius* Spreng.  
 BANŊCÓLON, T. *Cardiospermum halicacabum* L.  
 BANŊCÚDO, V. *Morinda citrifolia* L.  
 BANŊCÚDO, V. *Morinda bracteata* Roxb.

- BANG-ILÁY, V. *Hydnophytum*.  
 BANĀCÓRO, T., V. *Morinda bractea* Roxb.  
 BANĀFL, T., V. *Sophora tomentosa* L.  
 BANĀGBÁY, V., T. *Zingiber*.  
 BANĀGLÉS, H. *Hopea*.  
 BANĀGÓN, B. *Caesalpinia*.  
 BANĀGÓT, T. *Pterocymbium javanicum* R. Br.  
 BANĀQUÍLING, V., T. *Phyllanthus distichus* Muell. Arg.  
 BANĀGRÁY, V. *Zingiber*.  
 BÁNIG (Morong). *Xanthophyllum*.  
 BANÍLAC, V. *Terminalia catappa* L.  
 BANÍLAD, V., T. *Sterculia urens* Roxb.  
 BANINÚYO, T. *Antidesma ghaesembilla* Gaertn.  
 BANÍTAN, Pamp. *Cryptocarya* sp.  
 BANÍTAN. *Xylopia debiscens* Merrill.  
 BANÍTI, T. *Garcinia*.  
 BANÍTI, B. *Illipe betis* Merrill.  
 BANÍTLON. *Melochia arborea* Blanco.  
 BANÍTLONG (Zamboanga). *Pierardia*?  
 BANLATINÁO, Pang. *Diospyros*.  
 BAN-NAÁSI (H.). *Murraya exotica* L.  
 BANÓT, T. *Bauhinia cumingiana* Benth.  
 BANQUÍLIN, T. *Phyllanthus distichus* Muell. Arg.  
 BANSALÁGIN, T. *Mimusops elengi* L.  
 BANSALÁGON, T., V. *Mimusops elengi* L.  
 BANSALÁGUE, T., V. *Mimusops elengi* L.  
 BANSALÁGUIN, T. *Eugenia*.  
 BANSÍLAI, T. *Gomphia*.  
 BANSÍLAY, V. *Oelma squarrosa* Linn.  
 BANTÁNA. *Ixora*.  
 BANTÁNA, V. *Clerodendron intermedium* Cham.  
 BANTÍGUL, V. *Pemphis acidula* Forst.  
 BANTOLÍNAO, V., T. *Diospyros pilosantha* Blanco.  
 BANTOLÍNON, T. *Diospyros*.  
 BANUÁNG, T. *Octomelis sumatrana* Miq.  
 BANUÁY, Ig. *Vaccinium indutum* Vidal.  
 BANÚTAN (Nueva Viseaya). *Hopea palagata* Vid.  
 BANÚYO, T. *Dipterocarpus*.  
 BANÚYO, T. *Albizzia*.  
 BÁOANG, V. *Allium sativum* Linn.  
 BAÓANG-BÁOANG, V. *Paneratium zeylanicum* Linn.  
 BÁONG, V. *Dioscorea sativa* L.  
 BÁQUI-BÁQUI, V. *Cyperus difformis* Linn.  
 BÁQUI-BÁQUI, V. *Spinifex squarrosus* L.  
 BÁQUIN-BAQUÍT, H. *Helicteres spicata* Colinb.  
 BAQUISQUÍSAN. *Eleusine indica* Gaertn.  
 BARÁBAG. *Eugenia jambos* L.  
 BARÁC, T. *Curcuma zerumbet* Roxb. and other species.

- BARACBÁC, II. *Eugenia jambos* L.  
 BÁRAG, Pamp. *Smilax china* L.  
 BARÁÑGOI (Bulacan). *Orania regalis* Zipp.  
 BARANHÁNYO, V. *Eugenia*.  
 BARANSIÁGO, T. *Aporosa*.  
 BARAUMÁRAN, T., V. *Sophora tomentosa* L.  
 BARAYBÁY, T. *Cerbera odollam* Gaertn.  
 BARÁYON, V. *Afzelia rhomboidea* Vidal.  
 BÁRBO, B. *Celtis*?  
 BARBÓN. *Andropogon*.  
 BARCÓLON. *Cardiospermum halicacabum* L.  
 BÁREN, V. *Pandanus dubius* Spreng.  
 BARIÁT. *Pinus insularis* Endl.  
 BARINCUCÓRONG, II. *Hopea*.  
 BARIÓ-AN, Pang. *Columbia*.  
 BÁRIT, V. *Metrosideros vera* Rumph.  
 BÁRIT, II. *Calamus haenkaemus* Mart.  
 BÁRIT, T. *Homalocenchus hexandrus* O. Ktze.  
 BARIÚAN, II. *Pterospermum*.  
 BÁRLIS. *Diospyros pilosanthera* Blanco.  
 BARÓBO, V. *Diplodiscus paniculatus* Turcz.  
 BÁRONG? (Cagayan). *Eugenia operculata* Roxb.  
 BAROQUÉBOC, T. *Scleria*.  
 BÁROY. *Pterospermum diversifolium* Blume.  
 BÁRSIC, T. *Mimusops elengi* L.  
 BÁRU. *Arenga saccharifera* Labill.  
 BARUBATÓNES, V. *Kyllinga monocephala* Rottb.  
 BASÁR-BASÁR, II. *Loranthus*.  
 BÁSENG-BÁSENG, V. *Sida rhombifolia* Linn.  
 BÁSENG, II. *Zingiber officinale* Linn.  
 BASIÁC, T. *Canarium*.  
 BASIÁD (Tayabas). *Canarium*.  
 BASÍLAY. *Ochna squarrosa* Linn.  
 BASÍLOAG, II. *Dysoxylum blancoi* Vidal.  
 BÁTA. *Pinus insularis* Endl.  
 BATABÍA ÑGA POTÍ, V. *Musa*.  
 BÁTAD, V. *Sorghum vulgare*.  
 BÁTANG (Bontoc). *Pinus insularis* Endl.  
 BÁTANG-BÁTANG (Cebu). *Cissampelos pareira* L.  
 BÁTAO, T., V. *Doloechos lablab* L.  
 BATÁVIA. *Musa sapientum* L.  
 BATEBATIDÓR, Ig. *Nepenthes alata* Blanco.  
 BATÉTE. *Wrightia*?  
 BATÍCAN. *Dracontomelon cumingianum* Baill.  
 BATICULÍN, T. *Litsea perrottetii* F. Vill.  
 BATICULÍNG, T. *Litsea perrottetii* F. Vill.  
 BATICULÍN, T. *Sterospermum quadripinnatum* F. Vill.  
 BATIDÓR, II. *Nepenthes alata* Blanco.

- BATÍNAN-ÁMO, T. *Calophyllum wallichianum* Planch and Triana.  
 BATÍNO, T. *Litsea*.  
 BATÍNO, T. *Alstonia macrophylla* Wall.  
 BATÍTI, V. *Cynometra inaequalifolia* A. Gray.  
 BATITÍNAN, T. *Lagerstroemia batitinan* Vidal.  
 BATITÍNAN, T. *Shorea*.  
 BÁTLAN. *Sterospermum quadripinnatum* F. Vill.  
 BÁTO (Balabac). *Justicia*.  
 BATÓAN, V. *Dracontomelum mangiferum* Blume.  
 BATOBATÓ, T., V. *Litsea*.  
 BATOBATÓ, T. *Lepistemon reniformis* Hassk.  
 BATOBATÓNIS, T. *Euphorbia pilulifera* L.  
 BATOLÍNAO (Cagayan). *Diospyros pilosantha* Blanco.  
 BATÚAN, V. *Garcinia*.  
 BÁTUL, T. *Strychnos multiflora* Benth.  
 BÁUANG, V. *Allium sativum* Linn.  
 BÁUANG POTÍ (Jolo). *Allium sativum* Linn.  
 BÁUI, T. *Pongamia glabra* Vent.  
 BAÚSO (central Luzon). *Olea*.  
 BÁWANG, T. *Allium sativum* L.  
 BAYÁBAR-ÁSO, Pamp. *Randia*.  
 BAYÁBAS, T. *Psidium guayava* L.  
 BAYÁ-BAYABÁSAN, T. *Gardenia obscura* Vidal.  
 BAYÁCTO, B. *Trachelospermum*.  
 BAYÁG-CABÁYO, T. *Barringtonia*.  
 BAYÁG-CAMBÍNG, T. *Orchipeda foetida* Blume.  
 BAYÁG CAMBÍNG, T. *Caesalpena bonducella* Fleming.  
 BAYÁG USÁ. *Mussaenda*.  
 BAYÁG USÁ, T. *Orchipeda foetida* Blume.  
 BAYÁG USÁ, T. *Tabernaemontana globosa* Blanco.  
 BAYAMBÁN. *Maranta dichroma* Wall.  
 BÂYANGBÂYANG, V. *Amaranthus spinosus* L.  
 BAYANTÍ, T. *Aglaiia*.  
 BAYAQUÍBOC, T. *Vernonia chinensis* Less.  
 BAYASBÁS, V. *Gynotroches axillaris* Blume.  
 BAYÁTI, T., V., Pamp. *Anamirta cocculus* W. and A.  
 BAYMÁN, T. *Quercus*.  
 BAYNÓ, T. *Nelumbium speciosum* Willd.  
 BAYNÚD. *Columbia serratifolia* A. DC.  
 BAYÓC, T. *Pterospermum blumeianum* Kth.  
 BAYÓC, T. *Pterospermum acerifolium* Willd.  
 BAYÓC, T. *Pterospermum diversifolium* Blume.  
 BAYÓC-BAYÓC, T. *Pongamia glabra* Vent.  
 BAYÓG, T. *Pterospermum blumeianum* Kth.  
 BAYÓG. *Callicarpa bicolor* Juss.  
 BAYÓG BAYÓG, Pamp. *Pterospermum*.  
 BAYÓGO, V. *Chionanthes ramiflora* F. Muell.  
 BAYÓGO, T., V., Pamp. *Entada scandens* Benth.

- BAYÚCAN, T. *Quercus*.  
 BAYÚCAN, T. *Sesuvium indicum* L.  
 BAYÚCAN, T. *Dipterocarpus*.  
 BAYÚCO, V. *Artocarpus nitida* Trecul.  
 BAYÚCO, V. *Dittelasma rarak* Benth.  
 BAYÚCO NGA BIRÍON, V. *Artocarpus nitida* Treec.  
 BAYÚCO NGA CACÁUON, V. *Artocarpus cumingiana* Trecul.  
 BAYÚCO NGA LANGCÁON, V. *Artocarpus cumingiana* Trecul.  
 BAYÚCO NGA LANHÁN, V. *Artocarpus lanceolata* Trecul.  
 BAYÚG, V. *Pterospermum*.  
 BAYUGTÍN, T. *Pterospermum blumeanum* Korth.  
 BAYÚNO, V. *Mangifera caesia* Jack.  
 BÉBE, *Pinus insularis* Endl.  
 BÉBENG, *Pinus insularis* Endl.  
 BÉHEN, *Moringa oleifera* Lam.  
 BEJÚCO-SÍPAY, T. *Calamus*.  
 BÉLIS, T. *Canarium luzonicum* Miq.  
 BELÚNGA, T. *Macaranga*.  
 BENOÁNG, T. *Commersonia platyphylla* Andr.  
 BENTICOHÓL, T. *Musa sapientum* L.  
 BEOBAYÁNO, V. *Buchanania florida* Schauer.  
 BESSÍN, T. *Bruguiera gymnorrhiza* Lam.  
 BÉTIS, T., Pamp. *Illipe betis* Merrill.  
 BÉTIS LALÁQUE, T. *Illipe betis* Merrill.  
 BIÁS, T. *Gnetum scandens* L.  
 BIÁS-BIÁS, Pamp. *Commelina benghalensis* L.  
 BIÁS-BIÁS, T., V. *Polyscias nodosa* Seem.  
 BIÁS-PÓGO, T. *Ammania baccifera* L.  
 BIBÍLI, V. *Cordia blancoi* Vid.  
 BIBÍT, T. *Engelhardtia*?.  
 BIBÍT-PÁRANG, *Sterospermum*.  
 BÍCA, T., V. *Vitis latifolia* Roxb.  
 BICÁCAO, H. *Setaria italica* Beauv.  
 BÍCAL, H. *Rhamnus*.  
 BÍCAL-BÁBUY, T. *Bambusa*.  
 BÍDAY, H. *Ocimum sanctum* L.  
 BIGÁ, T. *Homalomena*.  
 BIGÁ, V. *Colocasia indica* Schott.  
 BIGÁA, V. *Ficus*.  
 BIGÁA, T. *Zizyphus trinervis* Poir.  
 BIGÁS, T. *Oryza sativa* L.  
 BIGNÁI, T. *Antidesma bunius* Spreng.  
 BIGNÁI-CALABÁO, T. *Antidesma*.  
 BIGNÁI-MÁYA, T. *Antidesma*.  
 BIGNÁI-PÓGO, T. *Antidesma ghaesembilla* Gaertn.  
 BIGNÁY, Pamp. *Antidesma bunius* Spreng.  
 BIGNÁY-PÓGO, *Phaenanthus cumingii* Miq.  
 BIGNÓN, H. *Kleinhovia hospita* L.



- BILIMBÍN, T. *Averrhoa carambola* L.  
 BÍLAN, Pamp. *Macaranga tanarius* Muell. Arg.  
 BÍLANG-BÍLANG?, V. *Cyanotis axillaris* Roem. and Schult.  
 BÍLANG-BÍLANG, V. *Sesuvium portulacastrum* L.  
 BILANGTÓN, B. *Calophyllum*.  
 BILÁUN. *Macaranga mappa* Muell. Arg?.  
 BÍLID-BÍLID (Zamboanga). *Claoxylon*.  
 BILIMBÍN, T. *Averrhoa carambola* L.  
 BILIMBINES. *Averrhoa carambola* L.  
 BÍLIS (Zamboanga). *Trewia*.  
 BÍLÓGO, T. *Celastrus paniculata* Willd.  
 BÍLÓLO, T. *Eugenia* sp.  
 BILUÁ, Pamp. *Macaranga*.  
 BILUÁ, T. *Octomeles sumatrana* Miq.  
 BILÚAN, T. *Octomeles sumatrana* Miq.  
 BILÚAN-LALÁQUE, T. *Macaranga*.  
 BILUCÁO, T. *Garcinia cambogia* Desrouss.  
 BÍLUNG, T. *Macaranga*.  
 BILÚÑGA, T. *Macaranga tanarius* Muell. Arg.  
 BILÚNG-DALÁGA, T?. *Terminalia*.  
 BINAGÚAN, V. *Dipterocarpus affinis* Brandis.  
 BINAHÍAN, T. *Sauropus androgynus* Merrill.  
 BINALÁTON, V. *Musa paradisiaca* L.  
 BINALÍUAN, T. *Shorea*.  
 BINAMBÁNG, T. *Oryza sativa* L.  
 BINÁTO, V. *Musa sapientum* L.  
 BINAYÓCO, T. *Antidesma ghaesembilla* Gaertn.  
 BINBÍÑGUAY, fl. *Loranthus pauciflorus* Blanco.  
 BIÑGÁBING. *Macaranga moluccana* DC.  
 BIÑGÁBING, T. *Macaranga mappa* Muell. Arg.  
 BIÑGLÍN, T., V. *Polyscias nodosa* Seem.  
 BIÑGLÍU, V. *Dysoxylum blancoi* Vidal.  
 BINICUÁSAN, T. *Heterostemma cuspidatum* Decne.  
 BIÑGTICOHÓL, T. *Musa paradisiaca* L.  
 BINÓLO, T. *Terminalia*.  
 BINÓLO, B. *Eugenia*.  
 BINÓNANG, T. *Octomeles sumatrana* Miq.  
 BINÓÑGA, T., V., Pamp. *Macaranga tanarius* Muell. Arg.  
 BINOYÓC-BOYÓC, T. *Modecca palmata* L.  
 BINTÍÑG-DALAGA, T. *Pithecolobium lobatum* Benth.  
 BINTÍÑG-DALÁGA (Tayabas). *Micromelum tephrocarpum* Turcz.  
 BINTÓCO. *Casearia moluccana* Blume.  
 BINTÓCO, B. *Evodia latifolia* DC.  
 BINUÁN, T. *Macaranga tanarius* Muell. Arg.  
 BINÚANG. *Octomeles sumatrana* Miq.  
 BINUÁNG, T. *Macaranga mappa* Muell. Arg.  
 BINÚCAO, T. *Garcinia cambogia* Desrouss.

- BINÚLO, T. *Terminalia*.  
 BINÚŃGA, T. *Clerodendron macrostigium* Schauer.  
 BINÚŃGA, V. *Macaranga tanarius* Muell. Arg.  
 BINÚŃGA, H. *Melochia arborea* Blanco.  
 BINUSÍSI, T. *Tristellateia australaisica* Rich.  
 BÍO, H. *Garuga floribunda* Decne.  
 BÍRI, *Ficus hirta* Vahl.  
 BÍRI, T. *Carthamus tinctorius* L.  
 BIRÍNŃGI, T. *Phaseolus vulgaris* L.  
 BIRLÁG, T. *Elaeocarpus*.  
 BÍROG, *Calophyllum inophyllum* L.  
 BISÁCLÁT, T. *Panicum*.  
 BISÁCO, V. *Epipremnum medium* Engl.  
 BÍSCO, T. *Musa paradisiaca* L. var.  
 BISLÍS (Tayabas). *Ixora*.  
 BISLÓT, T. *Eugenia*.  
 BÍTA, V. *Alstonia scholaris* R. Br.  
 BÍTAI-BÁLANG, Pang. *Parinarium*.  
 BÍTANG. *Kleinhovia hospita* Linn.  
 BITANIÓL, T. *Calophyllum inophyllum* L.  
 BITANIÓL, T. *Scolopia crenata* Clos.  
 BITANIÓL, T. *Flacourtia cataphracta* Roxb.  
 BITANIÓL-NA-BABÁE, B. *Myristica*.  
 BITÁOG, V., H. Pamp. *Calophyllum inophyllum* L.  
 BITÁOI, Z. *Calophyllum inophyllum* L.  
 BITBÍD, B. *Eugenia*.  
 BÍTCAC, T. *Ternstroemia*.  
 BITÍC, T. *Shorea*.  
 BÍTIS, T. *Illipe betis* Merrill.  
 BITLÁG, T. *Chaillietia gelonioides* H. f.  
 BITNÓG, H. *Kleinhovia hospita* L.  
 BITNÓN, *Kleinhovia hospita* L.  
 BITNÓNG, H. *Kleinhovia hospita* L.  
 BITÓC, *Calophyllum inophyllum* L.  
 BITOCÓLÍNG, T. *Palaquium luzoniense* Vidal.  
 BITOCÓLÍNG, T. *Litsea*.  
 BITOÓ, H. *Calophyllum inophyllum* L.  
 BITÓGO, T. *Cycas circinalis* L.  
 BITÓŃGOL, T. *Flacourtia sepiaria* Roxb.  
 BITÓON, V. *Barringtonia speciosa* Forst.  
 BÍTUG, *Barringtonia speciosa* Forst.  
 BÍTUNG, V. *Barringtonia speciosa* Forst.  
 BITÚŃGOL, T. *Scolopia crenata* Clos.  
 BÍUAS, T. *Bruguiera caryophylloides* Blume.  
 BÍUAS, T. *Ceriops*.  
 BÍUAS, T. *Rhizophora*.  
 BLÉDO, *Amaranthus spinosus* L.  
 BOÁ, H. *Areca catechu* Linn.

- БО́АС, Ig. *Albizzia procera* Benth.  
 БО́АДА, Ig. *Melastoma obvolutum* Jack.  
 БО́БОУ, V. *Nephelium glabrum* Noronh.  
 БО́БОУ, V. *Lansium domesticum* Rumph.  
 БО́БОУ, V. *Sterculia foetida* L.  
 БО́БОУ, B., T. *Ceiba pentandra* Gaertn.  
 БО́БОУ-ЃУБАТ, T. *Thespesia populnea* Corr.  
 БО́БОУН́ОУАГ, V. *Anaxagorea luzonensis* A. Gray.  
 БО́БОУ, T. *Ceiba pentandra* Gaertn.  
 БО́БУУ-ГУБА́Т, T. *Bombax malabaricum* DC.  
 БО́А́БОУ, T., V. *Scaevola koenigii* Vahl.  
 БО́А́УАУ, T. *Schizostachyum acutiflorum* Munro.  
 БО́АУ́, T. *Bambusa diffusa* Blanco.  
 БО́АУ́, T. *Beesha rheedii* Kunth.  
 БО́АУ́, T. *Bambusa*.  
 БО́СБОУ, T. *Streblus asper* Lour.  
 БО́ДЕ́ОД, T. *Bauhinia*.  
 БО́ДОТ, V. *Dioscorea*.  
 БО́А́УАС, T. *Clerodendron*.  
 БО́ГНА, V. *Eurya japonica* Thunb.  
 БО́ГО. *Garuga*.  
 БО́ГО-БО́ГО. *Brucea sumatrana* Roxb.  
 БО́ГОЛ́ОУАС, B. *Chisochaeton tetrapetalus* Turcz.  
 БО́ГОС, V. *Acalypha stipulacea* Klotzsch.  
 БО́ГТО-ТА́Е, V. *Streblus asper* Lour.  
 БО́Н́А́ВЕ, V. *Dysoxylum blancoi* Vidal.  
 БО́Н́А́УАУ, V. *Dioscorea*.  
 БО́НО, T. *Bambusa*.  
 БО́НО, T. *Dendrocalanus flagellifer* Munro.  
 БО́НО-БО́НО, V. *Lantana camara* L.  
 БО́НО́Л. *Gmelina villosa* Roxb.  
 БО́ЛА́КТА́Б, V. *Solanum nigrum* L.  
 БО́ЛА́Н. *Oryza sativa* L.  
 БО́ЛА́ЛА, B. *Aglaia*?  
 БО́ЛАО, Pamp. *Santiria*.  
 БО́ЛА́ТОНГ. *Phaseolus mungo* L.  
 БО́Л-Л́О, Ig. *Acalypha grandis* Benth.  
 БО́ЛЛО́ГО, H. *Anacardium occidentale* L.  
 БО́ЛО́БОУТО́НЕС, Pamp. *Euphorbia pilulifera* L.  
 БО́ЛО́БОУТО́НЕС, V. *Kyllinga monocephala* Rottb.  
 БО́ЛHА́У, T. *Oryza sativa* L. var.  
 БО́ЛHН, T. *Cureurma xanthorrhiza* Roxb.  
 БО́ЛОНГА́ЕТА, T. *Diospyros pilosanthera* Blanco.  
 БО́ЛОНГ-СА́УИТ. *Jatropha euras* L.  
 БО́ЛОНГУ́ИТА, T. *Diospyros pilosanthera* Blanco.  
 БО́ЛОНГ Л́УУОНГ, Pamp. *Livistonia papuana* Becc.  
 БО́ЛОНГ ТА́МБАЛ, V. *Dysoxylum blancoi* Vidal.  
 БО́ЛОНГ-ТА́МБАЛ. *Clerodendron intermedium* Cham.

- BOLONGUÍTA. *Diospyros pilosanthera* Blanco.  
 BOLÓT, V. *Dioscorea fasciculata* Roxb.  
 BONÁC, V. *Ocimum basilicum* L.  
 BANÁTO, T. *Mallotus philippinensis* Muell. Arg.  
 BONÉTES. *Barringtonia speciosa* Pers.  
 BÓNŊA, T., V. *Areca catechu* L.  
 BÓNŊA (Batangas). *Bauhinia variegata* L.  
 BONŊÁBONG, V. *Macaranga mappa* Muell. Arg.  
 BONŊABÓNŊA, T. *Alternanthera denticulata* R. Br.  
 BONŊÁLON. *Bauhinia grandiflora* Blanco.  
 BONŊÁNG-MATÚLIS, T. *Areca catechu* Linn.  
 BONŊÁNG-PÁTO, T. *Areca*.  
 BÓNŊA-PÁLO. *Areca catechu* L.  
 BÓNŊA-SÁNTOL. *Areca catechu* L.  
 BONŊÁN LABNÍ, Pamp. *Calamus albus* Pers.  
 BONŊLÁS, V. *Zizyphus*.  
 BONŊLÍU, V., T. *Polyscias nodosa* Seem.  
 BONŊÓT-BONŊÓT, V. *Cyperus*.  
 BONLAÍ, B. *Lunasia amara* Blanco.  
 BONLÍN, T. *Polyscias nodosus* Seem.  
 BÓNŊG (Paragua). *Garcinia*.  
 BONOTÁN, V. *Cocos nucifera* Linn.  
 BÓNTOT-USÁ, V., T. *Helicteres spicata* Colinb.  
 BOÓ-BOÓ, Ig. *Pinus insularis* Endl.  
 BOOCÁN, V. *Lansium domesticum* Rumph.  
 BORNÁY GÚBAT, V. *Antidesma*.  
 BOROBOTÓNES, V. *Kyllinga monocephala* Rottb.  
 BORÓNA, Pamp. *Setaria italica* Beauv.  
 BORÓNA. *Zea mays* L.  
 BORÓT, V. *Dioscorea fasciculata* Roxb.  
 BOSBÓRON, T., V. *Scaevola koenigii* Vahl.  
 BOSÍCAD, V. *Kyllinga monocephala* Rottb.  
 BOSLÓG-ÁMO, T. *Melastoma*.  
 BÓTA, Ig. *Mussaenda*.  
 BÓTA-BÓTA, T. *Excocaria agallocha* L.  
 BÓTA-BÓTA, II. *Melastoma obvolutum* Jack.  
 BÓTANG-GÚBAT, T. *Homalanthus fastuosus* F. Vill.  
 BOTÁT. *Barringtonia racemosa* DC.  
 BÓTO, T., V. *Scaevola koenigii* Vahl.  
 BOTÓAN, T. *Musa sapientum* L.  
 BOTOBOTÓNES, B. *Cyperus rotundus* L.  
 BOTOBOTÓNES. *Euphorbia pilulifera* L.  
 BOTOHÁN, T. *Musa paradisiaca* L.  
 BOTÓLAN, T. *Fluggea obovata* Wall.  
 BÓTON-CÍLO, V. *Kyllinga monocephala* Rottb.  
 BOTONCÍLLO, T. *Gomphrena globosa* L.  
 BÓTONG, T., V. *Barringtonia speciosa* Forst.  
 BÓTONG, V. *Cocos nucifera* Linn.

- BÓTONG, V. *Milletia sericea* W. and A.  
 BÓTONG-BÓTONĜ, T. *Barringtonia speciosa* Forst.  
 BOTÓNG-MANÓC, T. *Sterospermum quadripinnatum* F. Vill.  
 BÓVI, V. *Euphorbia pilulifera* L.  
 BOYÓC-BOYÓC, T. *Momordica cochinchinensis* Spreng.  
 BUÁ, Cag. *Areca catechu* Linn.  
 BUÁS, Il. *Malotus philippinensis* Muell. Arg.  
 BUB-BÚGNAY. *Antidesma bunius* Spreng.  
 BUEÓY-GÚBAT, T. *Bombax malabaricum* DC.  
 BUBUG. *Erythrina indica* Lam.  
 BÚBUR?. *Dracontomelum mangifera* Blume.  
 BÚBUY, T. *Ceiba pentandra* Gaertn.  
 BÚBUY-GÚBAT, T. *Thespesia populnea* Corr.  
 BUCÁCAO, Il. *Setaria italica* Beauv.  
 BÚC-BÓC, Pamp. *Streblus*.  
 BÚCTON (Masbate). *Calamus*.  
 BUENA VISTA, Sp.-Fil. *Codiaeum variegatum* Muell. Arg.  
 BUÉNG, Pamp. *Acorus calamus* Linn.  
 BUGÁJIN, V. *Strychnos celebica* Koorders.  
 BUGAYÓN, Il. *Abrus precatorius* L.  
 BÚGNA, V. *Glochidion*.  
 BÚGNAI, V. *Antidesma bunius* Spreng., and other species.  
 BÚGNAO. *Semecarpus perrottetii* March.  
 BÚGO, V., T. *Garuga floribunda* Decne.  
 BÚGOS, T., V. *Acalypha grandis* Benth., and other species.  
 BÚGTONG, V. *Caesalpinia bonduc* Roxb.  
 BUGUÁRON. *Lagerstroemia batitinan* Vid.  
 BUGUÍBUC, T. *Eragrostis tenella* R. and S.  
 BÚLIO, V. *Dendrocalamus flagellifer* Munro.  
 BUÍCAN, T. *Shorea*.  
 BUIQUÍQUIT, T. *Mueena monosperma* DC.  
 BUJÚCAN (Albay). *Fagraea*.  
 BÚLAC, T. *Gossypium herbaceum* L.  
 BÚLAC, T. *Ceiba pentandra* Gaertn.  
 BULACÁN, V. *Thespesia populnea* Corr.  
 BULACÁN, V. *Thespesia macrophylla* Blume.  
 BULACÁN, T. *Ipomoea peltata* Choisy, and other species.  
 BULÁCAO (Iloilo). *Argyrea*.  
 BÚLAC-BULÁCAN. *Ipomoea peltata* Choisy.  
 BÚLAC-BULÁCAN, T. *Asclepias curassavica* L.  
 BÚLAC-CÁHOY, T. *Gossypium perenne* L.  
 BÚLAC-CASTÍLA, Pamp. *Ceiba pentandra* Gaertn.  
 BÚLAC-CASTÍLA, Pamp. *Gossypium herbaceum* L.  
 BÚLAC-CASTÍLA, T. *Asclepias curassavica* Linn.  
 BÚLAC-DAMÓ, T. *Asclepias curassavica* L.  
 BÚLAC-DONDÓL (Cebu). *Ceiba pentandra* Gaertn.  
 BÚLAC-MANÚC, T., Pamp. *Adenostemma viscosum* Forst.  
 BÚLAC-NA-MONTÍ, T. *Gossypium perenne* L.

- BÚLAC-NA-BÚNDOC, T. *Gossypium arboreum* L.  
 BÚLAC-NA-TOTÓO, T. *Gossypium perenne* L.  
 BÚLAC-NA-TOTÓO, T. *Gossypium arboreum* L.  
 BÚLAC-NĜA-BISÁYA, V. *Gossypium arboreum* L.  
 BULÁCLAC-NAÑĜ-DALÁGA. *Mussaenda frondosa* L.  
 BULAESÍNO, T. *Ceiba pentandra* Gaertn.  
 BÚLAG, T. *Gossypium herbaceum* L.  
 BULÁGAC, B. *Uvaria ovalifolia* Blume.  
 BULÁHAN, V. *Lansium domesticum* Rumph.  
 BÚLAI (Batangas). *Dolichos lablab* L.  
 BÚLAI-LÁVA, T. *Crotalaria verrucosa* L.  
 BULÁLA, H. *Sarcocephalus cordatus* Miq.  
 BULALÁCAO, V. *Argyreia nitida* Choisy.  
 BULÁLANG, B. *Pittosporum*.  
 BÚLAN-BÚLAN, V. *Laportea gaudichaudiana* Wedd.  
 BULAÓ, T. *Canarium*.  
 BULAÓ, T. *Santiria*.  
 BULAÓ-BULAÓ, V. *Parameria philippinensis* Radlk.  
 BULÁON, T., Pamp. *Vitex littoralis* Deene.  
 BULÁNAN, V. *Gomphia*.  
 BULAÚSAN, H. *Vitex*.  
 BÚLAY (Batangas). *Dipterocarpus vernicifluus* Blanco.  
 BULÍ, T. *Corypha umbraculifera* L.  
 BULÍ-BURÍ. *Corypha umbraculifera* L.  
 BULÍ-CAHÓY. *Vitex philippinensis* Merrill.  
 BÚLO, V. *Bambusa longinodis* Miq.  
 BULOCÁNAN, V. *Gomphia angustifolia* Vahl.  
 BULOÑGUÍTAN, T. *Diospyros*.  
 BUNÁYON. *Sonneratia pagatpat* Blanco.  
 BÚÑGA (Cagayan). *Dipterocarpus*.  
 BÚÑGA, Cag. *Pterospermum diversifolium* Blume.  
 BÚÑGA, T. *Areca catechu* L.  
 BUNĜÁLON, V. *Homalocenchus hexandrus* O. Ktze.  
 BUNĜÁLON, T., V. *Avicennia officinalis* L.  
 BUNĜÁLU, T. *Avicennia officinalis* L.  
 BUNĜÁLUN, V. *Sonneratia pagatpat* Blanco.  
 BUNĜÁNAN (Tinago). *Ryparosa*.  
 BUNĜLÁS. *Zizyphus*?  
 BUNĜLÍN, T. *Polyscias nodosa* Seem.  
 BUNĜLÍO, V. *Amoora*.  
 BUNĜ-LÓY, V. *Polyscias nodosa* Seem.  
 BUNĜÓN, H. *Allaeanthus luzonicus* Benth. and Hook.  
 BUNĜÓLAN, T. *Musa paradisíaca* L. var.  
 BUNLÁO, V. *Justicia gendarussa* L.  
 BUNNÉC, H. *Musa sapientum* L. var.  
 BUQUÍNĜAN. *Gnaphalium*.  
 BUQUITQUÍT. *Asclepias curassavica* L.  
 BÚNTOT-PÚSA, T. *Mallotus ricinoides* Muell. Arg.

- BÚNTOT-PÚSA, T. *Setaria glauca* Beauv.  
 BÚNTUT-ÚSA, T. *Helicteris spicata* Colinb.  
 BUNUÁY (Bontoc). *Vaccinium indutum* Vidal.  
 BUNÚGAN?, Cag. *Calamus rhomboideus* Blume.  
 BUQUÍÑGAN, T. *Gomphrena globosa* L.  
 BURÍ, T. *Corypha umbraculifera* L.  
 BUSÁIN, T. *Bruguiera caryophylloides* Blume.  
 BUSÁIN (Leyte). *Pterocymbium javanicum* R. Br.  
 BUSÁIN, V. *Stereulia*.  
 BUSÍ?, Cag. *Calamus rhomboideus* Blume.  
 BUSÍLAC, T. *Amoora*.  
 BUSÍLAC, T. *Alehornea blumeana* Muell. Arg.  
 BUSÍLAO, T. *Aglaiia minutiflora* Bedd.  
 BUSÍLI, Pang. *Diospyros*.  
 BUSÍM. *Bruguiera*.  
 BUSLÍG, Il. *Eleocharis*.  
 BUTÁ, T. *Excoecaria agallocha* L.  
 BUTÁBUTÁ, T., Pamp. *Excoecaria agallocha* L.  
 BÚTANG-GÚBAT, T. *Homalanthus*.  
 BÚTAO, B. *Ardisia humilis* Vahl.  
 BÚTING. *Phaseolus vulgaris* L.  
 BUTÍÑGA, T. *Phaseolus vulgaris* L.  
 BUTÍÑGUL. *Vigna*.  
 BUTNÉG, Il. *Musa sapientum* L. var.  
 BUTNÉNG, Il. *Musa sapientum* L. var.  
 BÚTO-BÚTO, V. *Cerbera odollam* Gaertn.  
 BÚTO-BUTÓNIS, V. *Phyllanthus*.  
 BÚTO-BUTÓNISAN, T. *Euphorbia atoto* Forst.  
 BÚTONG, V. *Dendrocalamus*.  
 BÚTONG, V. *Pongamia glabra* Vent.  
 BÚTONG, V. *Derris sinuata* Benth.  
 BÚTONG, V. *Milletia pulchra* Benth.  
 BÚTONG-MANOC, V. *Cyclostemon*.  
 BUTÚAN, T. *Musa sapientum* L.  
 BUTÚLAN (Tayabas). *Fluggea obovata* Wall.  
 BUTÚÑG-MANÓC, B. *Hydnocarpus heterophylla* Blume.  
 BÚY, Il. *Musa*.  
 BÚYAG, T. *Citrus medica* L.  
 BUYAYÁVA, V. *Euphorbia pilulifera* L.  
 BUYÉN (Balabac). *Mussaenda grandiflora* Rolfe.  
 BÚYO, V., T. *Piper betle* L.  
 BÚYO-BÚYO, B. *Astronia macrophylla* Blume.  
 BÚYO-BÚYO (Albay). *Piper caninum* A. Dietr.  
 BÚYO-BÚYO. *Trichosanthes amara* L.  
 BUYÓC-BUYÓC, Il. *Ehretia buxifolia* Roxb.  
 BUYÓC-BUYÓC, T. *Momordica cochinchinensis* Spreng.  
 BÚYO IT ÁMO, V. *Piper caninum* A. Dietr.  
 BÚYO IT ÁYAM, V. *Piper caninum* A. Dietr.

BÚYO IT LINTÍ, V. *Piper caninum* A. Dietr.

BÚYON, V. *Mussaenda anisophylla* Vidal.

BÚYONG, V. *Melastoma*.

BÚYOR, V. *Mussaenda*.

BÚYUN (Zamboanga). *Lophopetalum*.

### C.

CÁBAG. *Sarcocephalus cordatus* Miq.

CÁBAG-HAMBABÁLOS, V. *Sarcocephalus cordatus* Miq.

CABÁHOY. *Eugenia*.

CABAICÁBAL, T., V. *Sophora tomentosa* L.

CABÁJUY. *Eugenia*.

CABÁL, T. *Fagraea morindaefolia* Blume.

CABALLÉRO, Sp. Fil. *Caesalpinia pulcherrima* Swartz.

CABALÓNĠAN, T., Pamp. *Strychnos ignatii* Berg.

CABÁLTE, V. *Elaeocarpus oblongus* Gaertn.

CABAÓ-Y, V. *Eugenia*.

CABALÍTI, T., V. *Colubrina asiatica* Brongn.

CABATÍTI, T. *Rhamnus wightii* W. and A.

CABCÁB, V. *Polypodium quercifolium* L.

CABCÁBAN, V. *Polypodium quercifolium* L.

CABCÁRON, H. *Elephantopus spicatus* Juss.

CABÍLAO, V. *Commelina benghalensis* L.

CABÍLTE, V. *Elaeocarpus oblongus* Gaertn.

CABÍQUI, T., V. *Mimusops elengi* Linn.

CABIT-CÁBAG, T. *Mezoneurum glabrum* Desf.

CABÍT-CÁBAG, T. *Caesalpina nuga* Ait.

CABÍTONG, T., Pang. *Eugenia*.

CABLÍN, T., Pamp. *Pogostemon heyneanus* Benth., and other species.

CÁBOG, T. *Unona*.

CÁBOG. *Citrus hystrix* DC.

CABÓGBOG, T. *Antidesma ghaesembilla* Gaertn.

CÁBO-NÉGRO. *Caryota urens* L.

CÁBOY. *Unona*.

CABRÁB, B., T., V. *Erythrina indica* L.

CÁBRA-CÁBRA, V. *Heliotropium indicum*, Linn.

CABUCABULÁUAN, B. *Strychnos*.

CABÚGAO, V. *Citrus decumana* Linn.

CÁBUL. *Cucumis sativus* Linn.

CABÚLAO (Tiagan). *Citrus aurantium* L.

CABÚTI, T. *Boletus?*

CABÚTI, T. *Polyporus*.

CABÚYAO, Pamp. *Citrus hystrix* DC.

CÁCA, T. *Nepenthes*.

CACÁDLE, T. *Streblus asper* Lour.

CACAHUÁTE, Pamp. *Gliricidia maculata* H. B. K.

CACAHUÉTE. *Arachis hypogaea* L.

CACÁNA, T. *Quercus soleriana* Vidal, and other species.



- CACÁO, Sp. *Theobroma cacao* L.  
 CACÁO-CACÁO (Ticao). *Agrostistachys maesoana* Vidal.  
 CACÁO-CACAOÁN. *Talauma*?  
 CACÁO-CACAUÁN, T. *Lunasia*.  
 CACÁO-CACAUÁN (Tayabas). *Aglaia*.  
 CACÁO-ITA (Balabac). *Fagraea crassipes* Benth.  
 CACAUÁTE. *Gliricidia maculata* H. K. B.  
 CACAUÁTE, T. *Arachis hypogaea* L.  
 CACHÁ. *Memeeylon edule* Roxb.  
 CACHÚMBA, H. *Argemone mexicana* L.  
 CACHÚMBA, Pamp. *Carthamus tinctorius* L.  
 CACUENTÁSAN, T. *Canna indica* L.  
 CADÁBA. *Gossypium herbaceum* Linn.  
 CADAPDÁP, B. *Diospyros*.  
 CADAYÓHAN, T. *Celosia argentea* L.  
 CÁDCO, Ig. *Polypodium dipteris* Blume.  
 CADDÍL, B. *Duabanga moluccana* Blume.  
 CADDÓL. *Pongamia glabra* Vent.  
 CÁDIR. *Duabanga moluccana* Blume.  
 CADLÍN, V. *Pogostemon cablin* Benth.  
 CADLÓM, V. *Pogostemon cablin* Benth., and other species.  
 CADÚNG, Ig. *Nepenthes alata* Blanco.  
 CÁD-YOS, V. *Cajanus indicus* L.  
 CAFÉ, Sp. *Coffea arabica* L.  
 CAGATÚÑGAN, T. *Pygenum*.  
 CAGAYÁN, H. *Boehmeria nivea* Hook. and Arn.  
 CAGÉL, Sp.-Fil. *Citrus aurantium* Linn.  
 CAGUÍNDI. *Phyllanthus acidus* Muell. Arg.  
 CAGUÍNDI, V. *Vitis carnosia* Wall.  
 CAGNÓIS, T. *Cajanus indica* L.  
 CAGYÓS. *Cajanus indica* L.  
 CAHÁNA (Jolo). *Coffea arabica* Linn.  
 CAHÉL, T., V. *Citrus aurantium* L.  
 CÁHOY-DALÁGA, T. *Morinda bracteata* Roxb.  
 CÁHOY-DALÁGA. *Micromelum*.  
 CÁHOY-DALÁGA. *Pavetta*.  
 CÁHOY-DALÁGA, T. *Evodia*.  
 CÁHOY-DALÁGA, T. *Mussaenda grandiflora* Rolfe.  
 CÁHOY-DALÁGA, T. *Mollotus moluccanus* Muell. Arg.  
 CÁHOY-DALÁGA. *Tristira triptera* Radlk.  
 CAICÁI, T. *Adiantum lunulatum* Burm.  
 CAIRÓCAN, T. *Beilschmiedia cairocan* Vidal.  
 CAIRÓNI, T. *Dioscorea*.  
 CAJÉL, H. *Citrus aurantium* L.  
 CALÁAD. *Cissampelos pareira* L.  
 CALÁBANG, V. *Daemonorops draco* Mart.  
 CALABANTÓS, V. *Mucuna nivea* DC.  
 CALÁBAO, T. *Monochoria vaginalis* Presl.

- CALÁBAO, T. *Ottelia alismoides* Pers.  
 CALABÁSANG-BILÓG. *Cucurbita maxima* Duch.  
 CALABÁZA. *Cucurbita pepo* Linn., and other species.  
 CALABÁZANG BILÓG, T. *Cucurbita maxima* Duchesne.  
 CALABÁZANG PULÁ, T. *Cucurbita maxima* Duchesne.  
 CALABÓA, Pamp. *Blechnum brownei* Juss.  
 CALABÓA. *Monochoria vaginalis* Presl.  
 CALÁBOT. *Citrus toroso* Blanco.  
 CALABÚYO, T. *Saccopetalum*.  
 CALACALAMÁYAN (Batangas). *Cissampelos pareira* L.  
 CALACAMÓTE, V. *Ipomoea bona-nox* Linn.  
 CALACAUÁYAN, V. *Arundinella nervosa* Nees.  
 CALACHUCUÍ, T. *Plumiera acutifolia* Poir.  
 CALAGÚÑG-ÚG, V. *Tournefortia sarmentosa* Lam.  
 CALÁLIOS, V. *Caryota rumphiana* Mart.  
 CALÁI, T. *Monocarpia blancoi* F. Vill.  
 CALÁI, T. *Xylopia debiscens* Merrill, and other species.  
 CALAÍCAI (Leyte). *Desmodium pulchellum* Benth.  
 CALAI-CALAI, T. Various species of Anonaceae.  
 CALAÍTIC, Mang. *Litsea*.  
 CALALÁUAN, T. *Asclepias curassavica* L.  
 CALAMANSÁLAN, T. *Stephegyne*.  
 CALAMANSÁLAI, T. *Stephegyne*.  
 CALAMANSÁNAI, T. *Terminalia calamansanai* Rolfe.  
 CALAMANSÁNAI, T. *Stephegyne*.  
 CALAMANSÁNAI, T. *Diospyros*.  
 CALAMANSÁNAI, T. *Bursera*?  
 CALAMANSÉ, T. *Citrus aurantium* L.  
 CALAMANTÁO, T. *Antidesma ghaesembilla* Gaertn.  
 CALAMÁYO, T. *Erioglossum*.  
 CALAMÁYON, T. *Terminalia*.  
 CALAMBÁE, V. *Litsea*.  
 CALAMBÍTI. *Caesalpinia bonducella* Flem.  
 CALAMBIBÍT, T. *Caesalpinia bonducella* Flem.  
 CALAMBÓ-CALAMBÓAN, T. *Cyperus*.  
 CALAMÍAS, T. *Averrhoa bilimbi* L.  
 CALAMÍSMIS. *Psophocarpus tetragonolobus* DC.  
 CALAMISMÍS, T. *Psophocarpus tetragonolobus* DC.  
 CALAMONDÍN, T. *Citrus medica* Linn. var.  
 CALÁNAG, B. *Ailanthus moluccana* DC.  
 CALANGCÁNG, V. *Heptapleurum subulatum* Seem.  
 CALANÍGI, V. *Gardenia*.  
 CALAMITÍT. *Terminalia*.  
 CALANTÁS, T., Pamp. *Cedrela toona* Roxb.  
 CALANTÍPAY, T. *Scirpus*.  
 CALÁN-UM-OÚAC, V. *Trichosanthes globosa* Blume.  
 CALÁOAG, V. *Curcuma viridiflora* Roxb.

- CALÁPI, V., B. *Calamus albus* Pers.  
 CALAPÍA (Mindanao). *Palaquium*.  
 CALAPÍNAI, T. *Dodonaea viscosa* L.  
 CALAPÍNI, T. *Avicennia officinalis* L.  
 CALASÚSI, T. *Plumeria acutifolia* Poir.  
 CALATÍÑGAN, T. *Pterospermum*.  
 CALATONDÓN, T. *Cyathea integra* J. Sm.  
 CALATSÚTSI, T. *Plumeria acutifolia* Poir.  
 CALATÚCHE, V. *Plumeria acutifolia* Poir.  
 CALATUMBÁGA. *Crudia blancoi* Rolfe.  
 CALÁUAG, V. *Curcuma longa* L.  
 CAL-AÚTIT, H. *Terminalia*.  
 CALAVÁGA, V. *Curcuma longa* L.  
 CALAVÁGA, V. *Cucumis sativa* L.  
 CALAYÁCAY, V. *Desmodium pulchellum* Benth.  
 CALAYÁTE, V. *Tectona grandis* L.  
 CALBÁNG, T. *Bambusa*.  
 CALLÁCAY, V. *Desmodium pulchellum* Benth.  
 CALÍAN, T. *Glochidion*.  
 CALIANTÁNG, T. *Leea rubra* Blume.  
 CALIANÑTÁNG. *Leea sambucina* Willd.  
 CALIBÁYOAN. *Bruguiera eriopetala* W. and A.  
 CALÁICA. *Clerodendron intermedium* Cham.  
 CALÍCOT (Tayabas). *Maesa indica* A. DC.  
 CALIMÁNTAO (Unisan). *Evodia*.  
 CALIMÁNTAO, T. *Diospyros*.  
 CALIMANTAÓ. *Vitex*.  
 CALIMBAHÍN, T. *Micromelum tephrocarpum* Turcz.  
 CALINBAGÍN, T. *Psidium guayava* L.  
 CALÍÑGA, V. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAD, Pamp. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAD, T., V. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAG, T., V. *Cinnamomum mercedoi* Vidal, and other species.  
 CALÍÑGAN, V. *Melochia corchorifolia* L.  
 CÁLIN-MANÓG. *Canthium mite* Bartl.  
 CALIÓS, T. *Streblus asper* Lour.  
 CALIÓT, Pang., H. *Hopea plagata* Vid.  
 CALIPÁYANG, V. *Codiaeum variegatum* Muell. Arg.  
 CALIRÁORAO, T. *Eragrostis plumosa* Link.  
 CALÍSAI, Pamp. *Terminalia catappa* L.  
 CALÍT-CALÍT, T. *Vitis carnosia* Wall.  
 CALÍTES, V. *Amaranthus spinosus* L.  
 CÁLLO. *Artocarpus incisa* L.  
 CALOBCÓB, T. *Eugenia jambos* L.  
 CALOCÁGO, B. *Eugenia*.  
 CALOCATÍÑGAN, T. *Pterospermum obliquum* Blanco.  
 CALOCANTÍNG, T. *Clitoria ternatea* L.  
 CÁLLOC-CÁTMO. *Kayea*.

- CALOHÁDIA. *Diospyros pilosanthera* Blanco.  
 CALOHÁDIANG, Pamp. *Diospyros*.  
 CALÓIS. *Streblus asper* Lour.  
 CALOMÁLA, T. *Elaeocarpus lancaefolius* Roxb.  
 CALOMANSÓLA, T. *Symplocos*.  
 CALOMÁTA, T. *Clausena excavata* Burm.  
 CALOMPÁN, T. *Sterculia foetida* L.  
 CALOMPÍT, T. *Terminalia edulis* Blanco.  
 CALONDÁGNI. *Bridelia stipularis* Blume.  
 CALÓO, V. *Abrus precatorius* L.  
 CALÓOY, V. *Ocimum basilicum* L.  
 CÁLOT, Pang. *Dioscorea*.  
 CALÓTANG-BILÓG. *Trumfetta semitriloba* L.  
 CALOYÁNANG. *Diospyros pilosanthera* Blanco.  
 CALÚAG, T. *Casearia*.  
 CALÚBAY, V. *Lagenaria vulgaris* Seringe.  
 CALUBCÚB, T. *Eugenia*.  
 CALÚGAY, T. *Moringa oleifera* Lam.  
 CALUGCÓG, T. *Eugenia*.  
 CALÚS, T. *Streblus asper* Lour.  
 CALUMÁCAN, V. *Elaeocarpus*.  
 CALUMÁNAY, T. *Rapanea philippinensis* Mez.  
 CALUMÁNOG, V. *Koordersiodendron pinnatum* Merrill.  
 CALUMÁNOG, V. *Terminalia edulis* Blanco.  
 CALÚMBAN, T. *Aleurites moluccana* Blume.  
 CALUMÍNĜA, Ig. *Gaultheria*.  
 CALÚMPANG, T. *Sterculia foetida* L.  
 CALÚMPAG-SA-LÁTI, T. *Xylocarpus granatum* Koenig.  
 CALÚMPAG, T. *Sterculia foetida* L.  
 CALUMPAGÍN, T. *Marlea begoniaefolia* Roxb.  
 CALÚMPAN, Pamp. *Sterculia foetida* L.  
 CALÚMPÁNG, T. *Sterculia foetida* L.  
 CALUMPANĜÍN, T. *Guettarda speciosa* L.  
 CALUMPÁNĜA-SA-LÁTI, T. *Xylocarpus obovatum* Juss.  
 CALUMPÍT, T. *Terminalia edulis* Blanco.  
 CALUNÁCAN, V. *Elaeocarpus obovatus* Arn.  
 CALÚNĜAI, T., V.. Pamp. *Moringa oleifera* Lam.  
 CALÚNGPANG, T. *Sterculia foetida* L.  
 CALUNTIŇĜAN, V. *Anthocephalus candamba* Miq.  
 CALUNTIŇĜAN-NĜA-ITÍM, V. *Nauclaea purpurea* Roxb.  
 CALUNTIŇĜAN-NĜA-MULÁTO, V. *Nauclaea purpurea* Roxb.  
 CALÚPAD, V. *Clematis gouriana* Roxb.  
 CALUPCÚP, T. *Eugenia*.  
 CALUPÍNES, Z. *Avicennia officinalis* L.  
 CALUTPÁMO. *Phyllanthus acidus* Muell. Arg.  
 CÁLUT, Pamp. *Dioscorea hirsuta* Blume.  
 CAMACAMATÍSAN, T. *Solanum nigrum* L.  
 CAMACHÍLIS, T. *Pithecolobium dulce* Benth.

- CAMAGAILÁL (Morong). *Diospyros*.  
 CAMAGÓN, T. *Diospyros discolor* Willd.  
 CAMAGSÁ, T. *Rourea multiflora* Planch.  
 CAMAGSÁ, T. *Smilax indica* Vitm.  
 CAMAGSÁ-TAGUÍLIS, T. *Rourea heterophylla* Planch.  
 CAMAGSÁ-TAGUÍLIS, T. *Connarus*.  
 CAMAGÚAN. *Diospyros discolor* Willd.  
 CAMAISÁ, T. *Croton tiglium* L.  
 CAMAISÁ, T. *Macaranga mappa* Muell. Arg.  
 CAMAISÁ-SA-GÚBAT, T. *Cleidion*.  
 CÁMAL. *Allacanthus luzonicus*, Benth. and Hook.  
 CAMALÁGUI, V. *Tamarindus indica* L.  
 CAMALÓN, T. *Evodia*.  
 CAMALÓÑGAY, T., V. *Moringa oleifera* Lam.  
 CAMALÚÑGUE, Pamp. *Moringa oleifera* Lam.  
 CAMALÚSON, V. *Psophocarpus tetragonolobus* DC.  
 CAMANCHÍLE, T. *Pithecolobium dulce* Benth.  
 CAMANCHÍLES. *Pithecolobium dulce* Benth.  
 CAMANDÁG, V. *Croton tiglium* L.  
 CAMÁÑGA, T. *Croton*.  
 CAMÁÑGE, V. *Ocimum sanctum* L.  
 CAMÁÑGI, T. *Dalea nigra* Mart. and Gal.  
 CAMÁÑGI, T. *Gynura sarmentosa* DC.  
 CAMÁÑGSI, T., V. *Artocarpus camansi* Blanco.  
 CAMAÑGUIÁNIS, T. *Clausena excavata* Burm.  
 CAMANÓC, V. *Crypteronia*.  
 CAMANSÍLE, T. *Pithecolobium dulce* Benth.  
 CAMANTÁYO, V. *Cratoxylon formosum* Benth. and Hook. f.  
 CAMANTÍGUI, T., Pamp. *Impatiens balsamina* L.  
 CAMANTIRÍS, II. *Pithecolobium dulce* Benth.  
 CAMÁOG, V. *Geodorum semicristatum* Lindl.  
 CA-MARÍA, T. *Artemisia vulgaris* L.  
 CAMARLÁNG-SONGSÓNG, T. *Leonurus sibiricus* L.  
 CAMÁS (Zamboanga). *Myristica gutteriifolia* A. DC.  
 CAMASTÉLES. *Pithecolobium dulce* Benth.  
 CAMÁTIS, T., II. *Lycopersicum esculentum* Mill.  
 CAMÁTIS. *Physalis angulata* L.  
 CAMAYÚAN, T. *Gymnosporia*.  
 CAMAYÚAN, T. *Diospyros*.  
 CAMBÁL. *Pygeum latifolium* Miq.  
 CÁMBRA-CÁMBRA, V. *Heliotropium indicum* L.  
 CAMIÁS, T. *Averrhoa bilimbi* L.  
 CANFGANG, T., V. *Ipomoea pes-caprae* Roth.  
 CAMFGAY, II. *Cryptocarya ilocana* Vidal.  
 CAMÍN, Z. *Henslowia*.  
 CAMLÍNG (central Luzon). *Diplodiscus paniculatus* Turcz.  
 CAMFRING, II. *Semecarpus*.  
 CAMÍT-CÁBAG, T. *Caesalpinia nuga* Ait.

- CAM-MÁLEG (Abra). Ficus.  
 CAMOCAMOTÍLAN, T., V. Ipomoea bona-nox L.  
 CAMOCIÍLE. Pithecolobium dulce Benth.  
 CAMOCIÍLES, T. Pithecolobium dulce Benth.  
 CÁMOG, H. Clethra canescens Reinw.  
 CAMÓNAY, T. Diospyros.  
 CAMÓNG-CÁMONG. Capparis aurantioides Presl.  
 CAMOÑGSI, T., V. Artocarpus camansi Blanco.  
 CAMONSÍLES, T. Pithecolobium dulce Benth.  
 CAMÓTIN, T. Strychnos potatorum L. f.  
 CÁMOT-CÁBAG, T. Caesalpinia bonduc Roxb.  
 CAMÓTE, Sp.-Fil. Ipomoea batatas L.  
 CAMÓTING-CÁHOY, T., V. Manihot utilissima Pohl.  
 CÁMOT-PÚSA, T. Mezoneurum.  
 CÁMOT-PÚSA, T. Harrisonia bennetii Benth. and Hook. f.  
 CAMPÓPOT, T. Tabernaemontana pandacaqui Poir.  
 CAMPÓPOT, Pamp. Jasminum sambac Ait.  
 CAMÚLAO, H. Citrus hystrix DC.  
 CAMÚÑGUI (Zamboanga). Harrisonia bennetii Benth. and Hook. f.  
 CAMUNÍNG, T. Atalantia.  
 CAMUNÍNG, T. Murraya exotica L.  
 CAMÚMIN, T. Rourea heterophylla Planch.  
 CAMUNÍN, V., Pamp. Murraya exotica L.  
 CAMUNTÁY, V. Citrus hystrix DC.  
 CÁMUT-CÁBAG, T. Dalbergia ferruginea Roxb.  
 CÁMUT-CÁBAG, T. Azima nova Blanco.  
 CAMÚYO, T. Citrus hystrix DC.  
 CÁNA, V. Cardiospermum halicacabum L.  
 CANAASÁGA, Pamp. Abrus precatorius L.  
 CANÓBONG, V. Tacca pinnatifida Forst.  
 CANÁLA, V. Musa.  
 CANÁLONG, V. Tacca rumphii Schauer.  
 CANÁRA, V., T. Musa.  
 CANÁREM. Bischofia javanica Blume.  
 CANÁUAY, T. Uncaria.  
 CANDÁBA, V. Gossypium herbaceum L.  
 CANDARÓMA, H. Cinnamomum pauciflorum Nees.  
 CANDÓL, V. Benincasa cerifera Savi.  
 CANDÓN, H. Memecylon edule Roxb.  
 CANÉLA, V. Ocimum basilicum L.  
 CANÉLA. Cinnamomum pauciflorum Nees.  
 CANÉLA-DE-MÓNTE. Cinnamomum.  
 CANÉT, T. Artocarpus.  
 CÁÑGAY, Pamp. Zanthoxylum avicennae DC.  
 CÁÑGON-CÁÑGON, T. Hygrophila salicifolia Nees.  
 CÁÑGÓNG, T., Pamp. Ipomoea reptans Poir.  
 CANGCÓAG-DÁPO, T. Jussiaea repens L.  
 CANÍÑGAG, T., V. Cinnamomum mercadoi Vidal.

- CANÍSI, V. *Piper betle* L.
- CANLÁRA, V. *Strychnos ignatii* Berg.
- CANÍNĜAG, T. *Xylopia*.
- CANÓMAY, T., V. *Diospyros multiflora* Blanco, and other species.
- CANÓNAY, T. *Croton*.
- CANSASÁGA, Pamp. *Abrus precatorius* L.
- CANSÍLAN, V. *Cratoxylon blancoi* Vidal.
- CANLÍSAY, V. *Cratoxylon*.
- CANSÚYOT. *Aporosa*.
- CANTÍNĜAN (Mang). *Pterospermum*.
- CANTIÑĜÉN, II. *Cedrela toona* Roxb.
- CÁNTO-CÁNTO, T. *Exacum tetragonum* Roxb.
- CANTÓN. *Gossypium barbadense* L.
- CANTÓN. *Boehmeria nivea*, H. and A.
- CANTÓTAI, T., Pamp. *Paederia foetida* L.
- CANTÓTAN. *Paederia foetida* L.
- CANTÓTAN, T. *Vinca rosea* L.
- CANTÓTAY, T. *Paederia foetida* L.
- CANTÚTAC, T. *Paederia foetida* L.
- CANTÚTAN, T. *Paederia foetida* L.
- CANUBSÚBAN, T. *Scirpus*.
- CANUBSÚBAN, T. *Panicum*.
- CANUBSÚBAN, Pamp. *Polygonum barbatum* L.
- CÁNUS-CÁBAG, T. *Mezoneurum*.
- CAÑA, Sp. *Bambusa*.
- CAÑA-DÚLCE, Sp. *Saccharum officinarum* L.
- CAÑA-ESPÍNA, Sp. *Bambusa*.
- CAÑA-PÍSTOLA, T. *Cassia fistula* L.
- CAÑA-FÍSTULA, Sp. *Cassia fistula* L.
- CAÑÓN, II. *Lilium philippinense* Baker.
- CAPÁL, T. *Hoya multiflora* Blume.
- CAPALÁUAN, V. *Homalomena miqueliana* Schott.
- CÁPOL-CÁPOL, T. *Asclepias curassavica* L.
- CÁPOL-CÁPOL, T. *Calotropis gigantea* R. Br.
- CAPANITÚLOT, T. *Justicia gendarussa* L.
- CÁPAS, II. *Ceiba pentandra* Gaertn.
- CÁPAS-SÁNĜLAY, II. *Ceiba pentandra* Gaertn.
- CAPÁYAS, T., V. *Carica papaya* L.
- CAPCÁPA, II. *Polypodium quercifolium* L.
- CAPÍLI, T. *Aleurites moluccana* Willd.
- CÁPOC (Joló). *Ceiba pentandra* Gaertn.
- CAPÓN, T. *Areca alba* Rumph.
- CAPÓPAT-VISÁYA, V. *Jasminum sambac* Ait.
- CAPÚLAO, V., T. *Cynomorium philippinense* Blanco.
- CAPÚLI. *Physalis peruviana* L.
- CAPÚTOL, V. *Oryza minuta* Presl.
- CARABÁVI, II. *Bridelia stipularis* Blume.
- CARADÁP, B. *Scheichera*.

- CARACÁLLA. *Phaseolus caracalla* Blanco.  
 CARACATÓN, V. *Musa paradisíaca* L. var.  
 CARACHÚCHA, T. *Plumiera acutifolia* Poir.  
 CARACÓB-BUTIGUÍ, V. *Eugenia*.  
 CARÁDAT, V. *Leea javanica* Blume.  
 CARAGDÁ. *Trichosanthes amara* L.  
 CARAGLÍ, T. *Gardenia obscura* Vidal.  
 CARAHÚMAI, T. *Pandanus*.  
 CARÁMAY. *Phyllanthus*.  
 CARAMBUÁYA, II. *Euphorbia neriifolia* L.  
 CARAMPÁLIT, Pamp. *Sesuvium portulacastrum* L.  
 CARANCÁN, V., B. *Heptapleurium*.  
 CARANYÁN, V. *Gomphia angustifolia* Vahl.  
 CARAÑGÁNY, V. *Heptapleurum venulosum* Seem.  
 CARÁOL, Z. *Acacia*.  
 CARAPDÁP, T. *Erythrina indica* L.  
 CARÁUAN, B. *Duabanga moluccana* Blume.  
 CARÍQUIS, II. *Albizia julibrissin* Durazz.  
 CARISQUÍ, T., II. *Albizia julibrissin* Durazz.  
 CARITÁNA, V. *Bryophyllum calycinum* Salisb.  
 CARITÁNA, V. *Kalanchoe spathulata* DC.  
 CARLÍN, T. *Pogostemon cablin* Benth.  
 CARMÁI, T. *Glochidion*.  
 CARNÁTE, V. *Musa sapientum* L. var.  
 CÁRO, II. *Casuarina equisetifolia* Forst.  
 CAROCCÓB, B. *Eugenia*.  
 CAROCCÓB-BUTIGUÍ (Camarines). *Eugenia*.  
 CAROCSÁN, T. *Linociera*.  
 CARÓPI, V. *Amomum ciliatum* Blume.  
 CAROPSÁN. *Linociera luzonica* F. Vill.  
 CARÓT, II. *Amorphaphallus campanulatus* Blume.  
 CARÓT, II. *Dioscorea triphylla* L.  
 CARUCANSÓLI, T. *Leucas aspera* Spreng.  
 CARUGÚ, T., V. *Myristica*.  
 CASÁBANG, II. *Zanthoxylum oxyphyllum* Edgw.  
 CASABHÁ, V. *Carthamnus tinctorius* L.  
 CÁSAI, T. *Pithecolobium montanum* Benth.  
 CÁSA-SAGÁ. *Abrus precatorius* L.  
 CÁSAY, B. *Albizia littoralis*, Teysm and Benn.  
 CÁSAY, T. *Aglaiá*.  
 CÁSAY, V. *Pithecolobium montanum* Benth.  
 CÁSAY, V. *Adenantha pavonina* L.  
 CASIBAINLÁNG (Paragua). *Iguanura*.  
 CASÍBEN, II. *Sapindus tureznaninowii* Vid.  
 CASINDÍC, T. *Erythrina indica* L.  
 CASÍRAG, Z. *Dodonaea viscosa* L.  
 CASÍTAS, V. *Cassia alata* L.  
 CASLÁ, V. *Jatropha curcas* L.



- CASNÚT-CÁBAG, T. *Azima nova* Blanco.  
 CASOPANGUÍL, T. *Clerodendron intermedium* Cham.  
 CASOPANGÍL-SA-GÚBAT, T. *Clerodendron*.  
 CASOPANGUÍL-NA-PUTÍ, T. *Clerodendron*.  
 CASÓY, T., V. *Anacardium occidentale* Linn.  
 CÁSTIO-CASTIÓGAN, T. *Hibiscus abelmoschus* L.  
 CASTÍOGAN, T. *Hibiscus abelmoschus* L.  
 CÁSTO-CASTOLÍAN, Pamp. *Hibiscus abelmoschus* L.  
 CASTÓLI, T. *Hibiscus abelmoschus* L.  
 CASTÚLI, T. *Hibiscus abelmoschus* L.  
 CASTÚMBA, Pamp., T. *Carthamus tinctorius* L.  
 CASÚBANG-ÁSO. *Argemone mexicana* L.  
 CASÚBBA. *Carthamus tinctorius* L.  
 CASUBHÁ, T., Pamp. *Carthamus tinctorius* L.  
 CASUBHÁNG-ÁSO, II. *Argemone mexicana* L.  
 CASÚI-CASÚIAN, T. *Dehaasia*.  
 CASÚIT, Pamp. *Capparis*.  
 CASUPÁÑGIL-GÚBAT, T. *Clerodendron blancoi* Naves.  
 CASUPÁÑGIL-GÚBAT, T. *Clerodendron infortunatum* L.  
 CÁSTIO, T. *Hibiscus abelmoschus* L.  
 CASÚY, T. *Anacardium occidentale* L.  
 CATAKÁ-TAKÁ, T. *Bryophyllum calycinum* Salisb.  
 CATAKÁ-TAKÁ, T. *Kalanchoe laciniata* DC.  
 ĆATALÓNĜA, V. *Strychnos ignatii* Berg.  
 ĆATAMANTÁS. *Antidesma cumingii* DC.  
 CATANDÁ, T. *Cassia alata* L.  
 CATANDÁ, T. *Cassia tora* L.  
 CATANDÁ, T. *Crotalaria*.  
 CATANDÁNG-ÁSO, T. *Cassia tora* L.  
 CATANGÁL, V. *Euryeles amboinensis* Herb.  
 CÁTANG-CÁTANG, T., B. *Ipomoea pes-caprae* Roth.  
 CÁTANG-CÁTANG. *Alpinia brevilabris* Presl.  
 CÁTANG-CÁTANG, T. *Ipomoea pes-caprae* Roth.  
 CÁTAP (Zamboanga). *Croton leiophyllus* Muell. Arg.  
 CATÁPANG. *Shorea guiso* Blume.  
 CATÁRAY (Balabac). *Blumea chinensis* DC.  
 CATÁYPA (Dinagat). *Ardisia perrottetiana* A. DC.  
 CATBALÓNĜA. *Strychnos ignatii* Berg.  
 CATCÁTAN, Pamp., V. *Alpinia brevilabris* Presl.  
 CATCÁTAN, V. *Hedychium coronarium* Koenig.  
 CATCHÍBONG, V. *Datura alba* Nees.  
 CATCHÚBUNG, V. *Datura alba* Nees.  
 CATCHÚBUNG, V. *Datura metel* L.  
 CATELÁNA, T.? *Diospyros*.  
 CATÍCOT, T. *Maesa indica* A. DC.  
 CATÍGUIS, T. *Sapindus turezaniowii* Vid.  
 CÁTIL. Ig. *Eriosema chinense* Vog.

- CATIMÓN, V. *Cucumis melo* L. and other species.  
 CATMÓN, T., V. *Dillenia philippinensis* Rolfe.  
 CATLUÉN, V. *Pogostemon cablin* Benth.  
 CATÓN (Albay). *Ficus*.  
 CATÓNGAL, T. *Pancreatium zeylanicum* L.  
 CATÓN-MACHÍNG (Zamboanga). *Canarium*.  
 CATÓLAN, V. *Alpinia brevilabris* Presl.  
 CATÓTANG, V. *Hedychium coronarium* Koenig.  
 CATÓTANG, V., Pamp. *Alpinia gigantea* L.  
 CATÓTANG, V., Pamp. *Alpinia brevilabris* Presl.  
 CÁTOY (Albay). *Conocephalus*.  
 CÁTOY (Albay). *Artocarpus*.  
 CATSÚMBA, T. *Carthamus tinctorius* L.  
 CATUBACÚLAN, T. *Dysoxylum*.  
 CATUÍT, T. *Euphorbia tirucalli* L.  
 CATÚNGAL, T. *Eurycles amboinensis* Herb.  
 CATÚŃGAO, Ig. *Loranthus spicifer* F. Vill.  
 CATÚRAI, T. *Sesbania grandiflora* Benth.  
 CAUÁD-CAUÁBAN, T. *Panicum*.  
 CAUÁD-CAUÁSAN, T. *Naravalia*.  
 CÁUAI, T., V. *Sophora tomentosa* L.  
 CÁUAT-CAUÁBAN, T. *Cynodon dactylon* L.  
 CAUÁYAN-ÁNOS?. *Bambusa longinodis* Miq.  
 CAUÁYAN-BALÍCAO, T. *Bambusa luzonica* Munro.  
 CAUÁYAN-BOCÁUI. *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-BÚHO. *Dendrocalamus*.  
 CAUÁYAN-CHÍNA?. *Schizostachyum blumei* Nees.  
 CAUÁYANG-BÓO, T. *Bambusa laevis* Blanco.  
 CAUÁYAN-GUÍD, V. *Bambusa blumeana* Roem. and Schult.  
 CAUÁYANG-TOTÓO, T. *Bambusa arundinacea* Retz.  
 CAUÁYANG QUILÍNG, T. *Bambusa monogyna* Blanco.  
 CAUÁYAN-LUMANPÁO?. *Dendrocalamus*.  
 CAUÁYAN-ŃGA-ITÚM, V. *Phyllostachys bambusoides* Sieb. and Zucc.  
 CAUÁYAN-OSUÍ. *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-PÁNA. *Bambusa*.  
 CAUÁYAN-TÁYO-UÁNAC (Tayabas). *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-TAINÁNAC. *Dendrocalamus*.  
 CAUÁYAN-TINÍC. *Bambusa blumeana* R. and S.  
 CAUÁYAN-TÓBO. *Bambusa blumeana* Roem.  
 CAUÁYANG TOTÓO, T. *Bambusa arundinacea* Retz.  
 CAUMPÁNG (Jolo). *Stereulia foetida* L.  
 CÁUON, T. *Arenga sacchifera* Lab.  
 CAVÁL, T. *Garcinia*.  
 CAVILÁN, T. *Vitis carnosia* Wall.  
 CAYÁGA. *Hibiscus rosa-sinensis* L.  
 CAYÁŃGA, T., V., Pamp., H. *Hibiscus rosa-sinensis* L.  
 CAYANŃGA-RÓSA, H. *Hibiscus rosa-sinensis* L.

- CAYANĀGCÁN, V. *Heptapleurum venulosum* Seem.  
 BAYANĀGCÁN. *Dioscorea pentaphylla* Pers.  
 CAYANTÓL, Z. *Linociera*?  
 CAYANTÓN, Z. *Ficus*.  
 CAYAΘYÁO, T. *Alstonia spectabilis* R. Br.  
 CAYÁPO, V. *Pistia stratioides* Linn.  
 CÁYO, B. *Ceiba pentandra* Gaertn.  
 CAYOB-CÓB (Cebu). *Ophiorrhiza*.  
 CAYOMÁNIS, V. *Cocos nucifera* L.  
 CÁYONG, V. *Glochidion littorale* Blume.  
 CÁYOS, V. *Dioscorea hirsuta* Blume.  
 CAYUMÁNIS, T. *Clausena pentaphylla* DC.  
 CAYUTÁNA, Pamp. *Zanthoxylum avicennae* DC.  
 CAYUTÁNA, T. *Zanthoxylum oxyphyllum* Edg.  
 CEBÓLLI-CEBOLLÍSAN, T. *Ipomoea*.  
 CERÉZAS, Sp.-Fil. *Muntingia calabura* L.  
 CHÁ, T. *Aphananthe*.  
 CHACHÁ-CHACHÁHAN, T. *Scoparia dulcis* L.  
 CHACHÁ-CHACHÁHAN, T. *Lippia nodiflora* Rich.  
 CHÁ-CIMARRÓN. *Ehretia*.  
 CHÁM-BÚNDOC, T. *Ehretia buxifolia* Roxb.  
 CHAMPÁCA, Sp.-Fil. *Michelia champaca* Linn.  
 CHAMPÁGA, T. *Michelia champaca* Linn.  
 CHANCHÁE. *Cissampelos pareira* L.  
 CHANG-PÁRANG (Angat). *Osbeckia chinensis* L.  
 CHÉCHE (Nueva Vizcaya). *Stephegyne*.  
 CHICALÓTE. *Argemone mexicana* L.  
 CHÍCO, Sp.-Fil. *Achras sapota* L.  
 CHÍCO-MAMÉY. *Lucuma mammosa* Gaertn.  
 CHÍLE, Sp.-Fil. *Capsicum minimum* Roxb.  
 CHÍLENG-BUNDÓC, T. *Capsicum minimum* Roxb.  
 CHÍLENG-BUNDÓC, T. *Piper*.  
 CHÍLI-PICÁNTE, Sp.-Fil. *Capsicum minimum* Roxb.  
 CHINCHÁO-CHINCHÁUAN, T. *Cissampelos pareira* Linn.  
 CIANBÓG-TÚGBA. *Ternstroemia toquian* F. Vill.  
 CÍDRA. *Citrus medica* L.  
 CÍDRA-CAYÓTE. *Cucumis citrullus* Sir.  
 CILIĀGÍWA, V. *Averrhoa bilimbi* L.  
 CINAMÓMO, Sp.-Fil. *Lawsonia alba* Lam.  
 CINAMÓMO-DE-CHÍNA, Sp.-Fil. *Aglaia odorata* Lour.  
 CINCHÁO-CINCHÁUAN, T. *Cissampelos pareira* L.  
 CÍNCO-CÍNCO. *Gynandropsis pentaphylla* DC.  
 CÍNCO-LLÁGAS (Manila). *Erianthemum bicolor* Sch.  
 CÍNTAS-CINTÁSAN, T. *Vallisneria spiralis* L.  
 CIRÚLLAS. *Spondias purpurea* L.  
 CÍSCA. *Imperata arundinacea* Cyrill.  
 CÍSIP, Ig. *Loranthus*.  
 CÓBAG, T. *Dioscorea sativa* L.

- CÓBAG-NA-QUIRÓI, T. Dioscorea.  
 COBÁMBA, T. Canscora diffusa R. Br.  
 CÓBE. Dittelasma rarak Benth.  
 CÓBONG-CÓBONG, V. Cyperus clatus Linn.  
 COCÁTMON, V. Buchanania florida Schauer.  
 CÓCO, Sp.-Fil. Cocos nucifera L.  
 CÓCONG-MANÓC, T. Barleria prionitis L.  
 CÓGON, T., V., B. Imperata arundinacea Cyrill.  
 CÓGON-CÓGON, T. Hypoxis franquevillei Miq.  
 COHÓMBRO. Cucumis sativa L.  
 CÓLA, T. Geodorum semicristatum Lindl.  
 COLABATÍAN, T. Cyperus.  
 CÓLANG-BUNDÓC, T. Geodorum semicristatum Lindl.  
 CÓLAS, T. Geodorum semicristatum Lindl.  
 COLASÍMAN, T. Portulaca oleracea L.  
 COLATCÓLAT. Agaricus.  
 COLÁTAY, T. Cynodon dactylon Pers.  
 COLÉNGAY, T. Astronia.  
 CÓLES, T. Morinda bracteata Roxb.  
 CÓLES, T. Memecylon edule Roxb.  
 CÓLES-MALÚEO, T. Pisonia inermis Forst.  
 COLIÁT, T. Gnetum gnemon L.  
 COLINTÁSAN, V. Canna indica L.  
 CÓLO, V. Artocarpus incisa L. f.  
 COLOBÓT, T., V. Citrus hystrix DC.  
 COLOCANTÍÑG. Clitoria ternatea Linn.  
 COLOCÓGO, V. Ocimum sanctum L.  
 COLOCOLÓG, V. Clerodendron intermedium Cham.  
 COLOHÁDIA, Pamp. Diospyros.  
 COLONÁUAS, T. Avertrhoa bilimbi L.  
 COLONCÓGON, B. Hernandia peltata Meissn.  
 COLONCÓGON, V. Ocimum gratissimum L.  
 COLOPCÓP, T. Eugenia.  
 CÓLOT, V. Dioscorea hirsuta Blume.  
 COLÓTAN, T. Triumfetta semitriloba L.  
 COLÓTAN, T., V., Pamp. Urena sinuata L.  
 COLÓT-COLÓTAN, T. Chrysopogon aciculatus Trin.  
 COLÓT-COLÓTAN, T., V., Pamp. Urena sinuata L.  
 COLOYÁNANG, Pamp. Diospyros.  
 CÓLUNG-CÓLUNG, V. Crotolaria.  
 COMBÁR-COMBÁRAN, T. Hyptis brevipes Poir., H. capitata Jacq.  
 COMIMPÓL, V. Hyptage madablota Gaertn.  
 COMMONSÍL, V. Pithecolobium dulce Benth.  
 CONÁCON. Elaeocarpus floribundus Blume.  
 CONDÓL, T. Benincasa cerifera Savi.  
 CONGÍ, Pamp. Oxalis corniculata L.  
 CONTÍNG-COTÍÑGAN, T. Heliotropium indicum L.  
 CÓNTY, T. Solanum migrum L.

- CÓPANG, T., II. *Parkia roxburghii* G. Don.  
 COPCÓP, T. *Eugenia montana* Blanco.  
 COPRALÍN, T. *Ichnocarpus frutescens* R. Br.  
 COROBCÓB, B. *Eugenia*.  
 COROCARCÚDAN, V. *Lippia nodiflora* Rich.  
 CÓRONG, T. *Chaillietia*.  
 CORÓNG-CÓRONG, V. *Erythrina ovalifolia* Roxb.  
 CORONÍTAS, Sp.-Fil. *Lantana camara* L.  
 CORÓS-CORÓSAN, T. *Chloris barbata* Sw.  
 CORÓT, V. *Dioscorea fasciculata* Roxb.  
 CORÓT, II. *Amorphophallus campanulatus* Blume.  
 COSIBÉN, II. *Sapindus turezauinowii* Vid.  
 COSINDÍC. *Erythrina indica* L.  
 CÓSOL, V. *Eurycles amboinensis* Herb.  
 CÓSOL, V. *Kaempheria galanga* L.  
 CÓSOL-CÓSOL, V. *Monochoria hastaefolia* Presl.  
 CÓTING-COTÍNĜAN. *Heliotropium indicum* L.  
 COTMÓC, B. *Terminalia edulis* Blanco.  
 COTÓLAN. *Urena multifida* L.  
 CROCALÁSAY. *Selaginella*.  
 CUACUACÓHAN, T. *Abutilon indicum* G. Don.  
 CUANTÓN, II. *Amaranthus spinosus* L.  
 CÚBAO. *Dietyoneura*.  
 CUBATÍLI, T. *Aglaiia grandis* Miq.  
 CÚBI, V. *Artocarpus cumingiana* Tree.  
 CÚBI. *Dittelasma rarak* Benth.  
 CUBÍLI (Bulacan). *Cubilia rumphii* Blume.  
 CUCHÁI, T. *Allium uliginosum* Don., *A. tricoccum* L.  
 CUCUBÍTAN, T., V., Pamp. *Trichosanthes anguina* L.  
 CUCÚN-BANÚC (Masbate). *Hymenodietyon excelsum* Wall.  
 CUDÍAPA, V. *Celosia argentea* Linn.  
 CUDÍAPA, V. *Amaranthus paniculatus* L.  
 CUÉLA. *Homalium villarianum* Vidal.  
 CUÉLANG (Benguet). *Cratoxylon floribundum* F. Vill.  
 CUINTÁS-CUINTÁSAN, T. *Canna indica* Linn.  
 CÚSOL, V. *Kaempheria galanga* L.  
 CULÁD, V. *Dioscorea fasciculata* Roxb.  
 CULÁLAO, Pamp. *Cureuma longa* Linn.  
 CULAMBÍSAN, B. *Garcinia*.  
 CULANTÁ, T. *Barleria prionitis* Linn.  
 CULANTRÍLLO, Pamp. *Adiantum lunulatum* Burm.  
 CULÁNTRO (Manila). *Coriandrum sativum* L.  
 CULÁPO, T. *Boletus*.  
 CULÁSI, B. *Decaspermum paniculatum* Turez.  
 CULÁSI, T. *Lumnitzera purpurea* Presl.  
 CULÁTAI, Pamp. *Jasminum sambac* Ait.  
 CÚLES, T. *Memecylon edule* Roxb.

- CULÉTES, V. *Amaranthus spinosus* L.  
 CULÍAO, II. *Curcuma longa* Linn.  
 CULÍAPA (Iloilo). *Amaranthus mangostanus* L.  
 CULÍAT, V., T. *Gnetum gnemon* L.  
 CULÍCUL, V. *Pithecolobium lobatum* Benth.  
 CULILÍ. *Commersonia platyphylla* Andr.  
 CULÍLIS, T. *Isolepis barbata* R. Br.  
 CULÍLIS, T. *Amaranthus viridis* L.  
 CULILÍSIAO (Tayabas). *Linociera cumingiana* Vidal, *Elaeocarpus*.  
 CULÍNG-BÁBUY, T. *Chisocheton*.  
 CULÍNG-MANÓC, V. *Canthium*.  
 CÚLIOT, Pang. *Hopea*.  
 CÚLIS, T. *Memecylon edule* Roxb.  
 CÚLIS-NA-PULÁ, V. *Aporosa microcalyx* Hassk.  
 CÚLIT, T., V. *Morinda bracteata* Roxb.  
 CÚLOC-CÚLOC, V. *Eugenia*.  
 CULUBÚNG, Pamp. *Musa*.  
 CÚLU-CULÚ, B. *Calophyllum*.  
 CULÚTAN. *Urena sinuata* L.  
 CULU-CULUTÁN, T. *Urena sinuata* Linn.  
 CULÚT-PÁMO, Pamp. *Vitis carnosia* Wall.  
 CUMBÁR, Pamp. *Hypoestes laxiflora* Nees.  
 CÚNAG, T. *Calamus*.  
 CUNÁLON, V. *Diospyros eunalon* A. DC.  
 CÚNIG, II. *Curcuma longa* Linn.  
 CÚNTI, T. *Solanum nigrum* L.  
 CÚPANG, T., II. *Parkia roxburghii* G. Don.  
 CÚPANG-BUNDÓC, B. *Gleditschia maculata* H. B. K.  
 CUPCÚP, Pamp. *Eugenia*.  
 CÚPIT-CÚPIT, II. *Lepistemon reniformis* Hassk.  
 CÚRAG. *Calamus*.  
 CURAGDÁ, V., Pamp. *Trichosanthes anguina* L.  
 CURCANÉLA (Albay). *Rauwolfia*.  
 CURRIBUETBUÉT, II. *Tabernaemontana pandacaqui* Poir.  
 CURÚCAT (Nueva Viscaya). *Shorea guiso* Blume.  
 CURYÁO (Nueva Viscaya). *Shorea guiso* Blume.  
 CUSCUSÍPA, II. *Cissampelos pareira* L.  
 CUSIBÉN, II?. *Cupania*.  
 CUSNÁO, II. *Curcuma longa* Linn.  
 CÚSOL, Pamp., V. *Kaempheria galanga* L.  
 CÚSUNG, Pamp. *Cyperus rotundus* L.  
 CUTCÚRAN, T. *Plectranthus*.  
 CÚTI, B. *Solanum nigrum* L.  
 CUTÍL, Ig. *Eriosema chinense* Vog.  
 CÚTO-CÚTO, T. *Bridelia stipularis* Blume.  
 CUYAO-YÁO (Masbate). *Alstonia*.  
 CUYA-QUÍA, Z. *Pometia*.

- CUYANYÁN, B. *Alstonia*.  
 CÚYON-CÚYON, V. *Lepiniopsis ternatensis* Valetou.  
 CÚYOS-CÚYOS, V. *Taxotrophis ilicifolia* Vidal.  
 CÚYOS-CÚYOS, T. *Cupania*.

## D.

- DÁAT, T. *Xerotes longifolia* R. Br.  
 DÁAT, T. *Scleria*.  
 DACANDÁNG, V. *Tephrosia*.  
 DACÚTUNG (Jolo). *Clerodendron cumingianum* Schauer.  
 DAGÁBAS, T., V. *Pteris opaca* J. Sm.  
 DAGALÍGUAN, V. *Astronia*.  
 DAGÁMIT, V. *Rubus glomeratus* Blume and other species.  
 DAGANGDÁNG, V. *Tephrosia luzonensis* Vogel.  
 DAGANGDÁNG (Jolo). *Maesa*.  
 DÁGMAY. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-APÍPI, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-BOLÍLAO, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-INÍTLOG, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-QUINSÓL, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-TAPÓL, V. *Colocasia antiquorum* Schott.  
 DAGUÍNOT, V. *Rubus parviflorus* L.  
 DAGUÍNOT, V. *Fragaria indica* Andr.  
 DÁHA. *Mallotus*.  
 DAHÍLI, V. *Cocos nucifera* Linn.  
 DAÍLA, V. *Epipremnum medium* Engl.  
 DAITÁNAG, Pamp. *Pterocarpus indieus* Willd.  
 DALÁCAN, H. *Palaquim oleiferum* Blanco.  
 DALAGÁNUM, V. *Uvaria dulcis* Dunal.  
 DALÁGAO, V. *Uvaria dulcis* Dunal.  
 DALÁGUIT, V. *Ficus indica* L.  
 DALÁMO, V. *Fleurya interrupta* Gaud.  
 DALÁNAN, V. *Tectona grandis* Linn. f.  
 DALANDÁN, T. *Citrus aurantium* Linn.  
 DALANDÓN, V. *Tectona grandis* Linn. f.  
 DALANGÍAN, V., T. *Artocarpus camansi* Blanco.  
 DALAÑGUÍL. *Ficus indica* L.  
 DALANTÁ, V. *Zizyphus dalanta* Blanco.  
 DALAÓRA, V. *Justicia dichotoma* Blume.  
 DALÁQUIT, V. *Ficus*.  
 DALÁRA. *Terminalia catappa* L.  
 DALÁYAP, V. *Citrus medica* Linn.  
 DALÁYAT, Z. *Linociera*.  
 DALÉNSE, T. *Terminalia*.  
 DALENSÍN, T. *Terminalia*.  
 DALÍMA (Jolo). *Punica granatum* Linn.  
 DALINDÍÑGAN, T. *Shorea*.  
 DALÍÑGA, V. *Dioscorea fasciculata* Roxb.

- DALÍÑGAG, V. *Dioscorea fasciculata* Roxb.  
 DALINHÁS, T. *Polyalthia*.  
 DALINSÍ, B. *Terminalia catappa* Linn.  
 DALIPÁCO, II. *Adiantum lunulatum* Burm.  
 DALIPÁOEN, II. *Alstonia scholaris* R. Br.  
 DALÍSAY (Mindanao). *Terminalia catappa* L.  
 DALÍVI-DALÁGA. *Musa paradisiaca* L.  
 DAL-LOPÁVEN, II. *Alstonia scholaris* R. Br.  
 DALOCNÁSAN, B. *Eugenia*.  
 DALONDÓN, V. *Tectona grandis* L. f.  
 DALONDÓNG, V. *Diospyros pilosantha* Blanco.  
 DALONÓBAN. *Pipturus asper* Wedd.  
 DALÓNOT, T., Pamp. *Pipturus asper* Wedd.  
 DALONÓTAN, V. *Pipturus asper* Wedd.  
 DALUGDÚG, V. *Caesalpinia bonducella* Fleming.  
 DALUGUÍAN. *Artocarpus camansi* Blanco.  
 DALÚNOT, T. *Pipturus asper* Wedd.  
 DALÚPAN, T., V., Pamp. *Urena sinuata* L.  
 DALÚPAN, T. *Hibiscus abelmoschus* L.  
 DALÚPANG, V. *Urena sinuata* Linn.  
 DALÚRAY. *Aglaiia argentea* Blume.  
 DALÚRU-BABÁE, B. *Lumnitzera purpurea* Presl.  
 DALÚRU-LALÁQUE, B. *Sonneratia pagatpat* Blanco.  
 DALÚRUY, Pamp. *Aglaiia*.  
 DAMA DE NÓCHE, Sp. *Cestrum nocturnum* L.  
 DAMÁR (Camarines). *Agathis loranthifolia* Salisb.  
 DAMBUHÁLA, T. *Diospyros*.  
 DAMÓ-HÍA: T. *Mimosa pudica* L.  
 DAMÓNG-DÁGAT, T. *Spinifex squarrosus* L.  
 DAMÓÑG-HÍYA, T. *Biophytum sensitivum* DC.  
 DAMÓRO, T., Pamp. *Carum copticum* Benth.  
 DAMÓRO, V. *Fleurya interrupta* Gaud.  
 DAMÓRO, T., V. *Carum copticum* Benth.  
 DAMORTÍS, II. *Pithecolobium dulce* Benth.  
 DAMPÁLIT, T., V., Pamp. *Sesuvium portulacastrum* L.  
 DAMPÓL, T. *Glochidion*.  
 DAMPÓL, T. *Terminalia*.  
 DAMPÓL, T. *Bischofia javanica* Blume.  
 DAMÚ-MARÍA. *Artemesia grata* Wall.  
 DAMÚÑG-GÚBAT, T. *Pogonatherum crinitum* Trin.  
 DAMÚÑG-PÁSIG, T. *Panicum*.  
 DAMÚS-APÍ, T. *Panicum*.  
 DÁNAG, T. *Capparis*.  
 DANÁPRA, *Pterocarpus*.  
 DANCÁGI, V. *Strychnos ignatii* Berg.  
 DANCÁLAN, T., V., B. *Calophyllum inophyllum* L.  
 DANĜLÍ, II. *Vitex trifolia* L. f.  
 DANĜLÍ (Tayabas). *Grewia laevigata* Vahl.



- DAÑGLÍN, II. *Grewia laevigata* Vahl.  
 DAÑGLÍN, II. *Dipterocarpus*.  
 DAÑGLÍNGAN, T. *Callicarpa*.  
 DAÑGLÍNG-ÁSO, V., T. *Helicteres spicata* Colinb.  
 DAÑGLÍNG-ÁSO, T., V. *Grewia multiflora* Juss.  
 DAÑGLÚC, T. *Saccopetalum longipes* Vidal.  
 DÁÑGOY, T. *Grewia*.  
 DANÍGGA (Cagayan). *Cedrella toona* Roxb.  
 DANÍRI, V. *Oldenlandia diffusa* Roxb.  
 DANLÍG, T. *Shorea*.  
 DANLÓY. *Grewia umbellata* Roxb.  
 DANSÓ, T. *Selaginella*.  
 DANÚPRA (Cagayan). *Cedrella toona* Roxb.  
 DANYLIN, T. *Grewia laevigata* Vahl.  
 DÁO, T., V. *Dracontomelum mangifera* Blume.  
 DÁO, V. *Zingiber zerumbet* Rose.  
 DÁOA, V. *Setaria italica* Beauv.  
 DAO-DÁUA, V. *Fleurya interrupta* Gaud.  
 DÁPAL, V. *Opuntia cochinillifera* Mill.  
 DAPDÁP, T., V., Pamp. *Erythrina indica* Lam., and other species.  
 DAPEDÁPE. *Erythrina indica* Lam.  
 DAPNÍT, Pamp. *Schleichera*.  
 DÁPO, T. Universally applied to epiphytic orchids, ferns, lycopodiums, etc.  
 DÁPO-MARIPÓSA. *Phalaenopsis amabilis* Blume.  
 DAPONÁYA, V. *Coleus acuminatus*.  
 DAPÓ-SA-CÁHUY. *Loranthus philippinensis* Blanco.  
 DAPÓÑG-BÁBA, T. *Hoya multiflora* Blume.  
 DAPÓÑG-TIBÁTIB, T. *Rhaphidophora montana* Schott.  
 DAPÓ-SA-CAUÁYAN, T. *Cleisistoma amabale* T. and B.  
 DAPÓ-SA-PÁJO, T. *Loranthus ampullaceus* L.  
 DARACÁN, II. *Palaquium oleiferum* Blanco.  
 DARACÓT, V. *Triumfetta semitriloba* L.  
 DARÁPUT, V. *Samadera indica* Gaertn.  
 DARÁSIG, V. *Oxalis acetosella* L.  
 DARÁYA, T. *Cratoxylon polyanthum* Korth.  
 DARIAÑGÁO, T. *Albizzia procera* Benth.  
 DARÍAS, T., V. *Pteris opaca* J. Sm.  
 DARÍPAY, T., B., V. *Ipomoea pes-caprae* Roth.  
 DAROBCÓB, T. *Eugenia macrocarpa* Roxb.  
 DÁT, V. *Scleria*.  
 DÁTILES. *Muntingia calabura* Linn.  
 DÁUA, T., V. *Setaria italica* Beauv.  
 DÁUA, T. *Eugenia tetragona* Wight.  
 DÁUA-DÁUA, T. *Panicum crusgalli* L.  
 DÁUAG, T. *Capparis micrantha* DC.  
 DÁUAG, T. *Capparis horrida* L. f.  
 DAÚSUM, V. *Euryceles amboinensis* Herb.  
 DÁUT, T. *Scleria*.

- DÁVA, T., V. *Setaria italica* Beauv.  
 DAYÁCA, T. *Wallichia tremula* Mart.?  
 DAYAGSÁC. *Ficus quercifolia* Roxb.  
 DÁYANG, T. *Blechnum brownei* Juss.  
 DÁYANG, T. Anisoptera.  
 DÁYANG, T. *Cyathula prostrata* Blume.  
 DÁYAP, T. *Citrus acida* Roxb.  
 DÁYAP-DÁYAP. *Plectrona horrida* H. and T.  
 DÁYAP-DAYÁPAT, T. *Atalantia*.  
 DÁYAP-GÚBAT, V. *Xanthophyllum*.  
 DÁYAP-NA-MONTÍ, T. *Atalantia monophylla* Corr.  
 DAYÁQUIT. *Ficus indica* Linn.  
 DAYÍA, V. *Rhaphidophora pertusa* Schott.  
 DAYTÁNAG, Pamp. *Pterocarpus*.  
 DECDÉC, H. *Chaillietia griffithii* Hook. f.  
 DÍA, Z. *Zizyphus*.  
 DÍAC, Pamp. *Memecylon*.  
 DIBÁTIB, V. *Epipremnum medium* Engl.  
 DICLÁP. *Zizyphus trinervis* Poir.  
 DICÚTA, Pamp. *Paederia foetida* L.  
 DIÉGO-DE-NÓCHE. *Mirabilis jalapa* L.  
 DIGLÁS, T. *Terminalia*.  
 DIGQUÍT-DIGQUÍT, T. *Pisonia aculeata* L.  
 DICTÁN (Tayabas) ?. *Calamus mollis* Blanco.  
 DÍIS, V. *Bauhinia tomentosa* L.  
 DILÁAN, V. *Buchanania florida* Schauer.  
 DÍLA-DÍLA, T. *Elephantopus mollis* H. B. K.  
 DÍLA-DÍLA, Pamp. *Lepidopetalum*.  
 DÍLA-DÍLA, T. *Cynometra inequalifolia* A. Gray.  
 DÍLA-DÍLA (Marinduque). *Excoecaria agallocha* Linn.  
 DÍLA-DÍLA. *Onychium auratum* Kaulf.  
 DÍLAG-BUTIQUÍ, T. *Podocarpus*.  
 DÍLAN-BUTIQUÍ. *Dentella repens* L.  
 DÍLANG-ÁSO, T. *Hypoestes*.  
 DÍLANG-BÁCA, B. *Olea*.  
 DÍLANG-BÁCA, T. *Opuntia cochinillifera* Mill.  
 DÍLANG-EOÁYA, V. *Aloe barbadensis* Mill.  
 DÍLANG-BUTIQUÍ, T. *Tylophora bifida* F. Vill.  
 DÍLANG-BUTIQUÍ, T. *Blumea laciniata* DC.  
 DÍLANG-BUTIQUÍ, T. *Dentella repens* Forst.  
 DÍLANG-IIÁLO, V. *Aloe barbadensis* Mill.  
 DÍLANG-USÁ, T. *Elephantopus spicatus* Juss.  
 DÍLANG-USÁ. T. *Carallia integerrima*.  
 DILÁO, T. *Curcuma longa* L.  
 DILÁO-PUTÍ, T. *Curcuma*.  
 DILÁNAN. *Citrus hystrix* DC.  
 DÍLIG, H. *Canthium confertum* Korth.  
 DILIMÁN (Manila). *Polypodium*.

- DILIVÁRIO, T. *Acanthus ilicifolius* L.  
 DILUÁRIO, T. *Argemone mexicana* L.  
 DINCÁLIN, T. *Calophyllum inophyllum* L.  
 DINGLÁS, T.? *Terminalia*.  
 DINGLÁS. *Eugenia*.  
 DINGLÁS?, Il. *Hopea*.  
 DINGCÁLIN. *Calophyllum inophyllum* L.  
 DINLÁS, T. *Eugenia*.  
 DINUGÚAN, T. *Musa paradisiaca* L. var.  
 DIRÁN, Il. *Zizyphus*.  
 DÍRIG, Il. *Otophora blancoi* Blume.  
 DÍRIG, Il. *Capura*.  
 DIRÍTA, T. *Alstonia*.  
 DÍTA, V., T. *Alstonia scholaris* R. Br.  
 DITÁA. *Alstonia scholaris* R. Br.  
 DITÁAN (Zambales). *Calamus haenkeanus* Mart.  
 DÍTA-DÍTA (Camarines). *Astronia pulchra* Vidal.  
 DIUÁLAT-NA-ÍTEM, T. *Dysoxylum*.  
 DOÁTLO. *Urophyllum glabrum* Jack.  
 DOBLÉSA, T. *Lumnitzera purpurea* Presl.  
 DÓCAT-DÉCAT, V. *Cyathula prostrata* Blume.  
 DÓCOT-DÉCOT, T. *Achyranthes aspera* L.  
 DÓCOT-DÓCOT, V. *Pupalia atropurpurea* Moq.  
 DÓCOT-DÓCOT, V. *Desmodium laxiflorum* DC.  
 DÓGUE. *Dioscorea sativa*.  
 DALDÓL, V. *Ceiba pentandra* Gaertn.  
 DOLÍTAN. *Palaquium luzonense* Vidal.  
 DOLÍTAN-PACÁTAN, T. *Sideroxylon*.  
 DOLÓTAN-PULÁ, T. *Sideroxylon*.  
 DOLÍTAN-PUTÍ, T? *Garcinia*.  
 DOLOÁRIN, T. *Acanthus ilicifolius* L.  
 DOLOCNÁSAN, B. *Eugenia*.  
 DOLOÑGÍAN, T., V. *Artocarpus*.  
 DOLOÑGÍAN, T., V. *Artocarpus camansi* Blanco.  
 DOLÓNTAS, T. *Chrysanthemum indicum* L.  
 DOLOVÁRIO. *Acanthus ilicifolius* L.  
 DONDÓL, Il. *Ceiba pentandra* Gaertn.  
 DONGÓN, T. *Heritiera littoralis* Dry.  
 DONHÁO, T. *Astronia*.  
 DÓOL, V., Pamp. *Moringa oleifera* Lam.  
 DÓSOL, Z. *Kaempheria galanga* L.  
 DOYÓC-DOYÓC, V. *Gynotroches axillaris* Blume.  
 DUADUÁRAN, T. *Panicum*.  
 DÚAT, T., V., Pamp. *Eugenia jambolana* Lam.  
 DÚCA, V. *Dittelasma rarak* H. f.  
 DÚCA, V. *Erioglossum edule* Blume.  
 DUCLÁP, T. *Zizyphus trinervis* Poir.  
 DUCLÍTAN, T. *Sideroxylon duclitan* Blanco.

- DUCTÚLAN, T. *Eugenia*.  
 DUCTÚNG-ÁHAS, T. *Naravelia laurifolia* Wall.  
 DUCÚM, V. *Hibiscus abelmoschus* L.  
 DÚEG. *Bischofia javanica* Blume.  
 DUELÍTAN. *Sideroxylon cinereum* L.  
 DÚGAN, T. *Eugenia*.  
 DUGÁRON, T. *Bridelia stipularis* Blume.  
 DUGAYÓN, V. *Decaspermum paniculatum* Turcz.  
 DUGÓAN. *Myristica philippinensis* Lam.  
 DUGÓN-LÁTE, T. *Heritiera littoralis* Dry.  
 DUGTÓNG-ÁHAS, T. *Parameria philippinensis* Radlk.  
 DUGTÚNG-ÁHAS, T. *Streptocaulon baumii* Decne.  
 DUGDÚNG-ÁHAS, T. *Vitis quadrangularis* Wall.  
 DUGMÁN, V. *Wolffia schleideni* Miq.  
 DUGÓAN, B. *Myristica*.  
 DUGÚAN, T. *Myristica cumingii* Warb. and other species.  
 DÚHA?, V. *Pterocymbium javanicum* R. Br.  
 DUHÁO (Zamboanga). *Myristica mindanaensis* Warb.  
 DÚHAT, T., V., Pamp. *Eugenia jambolana* Lam.  
 DÚHAT-MANÓC, T. *Ixora*.  
 DÚIAN (Jolo). *Durio zibethinus* Linn.  
 DULANÁRI. *Acanthus iliciformis* L.  
 DÚLAO, V. *Curcuma longa* L.  
 DÚLAO-BABÁE, T. *Globba strobilifera* Zoll.  
 DULAUÁRI, Pamp. *Acanthus ilicifolius* L.  
 DULÍAN (Jolo). *Durio zibethinus* Linn.  
 DULÍAN, H. *Dioscorea batatas* Deene.  
 DULÍTAN-PULÁ, T. *Palaquium*.  
 DULUÁRIO, T. *Argemone mexicana* L.  
 DULÚPANG, V. *Abutilon indicum* G. Don.  
 DUMALÍ, T. *Oryza sativa* L. var.  
 DUMÁNAI, T. *Homonoia riparia* Lour.  
 DUMAYÁCA, T. *Wallichia tremula* Mart.  
 DUNĠÁO, T. *Astronia*.  
 DUNĠÁRUG, V. *Ficus cuneata* Miq.  
 DUNĠON, T., V. *Heritiera littoralis* Dry.  
 DUNĠÓN. *Tarrietia sylvatica* Merrill.  
 DUNĠÓL. *Tarrietia sylvatica* Merrill.  
 DUNĠÓN-DUNĠÓNAN, T. *Pygeum*.  
 DUNĠÓN-LÁTE, T. *Heritiera littoralis* Dry.  
 DUNĠÚN, T., V. *Heritiera littoralis* Dry.  
 DUNĠÚN, V. *Tarrietia sylvatica* Merrill.  
 DUNĠURÚNĠUT, C. *Citrus hystrix* DC.  
 DÚRA, V. *Ruta graveolens* L.  
 DÚRANG-PÁRANG, T. *Dalea nigra* Mart. and Gal.  
 DURÍAN. *Durio zibethinus* Linn.  
 DURÚGU, T., V. *Myristica*.  
 DÚS. *Bauhinia binnata* Blanco.

- DÚSO, T. *Kaempheria galanga* L.  
 DÚSUL, T. *Kaempheria galanga* L.  
 DÚYONG, H. *Shorea*.

## E.

- ÉBANO. *Maba buxifolia* Pers.  
 EM-ÉM, Ig. *Chloranthus brachystachys* Blume.  
 ESCÓBANG-HABÁ, T., V., Pamp. *Sida rhombifolia* L.  
 ESCOBANG-HABÁ, T. *Sida carpinifolia* L.  
 ESES-MÁYA, T. *Ficus*.

## F.

- FALUMORÉA, T. *Calophyllum*.  
 FANGFÁÑGUN, Ig. *Vernonia*.  
 FANĜÍNHAN. *Pterocymbium javanicum* R. Br.  
 FARÍCTAN, T. *Geodorum semicristatum* Lindl.  
 FÉSA, T. *Canarium*.  
 FRÚTA, Sp.-Fil. *Strychnos ignatii* Berg.

## G.

- GÁBI, Cag., T., V., Pamp. *Colocasia antiquorum* Schott.  
 GÁBI-GÁBI, V. *Monochoria hastaefolia* Presl.  
 GÁBI-GÁBI, V. *Bootia cordata* Wall.  
 GÁBI-GABÍHAN, T. *Typhonium divaricatum* Deene.  
 GABÍHAN, T. *Monochoria hastaefolia* Presl.  
 GABÍLO, T. *Garuga*.  
 GÁBING-MORÁDA, V. *Colocasia antiquorum* Schott.  
 GÁBING-ONÁC, T. *Alocasia indica* Schott.  
 GÁBING-POLÁ, T. *Colocasia antiquorum* Schott.  
 GÁBING-SILÁÑGAN, T. *Colocasia antiquorum* Schott.  
 GÁBLOS, T. *Ardisia*.  
 GABUÉN, V. *Blumea balsamifera* DC.  
 GÁBY-ÑGA-GUINÁTOS, V. *Colocasia antiquorum* Schott.  
 GÁBY-NA-SIBÓYAS, T. *Colocasia antiquorum* Schott.  
 GÁBY-NA-SINIBÓYAS, T. *Colocasia antiquorum* Schott.  
 GÁCCA, Ig. *Loranthus*.  
 GÁ-GA, T. *Mallotus ricinoides* Muell. Arg.  
 GÁLA-GÁLA, T. *Agathis loranthifolia* Salisb.  
 GALÁMAI-ÁMO, T., V. *Heptapleurum venulosum* Seem.  
 GALAMÍNÝ-AMÚC, B. *Walsura robusta* Roxb.  
 GALÁÑGA. *Maranta arundinacea* L.  
 GALÍANG, V. *Colocasia antiquorum* Schott.  
 GALONÁLPAS, Pamp. *Cyperus rotundus* L.  
 GAMAGAMATÍSAN, T. *Solanum nigrum* L.  
 GAMÓT-SAMBÁLI, T. *Parameria philippinensis* Radlk.  
 GANDÁ, V. *Allium sativum* L.  
 GANDÚS, T., V., Pamp. *Colocasia antiquorum* Schott.  
 GAN-GÁN, V. *Flemingia strobilifera* R. Br.

- GÁPAS, V. *Gossypium herbaceum* L.  
 GÁPAS-CÓSTA. *Gossypium herbaceum* L.  
 GÁPAS-GÁPAS, V. *Vitex obovata* Thunb.  
 GARÁDAT, B. *Leea javanica* Blume.  
 GARAMANSÁTAY, T. *Ternstroemia toquian* F. Vill.  
 GARANGÁN, V. *Averrhoa carambola* Linn.  
 GARBÁN, V. *Epipremnum medium* Engl.  
 GAROÑGÓN, Cag. *Hopea*.  
 GAS-GÁS, V. *Rhodamnia glabra* Vidal.  
 GASPÁS-CASÉRA. *Gossypium herbaceum* L.  
 GÁTAS-GÁTAS. *Euphorbia pilulifera* L.  
 GATÁSAN, T. *Garcinia duodecandra* Pierre.  
 GATÁSAN, T. *Terminalia*.  
 GATÁSAN, V. *Fagraea morindaefolia* Blume.  
 GATÁSAN, T., V. *Garcinia cornea* Linn. and other species.  
 GATÁSAN DILÁO (Tayabas). *Garcinia*.  
 GATÁSAN-PULÁ, T. *Garcinia venulosa* Choisy.  
 GÁTAS-GÁTAS, T., V. *Euphorbia pilulifera* L.  
 GÁUAY-GÁUAY, V. *Sesbania grandiflora* Pers.  
 GÁUAY-GÁUAY ÑGA PULÁ, V. *Sesbania grandiflora* Pers.  
 GÁUAY-SING-BUÁYA, V. *Alocasia*.  
 GÁVAI-GÁVAI, V., T., Pamp. *Nymphaea lotus* Linn.  
 GÁVAY, T., V., Pamp. *Colocasia antiquorum* Schott.  
 GÁWAY-GÁWAY. *Nymphaea lotus* L.  
 GAYÓMAN-MANÓC, T. *Adiantum lunulatum* Burm.  
 GÁYOS, V. *Dioscorea hirsuta* Blume.  
 GÍCOS-GÍCOS, V. *Abrus precatorius* L.  
 GILALÁS, T. *Mirabilis jalapa* L.  
 GILIG-GILÍGAN, T. *Abutilon indicum* Don.  
 GIMUBÁON, V. *Vitex*.  
 GINÁBANG, H. *Macaranga*.  
 GINGUÍU, T. *Holarrhena macrocarpa* Hassk.  
 GINLAGÁSE (Mindoro). *Hopea*.  
 GÍNTIN-GÍNTIN, V. *Blumea balsamifera* DC.  
 GOÁN-GOÁN, V. *Aristolochia indica* L.  
 GÓGO, T. *Entada scandens* Benth.  
 GÓGO-CÁSAY, T. *Pithecolobium*.  
 GÓGON-TOCÓ. *Albizzia saponaria* Blume.  
 GÓGONG BISÁYA, T.? *Aglaia grandis* Miq.  
 GÓHONG BÁCAY, V., Pamp. *Entada scandens* Benth.  
 GOLANDRÍNA, Sp. *Euphorbia pilulifera* L.  
 GOLASÍMAN, T. *Portulaca oleracea* L.  
 GOMAMÍLA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 GÓNA, Pamp. *Polypodium quercifolium* L.  
 GORGORÉTA, H. *Nepenthes alata* Blanco.  
 GÓRUNG-GÓRUNG, V. *Crotolaria*.  
 GOYABÁNO, Sp.-Fil. *Anona muricata* L.  
 GOYÓN-GOYÓN, T. *Cratoxylon*.

- GOYÓRAN, T. *Musa paradisiaca* L. var.  
 GRANÁDA, Sp. *Punica granatum* L.  
 GRANÁTES, T. *Nelitris*.  
 GRANÁTES. *Melastoma*.  
 GRANÁTIS, T. *Melastoma malabatricum* L.  
 GUANABÁNO, Sp.-Fil. *Anona muricata* L.  
 GUAYÁBAS, Sp. *Psidium guayava* L.  
 GUBGÚBAO, Ig. *Ardisia*.  
 GUAYÁDO. *Psidium guayava* L.  
 GUENÁYANG, T. *Eugenia*.  
 GUÍCOS-GUÍCOS, T. *Connarus*.  
 GUÍCOS-GUÍCOS, T. *Rourea heterophylla* Planch.  
 GUÍCOS-GUÍCOS, V. *Abrus precatorius* L.  
 GUÍD (Tiagan). *Citrus hystrix* DC.  
 GUÍJO, T. *Shorea guiso* Blume.  
 GUILALÁS, T. *Mirabilis jalapa* L.  
 GUILÁMHON, V. *Cyperus difformis* Linn.  
 GUÍLING-GUÍLÍÑGAN, T. *Abutilon indicum* G. Don.  
 GUÍLIT, T. *Pygeum*.  
 GUINÁBANG (Abra). *Macaranga tanarius* Muell. Arg.  
 GUINÁTOS, V. *Colocasia antiquorum* Schott.  
 GUINBABAÓ. *Allaenthus*.  
 GUÍÑGUEN, T. *Glycosmis pentaphylla* Corr.  
 GUÍÑGUIN, T. *Holarrhena*.  
 GUÍNTIN-GUÍNTIN, V. *Blumea balsamifera* DC.  
 GUIRÍC-GUTÍN, B. *Cupania*?.  
 GUÍSAY-CALABÁO, T. *Cyperus*.  
 GUIS-GUÍS, T. *Rhodamnia glabra* Vidal.  
 GUISIÁN, T. *Nephelium glabrum* Noronh.  
 GUISIÁN, T. *Ratonia montana* B. and H.  
 GUISIÁN, T. *Kayea racemosa* Pl. and Tr.  
 GUISÍHAN, T. *Eugenia*.  
 GUISÍHAN, T. *Dittelasma rarak* Hook f.  
 GUISÍHAN, T. *Nephelium glabrum* Noronh.  
 GUISÍHANG. *Shorea guiso* Blume.  
 GUÍSO, T. *Shorea guiso* Blume.  
 GUISÓC, T. *Shorea guiso* Blume.  
 GUISÓC-GUISÓC. *Aglaiia*.  
 GUÍSOL, T. *Kaempheria galanga* L.  
 GUÍSON, T., V. *Sophora tomentosa* L.  
 GUÍSONG-DILÁO, T. *Shorea mangachapuy* F. Vill.  
 GUÍSUL, V. *Kaempheria galanga* L.  
 GUÍTIN-GUÍTIN. *Blumea balsamifera* L.  
 GULANGULAMÁNAN, T. *Cissampelos pareira* L.  
 GULILÍSIAO (Tayabas). *Elaeocarpus*.  
 GUMAMÉLA. *Hibiscus rosa-sinensis* L.  
 GÚME, T. *Eriachne*.  
 GUMÍAN, V. *Artocarpus blumei* Tree.

- GÚMI-GÚMI, T. *Xyris complanata* R. Br.  
 GÚMI-GÚMI, T. *Fimbristylis schoenoides* Vahl.  
 GÚMI-GÚMI, T. *Eleocharis pellucida* Presl.  
 GÚMI-GÚMI, T. *Cyperus*.  
 GÚMI-GÚMI, T. *Eriocaulon sexangulare* Linn.  
 GURAYÁCAN, T. *Rourea heterophylla* Planch.  
 GURUGUANÁBAO, V. *Linociera luzonica* F. Vill.  
 GÚRUNG-GÚRUNG, V. *Crotalaria linifolia* L. f.  
 GUSUTÁN. *Elaeocarpus floribundus* Blume.  
 GÚTA-GÁMBA. *Garcinia venulosa* Choisy.  
 GUTLÍ, T., V. *Acalypha grandis* Benth.  
 GUYÁBA, Sp. *Psidium guayava* L.  
 GUYÁBAS, Sp. *Psidium guayava* L.  
 GUYÓN-GUYÓN, T. *Cratogeomys blancoi* Blume.

## H.

- HÁBA, Sp. *Phaseolus lunatus* L.  
 HÁBUL, V. *Elephantopus spicatus* Juss.  
 HAGACHÍAC, T. *Dipterocarpus pilosus* Roxb.  
 HAGADHÁD. *Dipterocarpus*.  
 HAGÁHIO, V. *Eugenia*.  
 HAGANÁSI (Camarines). *Leucosyke capitellata* Wedd.  
 HAGNÁYA. *Polypodium*.  
 HAGOBAÓA, V. *Panacratum zeylanicum* L.  
 HÁGON, B. *Memecylon*.  
 HAGÓNAY, T. *Wedelia biflora* DC.  
 HAGÓNOC. *Uncaria*.  
 HAGÓNOC, T. *Spilanthes acmella* L.  
 HAGÓNOC, T. *Spilanthes acmella* L.  
 HAGÓNOC-SA-BÚQUID. *Sambucus javanica* Blume.  
 HAGÓNOC-SA-LÁSANG, V. *Elaeocarpus*.  
 HAGORÍLIS, T. *Deeringia celosioides* R. Br.  
 HAGOSÓS, T. *Ficus*.  
 HAGNICHÍC, V. *Phrynium*.  
 HAGUÍGUIT, V. *Leptosolena haenkei* Presl.  
 HAGUÍNUT, V. *Ficus*.  
 HAGUPÁÑGA, T. *Aglaia*.  
 HAGÚPIT, V. *Ficus*.  
 HAGUSHÚS, B. *Canarium*.  
 HAGUSNÁY, T. *Panicum*.  
 HAGUYÚY (Tayabas). *Dodonaea viscosa* Linn.  
 HÁLA-HÁLA, T. *Trichosanthes anguina* L.  
 HALAMHÁM?, V. *Daemonorops*.  
 HALÁÚMO, V. *Mallotus paniculatus* Muell. Arg.  
 HALIBUTBÚT, B. *Tabernaemontana cumingiana* A. DC.  
 HALIGÁÑGO, T. *Hymenodictyon*.  
 HALIMÓMO, T. *Ehretia*.  
 HALENTIHÍNAO, V. *Astronia cumingiana* Vidal.



- HALOBAGEÚG, T. Ipomoea.  
 HÁLOM, T., V. *Amaranthus viridis* L.  
 HÁLON, T. *Morinda tinctoria* Roxb.  
 HÁLON, T. *Amaranthus melancholicus* L.  
 HALÓPAG-ÁMO (Tayabas). *Nephelium lit-ehi* Camb.  
 HALUGÁBAT, T. *Capparis micrantha* DC.  
 HAMAMÁLE, V. *Leeea sambucina* Willd., and other species.  
 HAMBABÁI, V. *Nauclea*.  
 HAMBABÁLOD, T., V. *Nauclea obtusa* Blume.  
 HAMBABÁLOS, T. *Sarcocephalus cordatus* Miq.  
 HAMBABÁYOD, V. *Nauclea*.  
 HAMBÁLOD, T., V. *Nauclea*.  
 HAMÍNDAN, V. *Macaranga bicolor* Muell. Arg.  
 HAMÍNDAN, B. *Clerodendron brachyanthum* Schauer.  
 HAMITANÁGO, V. *Kleinhovia hospita* L.  
 HAMLÍENO, V. *Blumea balsamifera* DC.  
 HAMOLÁUON, V. *Vitex*.  
 HAMPAPÁRE, V. *Cissampelos pareira* Linn.  
 HAMPÁS-TABÁLANG, T. *Smilax*.  
 HAMPÁS-TAGBÁLANG. *Dioscorea*.  
 HANTÁC, V. *Vigna catjang* Endl.  
 HAMULÁON, T., B. *Vitex littoralis* Deene., and other species.  
 HANAGÓ, B. *Albizzia*.  
 HANÁRION, T. *Trema amboinensis* Blume.  
 HANÁRION, T. *Sponia*.  
 HANDALÁMAY. *Pipturus asper* Wedd.  
 HANDARÁMAI, V. *Pipturus asper* Wedd.  
 HANÉLE, T. *Ficus*.  
 HANGÁRAY, T. *Bruguiera ritchiei* Merrill.  
 HANGÓR, T., V. *Achyranthes aspera* L.  
 HÁNŃGOT, T. *Achyranthes aspera* L.  
 HÁNŃGUT-NA-BABÁE. *Lepidagathis*.  
 HANLILIMÓCON, V. *Deeringia celosioides* R. Br.  
 HANMABABÁO, T., V., Pamp. *Rourea heterophylla* Planch.  
 HANMABABÁO, T., V., Pamp. *Connarus*.  
 HANMABALÁR. *Cnestis trifolia* Pers.  
 HANÓPOL, T., V. *Conocephalus erectus* Blanco.  
 HANTUTŮŃGAO, T. *Melastoma*.  
 HANŮGDONG, T. *Gyrocarpus jacquini* Roxb.  
 HAPÍTON, T., V. *Dipterocarpus grandiflorus* Blanco.  
 HÁRA, T. *Leea*.  
 HARÁŃGAN, T., V. *Centripeda orbicularis* Lour.  
 HÁRAS, V. *Piper corylistachyon* C. DC.  
 HÁRAS, V. *Scleria*.  
 HÁRAS, V. *Garcinia cowa* Roxb.  
 HÁRUM, V. *Amaranthus spinosus* L.  
 HAÚÍLI, T. *Ficus*.

- HAÚLI? (Jolo). *Cyanotis axillaris* Roem. and Schult.  
 HAWÍLI, T. *Ficus*.  
 HÁYA-IIÁYA, V. *Buddleia neemda* Hamilt.  
 HÁYOC (Tayabas). *Vitis lanceolaria* Roxb.  
 HAYÓPAG, T. *Quereus llanosii* A. DC.  
 HEBÓNG, Mang. *Aglaia*.  
 HIBIÓC, Vis. *Arenga saccharifera* Lab.  
 HICAMÁS, T. *Pachyrhizus angulatus* Rich.  
 HIDIÓC, V. *Arenga saccharifera* Lab.  
 HIÉRBA DE SAN PÉDRO, Sp. *Phyllanthus niruri* Muell. Arg.  
 HIGANTÓNG, V. *Clerodendron fragrans* Vent.  
 HIGOBALÁTO, T., V., Pamp. *Sida carpinifolia* L.  
 HÍGUIS-MANÓC?, T. *Eclipta alba* Hassk.  
 HILALAY-ÓN. *Heliotropium indicum* L.  
 HÍMAG, V. *Ipomoea paniculata* R. Br.  
 HIMAMÁO, T. *Chisocheton*.  
 HIMAMÁO, T. *Dysoxylum blancoi* Vidal.  
 HIMBABÁLOB, T. *Nancelea*.  
 HIMBABÁO, Pamp., V. *Excoecaria agallocha* L.  
 HIMBABÁO, T. *Allaeanthus luzoniens* Benth. and Hook.  
 HIMPAPÁRAY, V. *Melochia indica* A. Gray.  
 HIMPAPÁRA, V. *Cissampelos pereira* Linn.  
 HIMPÁS-LAGBÁLANG. *Smilax divaricata* Blanco.  
 HIMÚLAO, V. *Clausena willdenovii* W. and A.  
 HINAGDÚNG, V. *Trema aspera* Blume.  
 HIMARÁMAY, V. *Pipturus asper* Wedd.  
 HINDALÁMAL, V. *Pipturus asper* Wedd.  
 HINDURÚGU, T., V. *Myristica*.  
 HINGASÍN, V. *Derris uliginosa* Benth.  
 HINGASINÁN, V. *Derris uliginosa* Benth.  
 HINŨOŨGÓTO, T. *Bridelia stipularis* Blume.  
 HINGÚE-CALÁBO, T. *Beaumontia*.  
 HINŨGUÉN. T. *Malasia tortuosa* Blanco.  
 HINŨGUÍO, T. *Ichnocarpus frutescens* R. Br.  
 HINŨGUÍON. *Monochoria vaginalis* Presl.  
 HIMALLAY-ÓN, T. *Heliotropium indicum* L.  
 HINTÁN. *Terminalia catappa* L.  
 HINTIPÁLO, T. *Drosera indica* L.  
 HINTOTÓOR, T. *Crudia blancoi* Rolfe.  
 HIPGÍI, V. *Ichnocarpus ovatifolius* A. DC.  
 HÍPON-ÍFPON, V. *Vernonia chinensis* Less.  
 HÍTAM, V. *Terminalia catappa* L.  
 HOÁG, V. *Flagellaria indica* Linn.  
 HOJA CRUZ, Sp. *Crecentia alata* H. B. K.  
 HOJAS DE BUYO. *Piper betle* L.  
 HALIGÁŨGA, T. *Hymenodictyon*.  
 HOLÓG, V. *Rhaphidophora*.  
 HOLÓG-ŨGA-ISÁ, V. *Pothos cylindricus* Presl.

ΗΟΜΑΙ-ΗΟΜΑΙ, V. *Typha angustifolia* Linn.  
 ΗÓΝΓΟ, T. *Elaeocarpus*.  
 ΗÓΠΟΝΓ-ΗÓΠΟΝΓ. *Litsea*.  
 ΗÓΡΟΓ, V. *Epipremnum medium* Engl.  
 ΗΟΠΗÓΤ, T. *Trichosanthes anguina* L.  
 ΗÓΤΟΓ, V. *Rhaphidophora*.  
 ΗΥΆC, V. *Flagellaria indica* Linn.  
 ΗΥΆΛÍS, T. *Lepidopetalum*.  
 ΗΥΆΜΠÍT, T.? *Clausena wampi* Oliv.  
 ΗΥΒΑΡ (Balabac). *Jasminum sambac* Ait.  
 ΗΥΛΑΒΛÚΒ, V. *Solanum nigrum* L.  
 ΗΥΛΆΥΑ, V. *Gynandropsis pentaphylla* DC.  
 ΗΥΛΆΥΑ-SΑΝΓ-ΆΥΑΜ, V. *Cleome viscosa* Linn.  
 ΗΥΛΙΓΆΝΓΑ, T. *Hymenodictyon excelsum* Wall.  
 ΗΥΠΟΝΓ-ΗΥΠΟΝΓ, V. *Buchanania florida* Schauer.  
 ΗΥSÚ-ΗΥSÚ, B. *Eugenia*.  
 ΗΥΥΑ-ΗΥΥΑ, V. *Mimosa pudica* L.  
 ΗΥΥΑ-ΗΥΥΑ, V. *Biophytum reinwardtii* Wall.

## I.

ΙΆCΑΛ, T. *Hopea plagata* Vidal.  
 ΙΒΑ, T., Pamp. *Phyllanthus distichus* Muell. Arg.  
 ΙΒΑ, V. *Averrhoa bilimbi* Linn.  
 ΙΒΑΒΆ. *Aglaia*.  
 ΙΒΑΒΆΟ, V. *Cassia fistula* L.  
 ΙΒΑ-ΙΒΆΝ, T. *Phyllanthus urinaria* L.  
 ΙΒΑΙΒΆΝ, T. *Rourea*.  
 ΙΒΙÓC, V. *Arenga saccharifera* Lab.  
 ΙΒΟ, V. *Chisocheton tetrapetalus* Turcz.  
 ΙΒÚD-ΙΒÚD, V. *Tristellateia australasica* A. Rich.  
 ΙCΟΓ-ΙCΟΓ-SΑΝΓ-CÚΤÍ, V. *Heliotropium indicum* Linn.  
 ΙΔÍΑΟ. *Pterocarpus*.  
 ΙΔÍΟC, V. *Arenga saccharifera* Lab.  
 ΙΓΑΝΓ, T. *Vitex aherniana* Merrill.  
 ΙΓÁSÚD, V. *Strychnos ignatii* Berg.  
 ΙΓÁSÚR. *Trichosanthes amara* L.  
 ΙΓÍΝΓΑ, T. *Clerodendron intermedium* Cham.  
 ΙΓΝΆΜΑ. *Dioscorea divaricata* Blanco.  
 ΙΓÚÍΑ, *Turraea virens* L.  
 ΙΓÚÍΟ, Pamp. *Dysoxylum blancoi* Vid.  
 ΙΓÚÍΝΓΑ. *Clerodendron intermedium* Cham.  
 ΙΓÚΤ, V. *Eugenia*.  
 ΙΓΙW, T. *Dysoxylum blancoi* Vidal.  
 ΙΛΑΙ-ΒΆQUIR, H. *Basella rubra* L.  
 ΙΛΑΛÚ-ΓΆΒΑΤ. *Capparis*.  
 ΙΛΑΝΓ-ΙΛΑΝΓ, T., V., H. *Cananga odorata* H. and Th.  
 ΙΛΑΝΓ-ΙΛΑΝΓ DE CHÍNA. *Artabotrys odoratissimus* R. Br.  
 ΙΛΙΒ, Pamp. *Imperata arundinacea* Cyr.

- ILOÍLO, Pamp. *Aglaia argentea* Blume.  
 ILÓNĜO, T. *Elaeocarpus*.  
 INÁLIA, T. *Lemna*.  
 INANĜDÓN, T. *Callicarpa*.  
 INÁTA, T. *Limnophila gratioloides* R. Br.  
 INÁTA (Bulacan). *Utricularia flexuosa* Vahl.  
 INÁTA, T. *Ceratophyllum submersum* Linn.  
 INÁTA, T. *Hydrilla*.  
 INAUÁQUI, V. *Albizzia saponaria* Blume.  
 INDÁNG, V. *Litsea perrottetii*, B. and H.  
 INGÁS. *Semecarpus perrottetii* March.  
 INÍAM, V. *Antidesma ghaesembilla* Gaertn.  
 INIGNÍN, T. *Cascaria glomerata* Roxb.  
 INOYÁBAN. *Parastemon*.  
 INÚMANG-CÁLO, T. *Nepenthes*.  
 INYÁM, V. *Antidesma*.  
 IOÁS, T. *Harpullia blancoi* F. Vill.  
 ÍPIL, T., V. *Azelia bijuga* A. Gray.  
 ÍPIL, Z. *Adenantha*.  
 ÍRING, T. *Grewia*?  
 ÍRIS, Mang. *Tabernaemontana*.  
 ÍROC, T. *Arenga saccharifera* Lab.  
 ÍSAI, T. *Enhalus koenigii* Rich.  
 IS-ÍS, T., V., Pamp. *Ficus aspera* L?.  
 ISIOÍSIO, T., V., Pamp. *Ficus hispida* L?.  
 ITÍBAN, T. *Parameria philippinensis* Radlk.  
 ITMÓ, V., T. *Piper betle* L.  
 ITMÓNG-DALÁGA, T. *Ehretia blancoi* A. DC.  
 ITMÓNG-OUÁC, T. *Gnetum gnemon* L.

## J.

- JAMOLÁUON. *Vitex littoralis* Deene.  
 JANDAYAGCÓT, V. *Tabernaemontana*.  
 JÁBAS. *Garcinia*.  
 JARRÍTO, T. *Nepenthes*.  
 JÁRRO, H. *Nepenthes alata* Blanco.  
 JATSAHENGÍM, T. *Canarium*.  
 JAUNÁQUI (Albay). *Albizzia saponaria* Blume.  
 JAVÍLI (Zamboanga). *Bridelia*.

## L.

- LABÁYO (Tayabas). *Commersonia platyphylla* Andr.  
 LÁBBA-LÁBBA, H. *Zizyphus trinervis* Poir.  
 LÁBIG, H. *Livistona rotundifolia* Mart.  
 LABINDANÁIA, H. *Livistona rotundifolia* Mart.  
 LABNÉI, Pang. *Calamus albus* Pers.  
 LABNÍ-ÁUAY-NA-MALÓTO, Pamp. *Calamus albus* Pers.  
 LABNÍB, B. *Calamus*.

- LABNÍS, H. *Boehmeria nivea* Hook. and Arn.  
 LABNÍT, B. *Calamus albus* Pers.  
 LÁBOG, V. *Hibiscus surattensis* Linn.  
 LÁBOG-LÁBOG, V. *Malachra bracteata* Cav.  
 LÁBON, V. *Abroma alata* Blanco.  
 LABRÚS. *Boehmeria nivea* H. and A.  
 LABSÓB. *Ficus pseudopalma* Blanco.  
 LÁCAB-BÚLAN, V. *Blumea balsamifera* DC.  
 LACATÁN, T. *Musa sapientum* L.  
 LACBÓNG-LACBÓNG, V. *Vernonia chinensis* Less.  
 LACDÁN-BÚLAN, V. *Blumea balsamifera* DC.  
 LAC-HÁ. *Ficus*.  
 LACLÁY-GUÍNAN, T. *Flemingia*.  
 LACTÁNG, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LADCÓ, Ig. *Wendlandia luzoniensis* DC.  
 LÁGA (Cebu). *Abrus precatorius* L.  
 LAGÁRI. *Phyllanthus*.  
 LAGAYRÁI, T., B. *Ipomoea pes-caprae* Roth.  
 LAGEÁÑGAN. *Guettarda speciosa* L.  
 LÁGI-LÁGI, V. *Eugenia lineata* Duthie.  
 LAGÍNI, V. *Vitis carnososa* Wall.  
 LAGÍWLAGÍW, T. *Acanthus ilicifolius* L.  
 LÁGNA, T. *Conocephalus suaveolens* Blume.  
 LÁGNI, Pamp. *Calamus*.  
 LAGÍNI. *Cedrela toona* Roxb.  
 LAGNÍG. *Clausena*?  
 LAGNÓB. *Ficus*.  
 LAGNÓB. *Ficus*.  
 LÁGO, T. *Carthamus tinctorius* L.  
 LAGÓG (Iloilo). *Celtis philippinensis* Blanco.  
 LAGÓLO, T. *Acrostichum aureum* L.  
 LAGÓNHON, V. *Ardisia serrata* Pers.  
 LAGPÁCUM, V. *Solanum nigrum* L.  
 LAG-TÁL, V. *Anamirta cocculus* W. and A.  
 LÁGU, T. *Olax*.  
 LAGUICDÍ, Mang. *Diospyros*.  
 LAGUÍNO, V. *Capparis horrida* Linn.  
 LÁGUIO-LÁGUIO, T. *Acanthus ilicifolius* L.  
 LAGÚNDI, T. *Vitex obovata* Thunb.  
 LAGÚNDI, T. *Vitex negundo* Linn.  
 LAGÚNDI-LÁTI, T. *Pluchea indica* Less.  
 LAGÚNDI-SALÁSA, V. *Buddleia asiatica* Lour.  
 LAGUNDÍN-DÁGAT. *Vitex trifolia* L.  
 LAGUNDÍNG-GAPÁNG, T. *Vitex obovata* Thunb.  
 LAGUÍNO, V. *Capparis*.  
 LAGVÁY, T., V., Pamp. *Colocasia antiquorum* Schott.  
 LÁHA? (Jolo). *Pandanus odoratissimus* Linn. f.  
 LÁNO, V. *Myristica*.

- LAIÓC-LAIÓC, V. *Jasminum marianum* DC.  
 LAÍYA. *Harrisonia bennetii* B. and H.  
 LALACDÁN, V. *Blumea balsamifera* DC.  
 LALÁSI, Ig. *Leucosyke capitellata* Wedd.  
 LALÓGO, V. *Pandanus sylvestris* Rumph.  
 LAMBAYÓNG, T., B., H. *Ipomoea pes-caprae* Roth.  
 LAMBÓTAN, T. *Calamus*.  
 LAMHÁY, V. *Corchorus capsularis* L.  
 LAMIÓ, T. *Dracontomelon mangiferum* Blume.  
 LAMÍSI, C. *Wrightia ovata* A. DC.  
 LÁMOT-LAMÓTAN, T. *Adiantum lunulatum* Burm.  
 LAMPACÁNAI, V. *Typha angustifolia* Linn.  
 LAMPARAHÁN, T. *Gnetum gnemon* L.  
 LAMPAYÓNG, T., B., V. *Ipomoea pes-caprae* Roth.  
 LAMPÚYAN, T. *Zingiber*.  
 LAMPÚYANG, V. *Zingiber zerumbet* Rose.  
 LAMPÚYANG, T. *Curcuma xanthorrhiza* Roxb. and other species.  
 LAMPÚYANG-DORÁC, V. *Curcuma caesia* Roxb. and other species.  
 LAMPÚYANG-ITÁYAM, V. *Zingiber*.  
 LAMPÚYANG-ÑGA-GUINATÓLA. *Globba marantina* Linn.  
 LAMPÚYANG-ÑGA MAPULÁ, V. *Globba marantina* Linn.  
 LAMPÚYANG-ÑGA-MAPUTÍ, V. *Amomum cardamomum* L.  
 LAMPÚYANG-TÁPOL, V. *Curcuma caesia* Roxb. and other species.  
 LAMÚDIO, T., V. *Carum copticum* Benth.  
 LAMÚYO, T. *Oryza sativa* L. var.  
 LANÁ. *Sesamum indicum* L.  
 LANÁRAY (Tayabas). *Bruguiera parviflora* W. and A.  
 LANCÁ, T. *Artocarpus integrifolia* L. f.  
 LANCÓAS, Pamp. *Alpinia galanga* Swartz.  
 LÁNDO, T. *Bridelia*.  
 LANÉTE, V. *Pierasma javanica* Blume.  
 LANÉTE, T. *Wrightia ovata* A. DC.  
 LÁNÑGA (Cag.). *Sesamum indicum* L.  
 LANÑGÁLA, V. *Fleurya interrupta* Gaud.  
 LANÑCÁ, H. *Artocarpus integrifolia* L. f.  
 LANÑCÁUAS, V. *Alpinia galanga* Swartz.  
 LANGGÁSI, V. *Leucosyke capitellata* Wedd.  
 LÁNÑGAS, V. *Semecarpus microcarpa* Wall. and other species.  
 LANGÉRAY, T. *Bruguiera ritchieii* Merrill.  
 LÁNÑGIL. *Albizzia saponaria* Blume.  
 LÁNÑGIL, T. *Albizzia lebbek* Benth.  
 LÁNÑGIL, T. *Albizzia retusa* Benth.  
 LANÑGÍÑGI, V. *Vitis carnosia* Wall.  
 LANÑGÍS, Pamp. *Sesamum indicum* L.  
 LANGÑGÁ, T. *Sesamum indicum* L.  
 LANÑGPÁ. *Cedrela toona* Roxb.  
 LANÑGUÍGI. *Phyllanthus acidus* Muell. Arg.  
 LANÑGUÍL. *Albizzia lebbek* Benth.

- LANĜUÍS. *Sesamum indicum* L.  
 LANÍGDA, B., V. *Cedrela toona* Roxb.  
 LANÍGPA, V. *Cedrela toona* Roxb.  
 LANÍÑGUING, T. *Ficus cumingii* Miq.  
 LANÍPGA, V., B. *Cedrela toona* Roxb.  
 LANÍTI, T. *Wrightia ovata* A. DC.  
 LANÓGO, V. *Pandanus sylvestris* Rumph.  
 LÁNOT, V. *Musa textilis* Nees, var.  
 LANÓTAN, T. *Hibiscus grewiaefolius* Hassk.  
 LANÓTAN, V. *Musa textilis* Nees, var.  
 LANÓTAN, T. *Goniothalamus*, and other arborescent species of Anonaceae.  
 LANÓTANG-ITÍM, T. *Phaeanthus nutans* Hook. f. and Th.  
 LANÓTAN-ITÍM. *Hibiscus*.  
 LANÓTI, T. *Zizyphus trinervis* Poir.  
 LANSÍNA, T. *Ricinus communis* L.  
 LANSÓNE, T. *Lansium domesticum* Rumph.  
 LANSÓNES, T. *Lansium domesticum* Jack.  
 LANTÁ, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LANTÍN, T. *Plantago erosa* Wall.  
 LANTÚNDAL. *Musa paradisiaca* L.  
 LANÚSI, Cag. *Wrightia ovata* A. DC.  
 LANÚTAN, T. *Saccopetalum longipes* Vidal, and other species of Anonoceae.  
 LANÚTAN, T. *Thespesia campylosiphon* Rolfe.  
 LANÚTAN, T. *Xylopia dehiscens* Merrill.  
 LANÚTAN-ITÍM. *Phaeanthus nutans* H. f. and T.  
 LANÚTAN-PUTÍ. *Goniothalamus giganteus* Hook. f. and Th.  
 LANÚTI, H. *Wrightia ovata* A. DC.  
 LANZÓN. *Lansium domesticum* Jack.  
 LAOCPÁO, Cag. *Vernonia arborea* Ham.  
 LAPNÉI, Zamb. *Calamus albus* Pers.  
 LAPNÍS, C. *Boehmeria nivea*. H. and A.  
 LAPNÍS. *Malachra bracteata* Cav.  
 LAPNÍS NA BOLOHÁN, T. *Malachra bracteata* Cav.  
 LÁPO-LÁPO, H. *Gyrocarpus jacquinii* Roxb.  
 LAPONÁYA, V. *Coleus acuminatus* Benth.  
 LÁQUIS-LÁQUIS. *Acanthus ilicifolius* L.  
 LÁRA. *Capsicum minimum* Roxb.  
 LARÓAN-ANÍTO, T. *Clerodendron intermedium* Cham.  
 LÁSA. *Nipa fructicans* Wurm. b.  
 LASÁLIA. *Wendlandia luzonensis* DC.  
 LASGÁS, B. *Villaria philipinensis* Rolfe.  
 LASÑGÁTON, T., V. *Laportea gaudichaudiana* Wedd.  
 LÁSO, V. *Allium sativum* Linn.  
 LASONÁ, H. *Allium cepa* Linn.  
 LASTÓN, V. *Vigna catjang* Endl.  
 LASUNÁ, T. *Allium cepa* L.  
 LAUÁAN, T., V. *Anisoptera thurifera* Blume.  
 LÁUAN-NA-PULÁ, T. *Vatica*.

- LÁUAN-MAPUTÍ, T. *Dipterocarpus*.  
 LÁUAN SANDÁNA. *Anisoptera thurifera* Blanco.  
 LÁUAS, T., *Nymphaea stellata* Willd.  
 LÁUAS, T. *Limnanthemum cristatum* Griseb.  
 LÁUAT, V. *Litsea chinensis* Lam., and other species.  
 LÁVAS, T., V., Pamp. *Nymphaea lotus* Linn.  
 LAYÁ, H. *Alstonia scholaris* R. Br.  
 LAYÁ, B. *Zingiber zerumbet* Rosc.  
 LAYÁL, Z. *Zingiber officinale* Linn.  
 LAYASÍN, T. *Leucosyke capitellata* Wedd.  
 LÁYO, B. *Alyxia odorata* Wall.  
 LAYÓHAN, V. *Phyllanthus distichus* Muell. Arg.  
 LEÁSIN, T. *Leucosyke capitellata* Wedd.  
 LECHÍA. *Nephelium litchi* Camb.  
 LECHÍAS, T. *Nephelium longana* Camb.  
 LECHÍAS, T. *Nephelium glabrum* Noronh.  
 LÉGAS, T. *Semecarpus perrottetii* March.  
 LÉÑGAY, T. *Melastoma*.  
 LÉNGÑGA, T. *Sesamum indicum* L.  
 LÉNGUA-DE-PÉRRO, Sp. Fil. *Euphorbia neriifolia* L.  
 LÉNO, T. *Psychotria malayana* Jack.  
 LETERÁN, T. *Gouania*.  
 LÉTLET-TÚBUY, T. *Piper corylistachyum* C. DC.  
 LÍA, T. *Wolffia schleideni* Miq.  
 LIÁPA, Z. *Terminalia*.  
 LIBÁCAN, T. *Litsea*.  
 LÍBAI, T. *Achryanthes aspera* L.  
 LÍBAS. *Eugenia*.  
 LÍBAS. *Modceca trilobata* Roxb.  
 LÍBAS-LÍBAS. *Symplocos*.  
 LIBÁTO, T. *Lumnitzera purpurea* Presl.  
 LIBÁTO, T. *Basella rubra* L.  
 LIBÁTO-PUTÍ, T. *Cumingia philippinensis* Vidal.  
 LIBÁTO-NA-PUTÍ, T. *Neesia altissima* Blume.  
 LIBÁTO-PULÁ (Tayabas). *Lumnitzera purpurea* Presl.  
 LIBÁTO-PULÁ, T. *Xylocarpus granatum* Koenig.  
 LÍBAY, T. *Achryanthes obtusifolia* Lam.  
 LIBÍRAN, T. *Scirpus*.  
 LIBÚN, V. *Emilia sonchifolia* DC.  
 LICTÁNG, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LIGÁS, T. *Semecarpus perrottetii* March.  
 LÍGAO, T. *Zizyphus trinervis* Poir.  
 LÍGAO, T. *Zizyphus arborea* Merrill.  
 LÍGAO. *Grewia*.  
 LÍGAS, T. *Semecarpus perrottetii* March.  
 LIGÁSAN, T. *Ceriops candolleana* Arn.  
 LÍGUID-LÍGUID, V. *Alpinia*.  
 LILÍTAN, V. *Paederia foetida* L.



- LIMÁ-LIMÁ, T., V. Dioscorea.  
 LIMÁ-LIMÁ, T. V., Pamp. Heptapleurium caudatum Vidal.  
 LIMÁNG-SÚGAT. Erianthemum bicolor Schrank.  
 LIMBÁON, V. Cocos nucifera Linn.  
 LIMOLÍMO, T. Heptapleurium caudatum Vidal.  
 LIMOLÍMO, II. Vitex.  
 LIMÓN, Sp. Fil. Citrus medica L. var.  
 LIMONÁTO. Triphacea aurantiola Lour.  
 LIMONCÍTO, Sp. Triphacia trifoliata DC.  
 LIMORÁN. Zalacca edulis Reinw.  
 LIMORÁN, T. Calamus.  
 LINALÍNA-ÁHAN, T. Zinziber.  
 LÍNAS, B. Eugenia.  
 LINATOGÁNAC, V. Samadera indica Gaertn.  
 LINCAMÁS, II. Eriosema chinense Vog.  
 LIÑGÁ, T. Sesamum indicum L.  
 LIÑGA-LIÑGÁHAN, T. Hyptis capitata Jacq.  
 LIÑGASÍNA, T. Ricinus communis L.  
 LÍNGAT, T. Begonia rhombicarpa A. DC.  
 LIÑGATÓN (?). Laportea gaudichaudiana Wedd.  
 LÍÑGO. Sesamum indicum L.  
 LÍNO, Pamp. Morinda bracteata Roxb.  
 LÍNO, V. Morinda citrifolia Linn.  
 LÍNOG, Z. Scaevola koenigii Vahl.  
 LINTÁNG-ÁGUIN, T., V., Pamp. Anamirta cocculus W. & A.  
 LINTÓN-GÁMAI, V. Samadera indica Gaertn.  
 LÍO-LÍO, Ig. Ficus.  
 LIOSÍN (Zambales). Heritiera littoralis Dry.  
 LIPÁ, T. Laportea gaudichaudiana Wedd.  
 LIPÁ, T. Fleurya interrupta Gaudich.  
 LÍPAI, T. Mucuna monosperma DC.  
 LIPÁNG-ÁSO. Fleurya interrupta Gaud.  
 LIPÁNG-CASTÍLA, T. Fleurya interrupta Gaud.  
 LIPÁNG-DÓTON, Pamp. Laportea gaudichaudiana Wedd.  
 LIPÁTA, V. Excoecaria agallocha L.  
 LIPÁTA, T. Rauwolfia.  
 LIPÁTA (Ticao). Cerbera odollam Gaertn.  
 LIPATÁT-GÚBAT, B. Ixora amboinica DC.  
 LÍPAY, V. Laportea gaudichaudiana Wedd.  
 LÍPAY, V. Mucuna pruriens DC.  
 LIPÓTE, T. Eugenia.  
 LIPSIPÁN, T. Lepidagathis luzoniae Nees.  
 LÍRIO, V. Rhaea discolor Hance.  
 LÍRIO, V. Crinum.  
 LÍRIO, T. Habranthus versicolor Herb.  
 LISÁC, T. Nauclea.  
 LISÁÑGAY, Z. Curcuma longa Linn.  
 LISÓHAN, V. Musa.

- LÍSONG-INSÍC, T. *Payena*.  
 LÍTA, V. *Voacanga*.  
 LITBÍT, V. *Piper corylistachyon* C. DC.  
 LITLÍ, V. *Piper corylistachyon* C. DC.  
 LITLÍT. *Piper*.  
 LÍNAS, V. *Bauhinia tomentosa* L.  
 LIVÍAN. *Castanopsis philippinensis* Vidal.  
 LOBÁLOB, T. *Bridelia stipularis* Blume.  
 LÓBAS, Pamp. *Vitis geniculata* Blume.  
 LÓBIS, V. *Cocos nucifera* Linn.  
 LÓBI-LÓBI, V. *Eulophia elongata* Blume.  
 LOBÍO, T. *Mollugo hirta* Thuub.  
 LÓBI-ŊGA-HINBÁON, V. *Cocos nucifera* Linn.  
 LÓBI-ŊGA PILÍPOG, V. *Cocos nucifera* Linn.  
 LOCÁY? T. *Limnophyton obtusifolium* Miq.  
 LOCÓAN (Masbate). *Calamus*.  
 LÓCO-LÓCO, V. *Hyptis suaveolens* Poir.  
 LÓCO-LÓCO, T., Pamp. *Ocimum sanctum* L.  
 LOCTÓN. *Trichocarya*.  
 LOCTÓN. *Duabanga moluccana* Blume.  
 LOBÓCONG, Pamp. *Moschosma polystachyum* Benth.  
 LOBÓNO. *Celtis philippinensis* Blanco.  
 LOPÓNG, Ig. *Rhododendron verticillatum* Vidal.  
 LOGÓG, V. *Celtis philippinensis* Blanco.  
 LOGONHÓN (Hilo). *Ardisia serrata* Pers.  
 LOHÓD-LOHÓD, V. *Polia sorzogonensis* Endl.  
 LOLÍO, T. *Artocarpus odoratissima* Blanco.  
 LOLÓAN, Il. *Pistia stratiotes* L.  
 LOLOQUÍSEN, Il. *Limnanthemum cristatum* Griseb.  
 LOMBAYÓNG, V. *Cassia fistula* L.  
 LOMBÓY, T. *Eugenia jambolana* L.  
 LÓMOT, T. *Potamogeton javanicus* Hassk.  
 LÓMOT-LOMÓTAN, T. *Hydrilla verticillata* Casp.  
 LÓMOT-LOMÓTAN, T. *Adiantum lunulatum* Buru.  
 LÓŊGA, V. *Sesamum indicum* L.  
 LÓŊGAS (Cebu). *Semecarpus pubescens* Thw.  
 LOŊGÁYAN. *Wrightia ovata* A. DC.  
 LONÍTI. *Wrightia ovata* A. DC.  
 LONÓC, V. *Ficus*.  
 LÓNO-LÓNO. *Payena*.  
 LOPÁ, Pamp. *Fleurya interrupta* Gaud.  
 LÓPO-LÓPO, V. *Allmania nodiflora* R. Br.  
 LÓPO-LÓPO, V. *Achyranthes aquatica* R. Br.  
 LÓUAN-LÓUAN, V. *Pistia stratiotes* Linn.  
 LOVÍAN, T. *Castanopsis philippinensis* Vidal.  
 LÓY-A, V. *Zingiber*.  
 LUBÁCAN, V. *Cocos nucifera* Linn.  
 LUBÁLUB, T. *Bridelia stipularis* Blume.

- LUBÍ. *Cocos nucifera* L.  
 LUBÍGAN, T. *Acorus calamus* Linn.  
 LUBÍ-LUBÍ, V. *Geodorum semieristatum* Lindl.  
 LUBÍ-LUBÍ. *Osmelia*.  
 LUBÍ-LUBÍ, T., V., B. *Solanum nigrum* L.  
 LÚBID-LÚBID, B. *Semecarpus*.  
 LUBÍ-LUBÍLI (Bataan). *Cubilia rumphii* Blume.  
 LUBTÓB. *Ficus*.  
 LUBTÚB. *Duabanga moluccana* Blume.  
 LUCBÁN, T. *Citrus decumana* Linn.  
 LUCBÁN-GÚBAT. *Citrus*.  
 LUÉTI (Zamboanga). *Ardisia philippinensis* DC.  
 LUGÓ, H. *Terminalia catappa* L.  
 LÚGOS (Zamboanga). *Areca catechu* Linn.  
 LUJÚLA. *Oxalis acetosella* L.  
 LULÚPAO, H. *Abutilon indicum* Don.  
 LUMÁNPAO, T. *Bambusa lumampao* Blanco.  
 LUMÁNAI, T. *Homonoia riparia* Lour.  
 LÚMANG, Cag. *Caryota rumphiana* Mart.  
 LUMÁNNOG, V. *Terminalia calanausanay* Rolfe.  
 LUMÁTL. *Lagerstroemia batitinan* Vid.  
 LUMBÁN, T. *Aleurites moluccana* Willd.  
 LUMBÁNG, T. *Aleurites moluccana* Willd.  
 LUMBÍAC (Tayabas). *Iguanura*.  
 LUMBÍOÍ, T., Pamp., V., H. *Eugenia jambolana* L.  
 LUNÁ. *Ficus caulocarpa* Miq.  
 LÚNAS, T. *Lunasia amara* Blanco.  
 LÚNAS, T. *Gonocaryum tarlacense* Vidal.  
 LÚNAS, T. *Oleandra nerififormis* Cav.  
 LÚNAS. *Panacratium zeylanicum* L.  
 LÚNAS. *Nymphaea lotus* L.  
 LÚNAS-BUNDÓC, T. *Lunasia amara* Blanco.  
 LÚNAS-NA-ITÍM. *Gonocaryum tarlacense* Vidal.  
 LUNBÁN, T. *Aleurites trisperma* Blanco.  
 LÚPID, A. *Bauhinia*.  
 LÚPO, V. *Vitis carnosia* Wall.  
 LURÚT?. Cag. *Calamus rhomboideus* Blume.  
 LÚSONG (Lepanto). *Vaccinium barandanum* Vidal.  
 LUTÚNAN (Zamboanga). *Eugenia*.  
 LÚYA, T. *Zingiber officinale* L.  
 LÚYA-LÚYA, T. *Panicum*.  
 LÚYA-LÚYA, V. *Cyanotis cristata* Roem. and Schult.  
 LÚYA-LÚYA, T. *Zingiber*.  
 LÚYA-LUYÁHAN, T. *Panicum repens* L.  
 LÚYA-LÚYA-IT-ÁYAM (Iloilo). *Globba parviflora* Presl.  
 LÚYAN, T. *Diospyros nigra* L.  
 LÚYANG-ÁSO, T. *Zingiber*.  
 LÚYA-NŪGA-ISA, V. *Zingiber*.

- LÚYANG-ÓSIU, T. Zingiber.  
 LÚYONG. Diospyros nigra Retz.  
 LÚYONG-LÚYONG, V. Cratoxylon sumatranum Blume.  
 LÚYOS, Pamp. Areca catechu L.  
 LUYÚSIN, T. Pygeum.

## M.

- MAASÍC, Pamp. Tephrosia luzonensis Vogel.  
 MAEÁLOT, T. Sarcocephalus cordatus Miq.  
 MABÓLO, T., V. Diospyros discolor Willd.  
 MABÚLO, T. Trichodesma zeylanicum R. Br.  
 MACAÁSIN, T. Carallia integerrima DC.  
 MACAÁSIN, T. Eugenia lineata Duthie.  
 MACAÁSIN, V. Shorea.  
 MACAÁSIN-PULÁ, T. Eugenia.  
 MACAÁSIN-PUTÍ, T. Palaquium.  
 MACABÁLO, Pang. Lagerstroemia speciosa Pers.  
 MACABÁÑGON. Aglaia.  
 MACABÍÑGAO, T. Quercus llanosii A. DC. and other species.  
 MACABÚHAI, T. Tinospora crispa Miers.  
 MACABÚHAI, T. Lunasia amara Blanco.  
 MACAISÁ, T. Cleidion javanicum Blume.  
 MACAISÁ, B. Ehretia philippinensis A. DC.  
 MACAISÁ, T. Ailanthus moluccana DC.  
 MACAHÍYA, T. Mimosa pudica L.  
 MACAHÍYA, T. Biophytum sensitivum DC.  
 MACALALÁNGANG, T. Clerodendron intermedium Cham.  
 MACALASCÁLAS, B. Talauma.  
 MACALBÁNG, V. Dendrocalamus membranaceus Munro.  
 MACALÍÑGAG, T. Cinnamomum pauciflorum Nees.  
 MACAMBÓJO (Iloilo). Garcinia venulosa Choisy.  
 MACÁN, V. Panax fruticosum L.  
 MACÁPIL, T. Dalbergia lanceolaria Linn.  
 MACASAMPÁLOC, T. Tamarindus indica L.  
 MACASÍLAD, T. Corypha.  
 MACASÍLI, V. Dysoxylum blancoi Vidal.  
 MACÁSIN. Eugenia.  
 MACÁSIN-MULÁTO, T. Eugenia.  
 MACÁSILA, V. Croton tiglium L.  
 MACATÚRAY. Stereospermum?  
 MACHÍN. Musa paradisiaca L. var.  
 MACÚPA, T. Eugenia jambos L.  
 MACÚPA, T., V. Eugenia malaccensis L.  
 MÁDANG, T. Litsea magnifica B. and H.  
 MADONDÓN, T. Vangueria spinosa Roxb.  
 MÁDRE-CACÁO, Sp. Fil. Glireida maculata H. B. K.  
 MAGAÁN, B. Kayea.  
 MAGABAGÁBA, T. Arytera rufescens Radlk.

- MAGABÓYO, V. *Celtis philippinensis* Blanco.  
MÁGAI, V. *Agave americana* Linn.  
MAGÁLAT. *Harpullia arborea* Radlk.  
MAGÁLAY, T. *Bruguiera ritchieii* Merrill.  
MAGALÁYAO, C. *Azelia rhomboidea* Vidal.  
MAGARANBÚLO (Tayabas). *Cyclostemon*.  
MAGARAPÁLA, T. *Terminalia*.  
MAGARÍLAO, T. *Nauclea*.  
MAGARÍLAO, T. *Terminalia*.  
MAGASPÁNG, V. *Fluggea obovata* Wall.  
MAGATÁDI?, Cag. *Mangifera altissima* Blanco.  
MAGÁTAS, Pamp. *Euphorbia pilulifera* L.  
MAGCABÚGAO, V. *Atalantia monophylla* Correa.  
MAGCÁSAAO, V. *Aralia javanica* Miq.  
MAGLIMÓCON. *Urophyllum glabrum* Jack.  
MAGLOLÓPOY, Z. *Sterculia*.  
MAGOTAMBÍS, V. *Antidesma*.  
MAGSALÓRO, V. *Tacca palmata* Blume.  
MAGSALÓRO-NGA-DACÚ, V. *Tacca pinnatifida* Forst.  
MAGSINÁYA. *Aglaia*.  
MAGTÁBIG, V., Pamp. *Rourea heterophylla* Planch.  
MAGTAMBÓCAO (Leyte). *Canavalia ensiformis* DC.  
MAGUÉY, Sp. Fil. *Agave americana* Linn.  
MAGUÍLIC, Z. *Litsea*.  
MAGUÍLIC, T. *Geunsia cumingiana* Rolfe.  
MAGÚLIOC, T. *Buchanania florida* Schauer.  
MAGULÍVE, T. *Chisochaeton tetrapetalus* Turcz.  
MAGÚMU (Albay). *Vitex*.  
MAGUSÁYAC, V. *Fagraea morindaefolia* Blume.  
MAGUTTÁTA, V. *Maesa haenkeana* Miq.  
MAHÍHÍN, Il. *Biophytum sensitivum* DC.  
MAHÓTAY, V. *Mallotus*.  
MAISIPAÍSI, T. *Clausena excavata* Burm.  
MAÍZ, Sp. Fil. *Zea mays* L.  
MALAACHUÉTE, Pamp. *Mallotus ricinoides* Muell. Arg.  
MALAACHUÉTE, T. *Melochia arborea* Blanco.  
MALAÁCLE (Tayabas). *Dracontomelum*.  
MALAADÚAS, T. *Ailanthus moluccanus* DC.  
MALAADÚAS, T. *Dracontomelum cumingianum* Baill.  
MALAAMÚYON, T. *Ormosia calavensis* Blanco.  
MALAANÍS, Pamp. *Scoparia dulcis* L.  
MALAANÓNAN, T. *Shorea malaanonan* Blume.  
MALAÁPI, T. *Premna*.  
MALAAPÓLID, Pamp. *Kyllinga monocephala* Rottb.  
MALAAPÓLID, Pamp. *Cyperus rotundus* L.  
MALAASÍS, T. *Vangueria spinosa* Roxb.  
MALAÁTÉS, T. *Glochidion*.  
MALÁBAC, V. *Atalantia nitida* Oliv.

- MALABACÁUAN, T. *Randia*.  
 MALABÁCHAO (Cebu). *Loranthus blancoanus* F. Vill.  
 MALABÁGA, T. *Clerodendron*.  
 MALABÁGAN, Pamp. *Dysoxylum blancoi* Vidal.  
 MALABÁGNA, T. *Croton*.  
 MALABÁGO, V. *Hibiscus tiliaceus* L.  
 MALABÁGUO, T. *Olax imbricata* Roxb.  
 MALABÁGUIS, B. *Eugenia*.  
 MALABÁHI, B. *Eugenia*.  
 MALABAHÍO, B. *Memecylon*.  
 MALABALÁNTE, T. *Polygonum*.  
 MALABALÁTONG, Pamp. *Flemingia*.  
 MALABALÚBAT?. *Semecarpus gigantifolia* Vidal.  
 MALABALÚGBUG-DÁGIS, Pamp. *Oxalis corniculata* L.  
 MALABANABÁ, T. *Amoora grandifolia* C. DC.  
 MALABANABÁ, T. *Duabanga moluccana* Blume.  
 MALABÁNGAO, Pamp. *Dysoxylum blancoi* Vidal.  
 MALABÁNGQUILÍN, V. *Connaropsis philippica* F. Vill.  
 MALABATÓAN, T. *Garcinia ovalifolia* Hook. f.  
 MALABÁYA, T. *Chisocheton tetrapetalus* Turcz.  
 MALABAYÁBAS. *Dysoxylum*.  
 MALABAYÁBAS, T. *Eugenia*.  
 MALABAYÁBAS, T. *Gardenia obscura* Vidal.  
 MALABAYÁBAS, T. *Gardenia pseudopsidium* Blanco.  
 MALABÁYO. *Hibiscus tiliaceus* L.  
 MALABILÚCAS, T. *Litsea*.  
 MALABOCBÓC. *Ipomoea quamoclit* L.  
 MALABOCBÓC. *Meusa ferrea* Linn.  
 MALABOCBÓC, T. *Calophyllum*.  
 MALABOHÓC, T. V. *Cassytha filiformis* L.  
 MALABOHÓC, V. *Casuarina equisetifolia* Forst.  
 MALABÓNĜA, T. *Iteadaphne confusa* Blume.  
 MALABÓNĜA, T. *Macaranga*.  
 MALABÓNĜA. *Beilschmeidia madang* Blume.  
 MALABONÓT. *Sterculia stipularis* R. Br.  
 MALABOTÓNES, V. *Kyllinga monocephala* Rottb.  
 MALABUCBÚC?, T. *Meusa ferrea* L.  
 MALABÚLAC, T. *Bombax malabaricum* DC.  
 MALABULÁON, Pamp. *Symphorema luzoniense* Vid.  
 MALABÚNAO, B. *Ochrocarpus*.  
 MALABÚŃGA. *Macaranga tanarius* Muell. Arg.  
 MALABÚŃGA, B. *Phoebe umbelliflora* Blume.  
 MALABUNÓT, T. *Sterculia*.  
 MALABÚTONG, T. *Olea*.  
 MALACABÚGAO, V. *Citrus*.  
 MALACABÚYAO, T. *Aegle decandra* Naves.  
 MALACACÁO, T. *Erioglossum edule* Blume.  
 MALACACÁO. *Lepidopetalum*.

- MALACACÁO, T. *Lunasia grandiflora* Muell. Arg.  
 MALACACÁO, T. *Stereulia*.  
 MALACÁDIOS, B. *Dehaasia*.  
 MALACÁDIOS, T. *Phoebe*.  
 MALACÁDIOS. *Myristica*.  
 MALACADPÓ, T. *Micromelum tephrocarpum* Turcz.  
 MALACAFÉ, T. *Glochidion*.  
 MALACAFÉ?, V. *Mussaenda grandiflora* (Meyen) Rolfe.  
 MALACAFÉ, T. *Randia*.  
 MALACAFÉ (Paragua). *Agrostistachys maesoana* Vidal.  
 MALACAFÉ (Tayabas). *Webera*.  
 MALACAPÍ, T. *Elaeocarpus*.  
 MALACAPÍOS, T. *Sesbania aegyptiaca* Pers.  
 MALACÁHUUC, T. *Rourea multiflora* Planch.  
 MALACALANTÁS, B. *Canarium*.  
 MALACÁLIOS. *Elaeocarpus monocera* Cav.  
 MALACALESQUÍ, T. *Adiantum*.  
 MALACALUBCÚB, T. *Litsea*.  
 MALACALÚMPIT, B. *Terminalia calamansanay* Rolfe.  
 MALACAMONSÍLE, T. *Pithecolobium montanum* Benth.  
 MALACAMÓTE, V. *Ipomoea bona-nox* Linn.  
 MALACAMÓTE, T. *Beddomea luzonensis* Vidal.  
 MALACÁPAI, T. *Diospyros malacapai* A. DC.  
 MALACÁRIOS, Z. *Desmodium umbellatum* DC.  
 MALACÁRO, V. *Desmodium*.  
 MALACAROPCÓP (Bataan). *Eugenia montana* Blanco.  
 MALACÁRPA. *Randia*.  
 MALACATMÓN, T. *Delima sarmentosa* L.  
 MALACATMÓN, T. *Tetracera macrophylla* Wall.  
 MALACATMÓN, T. *Dillenia speciosa* Gilg.  
 MALACATÚRAY, Z. *Sterospermum*.  
 MALACATÚRAY, T. *Cassia*.  
 MALACAÚYAN, T. *Panicum*.  
 MALACAÚYAN, Z. *Hemigytosa*.  
 MALACBÁN, T. *Vatica*.  
 MALACBÓC (Morong). *Acalypha tiliacifolia* Muell. Arg.  
 MALACBÓG, H. *Combretum*.  
 MALACLÁC. *Clethra canescens* Reinw.  
 MALACMÁC, T., Pamp. *Pygeum*.  
 MALACMÁC, T., Pamp. *Palaquium oleiferum* Blanco.  
 MALACULÁIN-BÍSAN, T. *Gynotroches axillaris* Blume.  
 MALADÍAC. *Tristira triptera* Radlk.  
 MALADÍTA, T. *Rauwolfia amsoniaefolia* A. DC.  
 MALADOSDÓS, V. *Erianthemum bicolor* Schrank.  
 MALADÚHAT, B. *Eugenia*.  
 MALADÚÑGUN, T. *Heritiera littoralis* Dry.  
 MALAGAHÁNIP, T. *Dalbergia*.  
 MALAGAHÁNIP, T. *Terminalia*.

- MALAGÁITMON, T. *Diospyros*.  
 MALAGÁNIT, T. *Albizzia*.  
 MALAGARÁYAT, T. *Strychnos*.  
 MALAGARÁYAT, T. *Eugenia*.  
 MALAGASÁHA, B. *Pisonia umbellata* Seem.  
 MALAGÓSO, T. *Mollugo stricta* L.  
 MALAGQUÍT, T. *Oryza sativa* L. var.  
 MALAGUIBÚYO, V. *Celtis philippinensis* Blanco.  
 MALAGUINÍSAN, V. *Kayea philippinensis* Planch.  
 MALAÍBA, T. *Melia candollei* Juss.  
 MALAÍBA, T. *Phyllanthus reticulatus* Muell. Arg.  
 MALAIBÓHOD. *Buchanania florida* Schauer.  
 MALAÍCMO, T. *Celtis philippinensis* Blanco.  
 MALAÍGOT B. *Ixora*.  
 MALAÍHAO, T. *Dracontomelum*.  
 MALAIPÚTAI, B. *Streblus asper* Lour.  
 MALAISÁ, T. *Ardisia pyramidalis* Pers.  
 MALAISÍS, T. *Ficus*.  
 MALAISÍS, T. *Malaisia tortuosa* Blanco.  
 MALAÍTMO, T. *Celtis philippinensis* Blanco.  
 MALAÍTMO, T. *Gnetum gnemon* L.  
 MALAÍYAO, T. *Dracontomelum mangiferum* Blume.  
 MALALÍGAS-NA-BABÁE. *Lunasia*.  
 MALALÍGAS-NA-LALÁQUE, T. *Buchanania*.  
 MALALIMÓN. *Taxotrophis ilicifolia* Vidal.  
 MALALÚCBAN, T. *Champereia griffithii* Planch.  
 MALALÚPAY, Pamp. *Micromelum*.  
 MALALÚYA, T. *Globba parviflora* Presl.  
 MALAMÁNGA, Cag. *Litsea*.  
 MALAMAYÁNA, T. *Coleus acuminatus* Benth.  
 MALAMBÁNG, T. *Mallotus*.  
 MALABANGCÁBAS (Zamboanga). *Pittosporum*.  
 MALAMOLÁUIN, T. *Evodia*.  
 MALAMOLÁUIN, T. *Glycosmis*.  
 MALANÁNCA. *Ficus luzonensis* Merrill.  
 MALANÚIG, Cag. *Caryota rumphiana* Mart.  
 MALAPACPÁC-BALÁUAY, T. *Epipremnum medium* Engl.  
 MALAPÁCO, T. *Jussiaea suffruticosa* L.  
 MALAPÁHO, T. *Dipterocarpus vernicifluus* Blanco.  
 MALAPÁHO, T. *Mangifera*.  
 MALAPÁHO, T. *Sindora wallichii* Benth.  
 MALAPAJTPÍT, *Sapindus turezaniowii* Vidal.  
 MALAPÁJO. *Dipterocarpus vernicifluus* Blanco.  
 MALAPALÍTPIT, Pamp. *Sapindus turezaniowii* Vidal.  
 MALAPANDACÁQUE, B. *Gonocaryum*.  
 MALAPANGDÁN, T. *Freycinetia insignis* Blume.  
 MALÁPAO. *Dipterocarpus vernicifluus* Blanco.  
 MALAPAPÁYA, T., V. *Polyseias nodosa* Seem.



- MALAPATÓPAT, T. *Canthium confertum* Korth.  
 MALAPÍGAS, T. *Desmodium umbellatum* DC.  
 MALAPILÁUAY, B. *Canarium*.  
 MALAPÓCO, T. *Jussiaea suffruticosa* L.  
 MALAPOTOCÁN, T. *Clerodendron macrostegium* Schauer.  
 MALAPÚAD, Pamp. *Olea*.  
 MALAPÚSO, B. *Litsea*.  
 MALAPUTÁD, T. *Barringtonia racemosa* Blume.  
 MALAPUTÁT, T. *Cleidion*.  
 MALAPUTÁT, T. *Terminalia*.  
 MALAPUTÁT, T. *Palaquium*.  
 MALAPUTÚTAN, T. *Palaquium*.  
 MALAPÚYAO, T. *Pygeum*.  
 MALAPÚYAO, T. *Cynometra*.  
 MALARÁYAP, T. *Gymnosporia montana* Roxb.  
 MALARÁYAT, T. *Cratoxylon formosum* B. and H.  
 MALARÁYAT. *Atalantia nitida* Oliv.  
 MALARICONDÚRON, Pamp. *Callicarpa*.  
 MALARÚHAT, T. *Eugenia operculata* Roxb.  
 MALARÚHAT-NA-PULÁ, T. *Eugenia cymosa* Lam.  
 MALARÚNGON, T. *Heritiera littoralis* Dry.  
 MALASÁCOT, T. *Terminalia*.  
 MALASÁGA, T. *Ormosia calavensis* Blanco.  
 MALASÁGA, T. *Derris seandens* Benth.  
 MALASÁGUIN. *Dysoxylum arborescens* Miq.  
 MALASÁGUIN?, T. *Aglaia palembanica* Miq.  
 MALASÁGUIN-PUTÍ (Tayabas). *Erioglossum edule* Blume.  
 MALASÁGUIN-LALÁQUE. *Kayea*.  
 MALASÁGUIN-PULÁ, T. *Amoora*.  
 MALASÁGING-PULÁ, T. *Alaia*.  
 MALASÁGING-PUTÍ, T. *Eugenia*.  
 MALASAMBÓNG, T. *Vernonia vidalii* Merrill.  
 MALASAMPÁGA, T. *Wikstroemia indica* Mey.  
 MALASANDÍA, V. *Ipomoea pes-tigridis* Linn.  
 MALASÁNGUI. *Cinnamomum*?  
 MALASANTÓL, T. *Sandoricum*.  
 MALASANTÓL, T. *Thespesia populnea* Corr.  
 MALASAPSÁP, T. *Pterocymbium javanicum* R. Br.  
 MALASAPUTÍ, Pamp. *Palaquium*.  
 MALASCÓG, T. *Symphorema luzonensis* Vidal.  
 MALASÍAC, B. *Ardisia humilis* Vahl.  
 MALASÍCO, T. *Litsea*.  
 MALASINÓRO, B. *Fagraea*.  
 MALASITUÍN, Pamp. *Gonocaryum tarlacense* Vidal.  
 MALASÓRO, B. *Diospyros*.  
 MALASUCÁ, V. *Antidesma*.  
 MALASÚRUT, B. *Guettarda speciosa* Linn.

- MALATABÁ, T. *Callicarpa*.  
 MALATÁCO, T. *Albizzia*.  
 MALATADÍLANG (Morong). *Canthium arboreum* Vidal.  
 MALATÁGUX, B. *Canarium*.  
 MALATÁLANG, T. *Myristica cuningii* Warb.  
 MALATÁLANG, Pamp. *Diospyros*.  
 MALATALÍSAY, V. *Terminalia*.  
 MALATAMBÍS. *Kibara coriacea* Perk.  
 MALATAMÓYAN, T. *Casearia*.  
 MALATAMPÓY, T. *Eugenia*.  
 MALATÁÑGAN-TÁÑGAN, B. *Hernandia peltata* Meissn.  
 MALATÁPAY, T. *Alanguim octopetalum* Blanco.  
 MALATÁPAY, T. *Grewia*.  
 MALATÁPAY, T. *Diospyros discolor* Willd.  
 MALATÁYON, Pang. *Adenantha*.  
 MALATIBÍG, T. *Anneslea crassipes* Hook.  
 MALATIBÍ (Morong). *Melia*.  
 MALATÍGUI. *Albizzia*?.  
 MALATÍNTA, T. *Phyllanthus reticulatus* Muell. Arg.  
 MALATOCÓ, T. *Albizzia odoratissima* Benth.  
 MALATÓRO. *Albizzia saponaria* Blume.  
 MALATÚBA, V. *Cleidion javanicum* Blume.  
 MALATÚBA, B. *Croton consanguineum* Muell. Arg.  
 MALATÚBIG, T. *Eugenia*.  
 MALATUMBÁGA, T. *Crudia blancoi* Rolfe.  
 MALATUMBÁGA, T. *Copbretum squamosum* Roxb.  
 MALATUMBÁGA, T. *Nelitris*.  
 MALATÚÑGAO, Cag. *Melastoma*.  
 MALANBÁN, T. *Planchonia*.  
 MALAÚBE, T. V. *Aristolochia tagala* Cham.  
 MALAÚPLI. *Ficus ampelas* Burm.  
 MALAÚNOT, T. *Sterculia*.  
 MALÁWÍN, T. *Vitex negundo* L.  
 MALAYÁMEO, T. *Eugenia*.  
 MALAYANTÓC, T. *Holarrena macrocarpa* Hassk.  
 MALLÁNA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MALIBÁGO, T. *Thespesia populnea* Corr.  
 MALIBÁGO, T. *Hibiseus tiliaceus* L.  
 MALICASCÁSAN, V. *Talauma angatensis* F. Vill.  
 MALÍCO, V. *Evodia mindanaensis* Merrill.  
 MALÍ-MALÍ, T., Pamp. *Leea aculeata* Blanco.  
 MALÍÑGA, T. *Benincasa cerifera* Savi.  
 MALÍNTA, T. *Phyllanthus reticulatus* Muell.  
 MALÍS, V. *Abutilon indicum* G. Don.  
 MALÍSA. *Capsicum minimum* Roxb.  
 MALÍSA (Camarines). *Ananassa sativa* Lindl.  
 MALÍSA, T. *Piper nigrum* L.  
 MALISMALÍS, Pamp. *Euphorbia pilulifera* L.

- MÁLIT, T. *Cynodon dactylon* Pers.  
 MÁLIT-CALABÁO, T. *Panicum*.  
 MALONGÁIN, T. *Melia candollei* Juss.  
 MALUBÁGO, B. *Hibiscus tiliaceus* L.  
 MALÚBO, T., V. *Diplodiscus paniculatus* Turcz.  
 MALÚCO, T. *Pisonia inermis* Forst.  
 MALUGÁGNAO, V. *Vitex*.  
 MALÚGIT, V., Pamp. *Moringa oleifera* Lam.  
 MALUGÓSO, V. *Mollugo pentaphyllum* Linn.  
 MALULÚCBAN, T. *Champereia griffithii* Planch.  
 MALUNÁL-UNĠÁYAM, T. *Dalbergia*.  
 MALÚŋĠAY, T., V. *Moringa oleifera* Lam.  
 MALUNĠÁYEN. *Melia candollei* Juss.  
 MALÚŋĠIT, V., Pamp. *Moringa oleifera* Lam.  
 MALUSÚŋĠAY, T. *Crudia blancoi* Vidal.  
 MALÚTAY, T. *Erycibe*.  
 MÁLVAS, Sp. *Abutilon indicum* G. Don.  
 MÁLVAS DE CASTÍLLA, Sp. Fil. *Abutilon indicum* G. Don.  
 MÁLVAS-TAGBÁLANG, T. *Delima sarmentosa* L.  
 MAMAGUÉL, T. *Harrisonia bennetii* B. and H. f.  
 MAMÁLE, V. *Leea sambucina* Willd. and other species.  
 MAMÁLIS, T. *Pittosporum fernandezii* Vidal.  
 MAMÁLIS-BABÁE, T. *Pittosporum*.  
 MAMANÉD. *Columbia longipetiolata* Merrill.  
 MÁMAO (Jolo). *Rhaphidophora pertusa* Schott.  
 MAMBÓB. *Stephegyne diversifolia* Hook.  
 MAMBÓG, T. *Mitragne*.  
 MAMBÓG, B. *Nauclea blancoi* Vidal.  
 MAMBÓG. *Stephygne speciosa* Korth. and other species.  
 MAMBÓG, T., V. *Morinda bracteata* Roxb.  
 MAMÉY, T. *Lucuma mammosa* Gaertn.  
 MAMÍN, B., T. *Piper betle* L.  
 MAMÍTIC, T., V. *Hygrophila salicifolia* Nees. and other species.  
 MAMÓLIS, T., V., Pamp. *Sida frutescens* Blanco.  
 MAMÓN, V. *Piper betle* L.  
 MAMPÁLAN (Jolo). *Mangifera indica* Linn.  
 MAMPÉL, V. *Uncaria acida* Roxb.  
 MAMPÓL, V. *Loranthus pentandrus* L.  
 MAN. *Cinnamomum pauciflorum* Nees.  
 MANÁ, T., Il. *Jatropha multifida* L.  
 MANABÁ, B. *Premna*.  
 MANABRÓNG, B. *Aglaia*.  
 MANÁLAO, T. *Aglaia oligantha* C. DC.  
 MANALÍSID, V. *Heliconiopsis amboinensis* Miq.  
 MANANANĠTÁNG, V. *Dysoxylum blancoi* Vidal.  
 MANANÁOG, V. *Strychnos ignatii* Berg.  
 MANÁOG, V. *Saccolabium*.  
 MANÁPO, B. *Sindora wallichii* Benth.

- MANÁSA, T. *Bridelia ovata* Muell. Arg.  
 MANÁUL, V. *Tournefortia argentea* L. f.  
 MANÁYAO (Central Luzon). *Diplodiscus paniculatus* Turcz.  
 MANBÁN, T. *Maranta dichotoma* Wall.  
 MANCÓNO, V. *Xanthostemon verdergonianus* Naves.  
 MANDALÚSA (Cebu). *Erianthemum bicolor* Schrank.  
 MÁNGA, T., V. *Mangifera indica* L.  
 MÁNGA-ANÍS. *Mangifera anisodora* Blanco.  
 MANGACHAPÓI, T. *Vatica mangachapoi* Blanco.  
 MANGA-DÓLONG, V. *Abrus precatorius* L.  
 MANGÁGAO, V. *Hoya multiflora* Blume.  
 MANGASINÓRO, Z. *Shorea*.  
 MANGASINÓRO, Z. *Albizzia*?.  
 MANGASINÓRO, T. *Fagraea volubilis* Jack.  
 MANGASIRÍQUI (Bulacan). *Quercus philippinensis* A. DC.  
 MANGATÓLAY?. *Koordersoidendron pinnatum* Merrill.  
 MÁNGGA, T., V. *Mangifera indica* L.  
 MÁNGGIS (Jolo). *Garcinia mangostana* Linn.  
 MÁÑGHA, T. *Clerodendron*.  
 MAÑGÍPOD, T. *Areca catechu* L.  
 MAÑGÍFT. *Ehretia buxifolia* Roxb.  
 MAÑGLÁTI. *Lagerstroemia batitinan* Vidal.  
 MAÑGLÁY, Pamp. *Zingiber*.  
 MANGOSTÁN, V. *Garcinia cornea* Linn.  
 MANGOSTÁNA, V. *Garcinia ovalifolia* H. f. and T.  
 MAÑGQUÍET, T. *Desmodium*.  
 MANGUÍS (Jolo). *Garcinia mangostana* Linn.  
 MANGUÍT, T., V. *Ehretia buxifolia* Roxb.  
 MANGÚPOD. *Areca catechu* L.  
 MANGÚYAO, B. *Sophora tomentosa* L.  
 MANÍ. *Arachis hypogaea* L.  
 MANÍC-MANÍCAN, T. *Cyperus*.  
 MANÍLAD, T. *Scyphiphora hydrophyllacea* Gaertn.  
 MANI-MANÍAN, T. *Desmodium*.  
 MANI-MANÍHAN, T. *Cassia tora* L.  
 MANKÍT, T. *Urena*.  
 MANLÓAB, T. *Quercus*.  
 MAÑGÁL, T. *Samadera indica* Gaertn.  
 MANQUÍL, T. *Eugenia javanica* Lam.  
 MANQUÍT. *Desmodium pulchellum* Benth.  
 MANTALÁ, T., V. *Sophora tomentosa* L.  
 MANÚL, V. *Jasminum sambac* Ait.  
 MANUMBÁGA (Zamboanga). *Myristica simiarum* A. DC.  
 MANUNGÁL, T., B., V., Pamp. *Samadera indica* Gaertn.  
 MANUNGBÁGA, V. *Hemigyrosa canescens* Thw.  
 MANZÁNAS, Sp. Fil. *Zizyphus jujuba* Linn.  
 MANZÁNA-RÓSA, Sp. Fil. *Eugenia jambos* Linn.  
 MANZANÍTAS, Sp. Fil. *Zizyphus jujuba* Linn.

- MAÓRO, V. *Lumnitzera purpurea* Presl.  
 MAPOLÁ. *Hibiscus mutabilis* Linn.  
 MAPUTÍ, T. *Leucas aspera* L.  
 MAQUITARÍN (Tayabas). *Orophea*.  
 MARABÍCAT, T. *Diospyros*.  
 MARACÚLAN, II. *Litsea*.  
 MARAGAHÚLO, T. *Symplocos*.  
 MARAGAOÉD, II. *Cinnamomum*.  
 MARALÍGAO, V. *Casearia cinerea* Turcz.  
 MÁRANG, T. *Litsea*.  
 MÁRANG, T. *Artocarpus*.  
 MARANMÁRANG, V. *Ficus*.  
 MARAPÁCO, II. *Polypodium dipteris* Blanco.  
 MARAPÓTO, V. *Hibiscus abelmoschus* L.  
 MARARÁYAT-CÁHOY, T. *Capparis micrantha* DC.  
 MARASAGÁT, II. *Vitex*.  
 MARAVÍCAL (Morong). *Diospyros*.  
 MARAVÍLLAS, Sp. Fil. *Mirabilis jalapa* L.  
 MABAYÁBAY, T. *Cerbera odollam* Gaertn.  
 MABAYÁPA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MABÁAR, V. *Zanthoxylum avicennae* DC.  
 MARGÓSO, T. *Momordica balsamina* L.  
 MARGÓSO-DAMÚLOG, Pamp. *Mollugo*.  
 MARICACÁO, T. *Gliricidia maculata* H. B. K.  
 MARINDÁTO. *Cnestis trifolia* Pers.  
 MARICÚM, V. *Hibiscus abelmoschus* L.  
 MARÍSCOS, T. *Chrysopogon aciculatus* Trin.  
 MAROPÓTO, V. *Hibiscus abelmoschus* L.  
 MARUCÚM, V. *Hibiscus abelmoschus* L.  
 MARULÍNAO, V. *Bauhinia tomentosa* L.  
 MARUMANCÁS, T. *Sideroxylon*.  
 MARUMANCÁS-NA-LALÁQUE, T. *Sideroxylon*.  
 MASAMBÓNG. *Desmodium*.  
 MASIPÓN, Cag. *Saurauja*.  
 MATÁRES, T. *Micromelum*.  
 MATABÁNG-DÍCUT, Pamp. *Paederia foetida* L.  
 MATALÁPAY, B. *Symplocos*.  
 MATAMATÁ, B. *Schleichera*.  
 MATÁNG-ÁRAN, V. *Mussaenda grandiflora* Rolfe.  
 MATÁNG-ÁRAO, T. *Melicope ternata* Forst.  
 MATÁNG-DIÁBLO, T. *Evodia roxburghiana* Benth.  
 MATÁNG-OLÁNG, T. *Salacia prinooides* DC.  
 MATÁNG-OLÁNG, V. *Phyllanthus reticulatus* Muell. Arg.  
 MATÁNG-PÚNE, V. *Abrus precatorius* L.  
 MATÁNG-ÚLÁN (Tayabas). *Breynia cernua* Muell. Arg.  
 MATÁNG-ULÁNG (Tayabas). *Breynia cernua* Muell. Arg.  
 MATÁVIA, T. *Musa paradisiaca* L. var.  
 MATINGGAIN. *Mussaenda frondosa* L.

- MAUÍNG-DÁTO, V. *Samadera indica* Gaertn.  
 MAÚBAN, T. *Planchonia*.  
 MAÚRING, T. *Quercus*.  
 MAVINDÁTO, V., Pamp. *Rourea heterophylla* Planch.  
 MAYACYÁT, B. *Canarium*.  
 MAYAGÁRIN. *Citrus hystrix* DC.  
 MAYÁGOS, V. *Homonoia riparia* Lour.  
 MAYÁGOS-LALÁQUI, V. *Acalypha*.  
 MAYAMÁGAR, V. *Commersonia platyphylla* Andr.  
 MAYÁNA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MAYÁNO (Paragua). *Gardenia*.  
 MAYÁPIS, T. *Dipterocarpus mayapis* Blanco.  
 MAYÓRO. *Timonius philippinensis* Merrill.  
 MAYÓYOS, V. *Homonoia riparia* Lour.  
 MAYÚMUS. *Micromelum tephrocarpum* Turcz.  
 MABÚTBO, B., V. *Eugenia*.  
 MÉLBAS, T. *Abutilon indicum* Don.  
 MELÍNDRES (Manila). *Lagerstroemia indica* L.  
 MELÓN, Sp. Fil. *Cucumis melo* Linn.  
 MELÓNG-OUÁC, T. *Modecca heterophylla* Blume.  
 MIÁGOS, V. *Homonoia riparia* Lour.  
 MIÁGUS, V. *Eugenia*.  
 MÍAPI, T., V. *Avicennia officinalis* L.  
 MÍDLA, Pamp. *Lagerstroemia*.  
 MÍQUI, Pamp. *Xylocarpus obovatus* Juss.  
 MÍJO (Cebu). *Setaria italica* Beauv.  
 MÍLI-PÍLI, V. *Canarium*.  
 MILÓN-DAGÁ, T. *Melothria indica* Lour.  
 MÍMBRE. *Homonoia riparia* Lour.  
 MIMÓNÇA, T. *Macaranga tanarius* Muell Arg.  
 MÍSAY-CALABÁO, T. *Cyperus*.  
 MÍTLA, Pamp. *Lagerstroemia speciosa* Pers.  
 MOBÓTI, V. *Antidesma*.  
 MÓCO (Floilo). *Musa sapientum* L. var.  
 MOGBÓC, V. *Xanthophyllum*.  
 MOLÁUIN, T. *Vitex littoralis* Decne.  
 MOLÁUIN, T. *Murraya exotica* L.  
 MOLÁUIN-ÁSO, T. *Premna nauseosa* Blanco.  
 MOLÁVE, T. *Vitex littoralis* Decne. and other species.  
 MOLÁVIN, T. *Murraya exotica* L.  
 MOLÁVIN, T. *Vitex negundo* L.  
 MOLÁVIN, T. *Vitex littoralis* Decne.  
 MOLOPÓLO, T., V., Pamp. *Urena sinuata* L.  
 MOLUCÓSO, T. *Mollugo stricta* L.  
 MONGO-MONGÓHAN, T. *Cassia tora* L.  
 MÓNGOS, T. *Phaseolus mungo* L.  
 MÓPIO, V. *Erianthemum bicolor* Sehrank.  
 MÓRO, Sp. Fil. *Andropogon muricatus* Retz.

- MORÁDO, Sp. Fil. *Graptophyllum hortense* Nees.  
 MORÁDONG. *Justicia*.  
 MORÁDONG-MAPUTÍ, T. *Justicia gendarussa* L.  
 MORÁDONG-MAPUTÍ, T. *Graptophyllum hortense* Nees.  
 MORÁL. *Morus alba* Linn.  
 MORÁNDONG-MAPUTÍ. *Graptophyllum hortense* Nees.  
 MÓRAS. *Morus alba* L.  
 MOSEORÓN, T., V. *Seaevola koenigii* Vahl.  
 MÓTA, Pamp. *Cyperus rotundus* L.  
 MOSTÁZA, Sp. *Brassica juncea* H. f. and Th.  
 MUGUÉY, Sp. Fil. *Agave americana* Linn.  
 MUGUÍS. *Koordersoidendron pinnatum* Merrill.  
 MULÁON (Hoilo). *Vitex littoralis* Decne.  
 MULÁTO, T. *Vitex*.  
 MULÁUEN-BABÁE. *Vitex*.  
 MULÁUIN, T. *Vitex littoralis* Decne.  
 MULÁUIN-ÁSO, T. *Premna vestita* Schauer.  
 MULÍNG-MULÍNG, T. *Diplodiscus paniculatus* Turcz.  
 MÚNGO, V. *Phascolus mungo* L.  
 MUNTÁUI, V. *Harrisonia bennetii* B. and H. f.  
 MURÁON-BALONĀGÓN (Hoilo). *Jasminum*.  
 MURŪGNA, V. *Phyllanthus*.  
 MÚTHA, V. *Kyllinga monocephala* Rottb.  
 MÚTHA, T. *Cyperus rotundus* L.  
 MUNTÁNI, V. *Harrisonia bennetii* B. and H. f.

## N.

- NÁBO, B. *Gnetum gnemon* L.  
 NÁBO, V. *Abroma alata* Blanco.  
 NÁBO, V. *Ficus*.  
 NACBOLÍGAN, H. *Clerodendron macrostegium* Schauer.  
 NÁGA, V. *Pterocarpus indicus* Willd. and other species.  
 NAGEOLÍGAN, H. *Clerodendron macrostegium* Schauer.  
 NÁLA, Z. *Azelia bijuga* A. Gray.  
 NÁLIS. *Picrasma javanica* Blume.  
 NAMÁUED, T. *Columbia*.  
 NAMBABÁLOS. *Sarcocephalus cordatus* Miq.  
 NAMACPÁCAN, H.? *Ochrocarpus pentapetalus* Blanco.  
 NÁME. *Dioscorea sativa* L. and other species.  
 NÁNCA, T. *Artocarpus integrifolia* L. f.  
 NÁNĀGA, V. *Plectocomia elongata* Mart. and Blume.  
 NÁNGCA, T. *Artocarpus integrifolia* Linn. f.  
 NÁNĀGOS, V. *Eugenia*.  
 NÁPAN, B. *Piper corylistachyon* C. DC.  
 NAPNÁP, V. *Cephalostachyum capitatum* Munro.  
 NARANGÍTAS, T., V. *Citrus aurantium* Hook. f.  
 NARÁNJA, T. *Citrus decumana* L.  
 NARANJÍTAS, T. *Citrus aurantium* L. var.

- NÁRDO (Cebu). *Polyanthes tuberosa* Linn.  
 NÁRRA, T., V. *Pterocarpus indicus* Willd. and other species.  
 NÁRRA-PULÁ (Unisan). *Pterocarpus vidalianus* Rolfe.  
 NÁTO, V. *Palaquium barnesii* Merrill, n. sp.  
 NÁTO, T. *Sterculia rubiginosa* Vent.  
 NÁTO, V. *Terminalia catappa* L.  
 NÁTOB, T. *Terminalia*.  
 NENÉNU, Cag. *Anisoptera thurifera* F. Vill.  
 NĠÁLUX, Ig. *Boehmeria weddeliana* Vidal.  
 NĠAÑGAÍTA, T. *Ehretia onava* A. DC.  
 NĠISINĠÍSI, T. *Lepidopetalum*.  
 NĠÓNĠOT, Pamp. *Cocos nucifera* L.  
 NÍGUI, T. *Xylocarpus obovatus* Juss.  
 NÍLÁD, T. *Seyphiphora hydrophyllacea* Gaertn.  
 NÍLÁR, T. *Seyphiphora hydrophyllacea* Gaertn.  
 NÍLÓMOT (Tayabas). *Oryza sativa* L.  
 NÍNO, T., V. *Morinda citrifolia* Linn.  
 NÍNO, T., V. *Morinda bracteata* Roxb.  
 NÍOG, T., C., Il., B., V. *Cocos nucifera* L.  
 NÍOG-NĠA-POTÍ, V. *Cocos nucifera* Linn.  
 NÍOG-NÍOG, T. *Geodorum semicristatum* Lindl.  
 NÍOG-NÍOG, T. *Osmoxylon*.  
 NÍOG-NÍOGAN, T. *Quisqualis indica* L.  
 NÍOG-NÍOGAN, T. *Ficus pseudopalma* Blanco.  
 NÍPA, T. *Nipa fruticans* L.  
 NÍPAI, V. *Mucuma atropurpurea* DC.  
 NÍPAY, T. *Mucuna pruriens* DC. and other species.  
 NÍPIN (Zamboanga). *Phyllanthus reticulatus* Poir.  
 NÍPIS. *Agave americana* L.  
 NÍTO, T., V. *Lygodium dichotomum* Sw. and other species.  
 NÍTONG-PUTÍ, T. *Lygodium scandens* Sw.  
 NÓC-NÓC, V. *Ficus*.  
 NÓLALÁQUI, T. *Litsea*.  
 NÓNÓC, V. *Ficus indica* L. and other species.  
 NÓOG-NÓOG (Cebu). *Solanum verbascifolium* L.

## O.

- OÁY, Il. *Calamus piscarpus* Blume.  
 ÓBAT, T. *Smilax*.  
 ÓBIEN, Il. *Artocarpus*.  
 ÓBUD-ÓBUD, V. *Cyperus*.  
 ÓDÁÓDEG, Ig. *Berchemia philippinensis* Vidal.  
 ÓDLINO, V. *Cynometra ramiflora* Linn.  
 ÓÉY, Pang. *Calamus buroensis* Mart.  
 ÓGÁO, B. *Diospyros*.  
 ÓGOB, B.? *Artocarpus incisa* L. f.  
 ÓISÁC, T. *Nauclea*.  
 ÓLÁNG, T. *Smilax indica* L.



- OLÁN̄GO, V. *Pandanus radicans* Blanco.  
 OLAÓMAG, T., V. *Sophora tomentosa* L.  
 OLASÍMAN, T. *Portulaca oleracea* L.  
 OLÁYAN. *Quercus soleriana* Vidal.  
 OLÉT, Ig. *Helicia cumingiãna* Presl.  
 OLÍN̄GON, V. *Cratoxylon celebicum* Blume.  
 OLÍVAS, Sp.-Fil. *Eusideroxylon*.  
 ÓLOB. *Artocarpus rima* Blanco.  
 ÓLOB, Pamp. *Cynometra inaequifolia* A. Gray.  
 OLONGÁIN. *Trichodesma zeylanicum* R. Br.  
 ÓLOY, T. *Artocarpus*.  
 OMÁDING, Pamp. *Cyperus rotundus* L.  
 OMÁDIUNG, Pamp. *Cyperus rotundus* L.  
 ONÁNAT, Ig. *Gnaphalium luteo-album* L.  
 ONÁOA, T. *Capura*.  
 ONÁVA, T. *Ehretia acuminata* R. Br.  
 ÓÑ̄GOT, Z. *Cocos nucifera* Linn.  
 ÓÑ̄GSAY (Manila). *Coriandrum sativum* Linn.  
 ONORÁN, Pamp. *Cyperus rotundus* L.  
 ÓNTI, T. *Solanum nigrum* L.  
 OÓN̄GON, II. *Bruguiera gymnorrhiza* Lam.  
 OÓN̄GON, II. *Rhizophora mucronata* Lam.  
 OÓNOG, II. *Albizzia julibrissen* Duraz.  
 OPLÁY. *Alstonia scholaris* R. Br.  
 OPLÍ, T. *Ficus*.  
 OPLING-MÁYA (Tayabas). *Ficus*.  
 ÓPO, T. *Lagenaria vulgaris* Seringe.  
 ÓPONG-ÓPONG, B. *Litsea*.  
 ORACIÓN, Sp. Fil. *Mirabilis jalapa* L.  
 ORATÁN, II. *Aglaiia*.  
 ORÁYI, T., V. *Amaranthus spinosus* L.  
 ORÉGANO, Sp. Fil. *Limnophila repens* Benth.  
 ORÉGANO, Sp. Fil. *Coleus aromaticus* Benth.  
 ORÉGANO-LALÁQUI, T. *Coldenia procumbens* L.  
 ORÓT, V. *Dioscorea hirsuta* Blume.  
 ÓROY, V. *Amorphophallus campanulatus* Blume.  
 ÓSIU, T. *Bambusa diffusa* Blanco.  
 ÓTE-ÓTE. *Pittosporum*.  
 OUÁY, II. *Calamus piscarpus* Blume.  
 ÓVAI-NA-PAN̄ÓLÁO, II. *Naravelia*.  
 OYAN̄GÍA, V. *Abrus precatorius* L.  
 OYÍSAN, T. *Myristica*.  
 OYÓC, Ig. *Myristica*.

## P.

- PAANBALIVÍS, T.? *Boerhaavia repens* L.  
 PÁBTO, T. *Acalypha*.  
 PÁC. *Artocarpus camansi* Blanco.

- PACÁC, H. *Artocarpus camansi* Blanco.  
 PACÁCAL. *Mallotus ricinoides* Muell. Arg.  
 PACAGONCÓN-CASTÍLA. *Cassia alata* L.  
 PACALCÁL, Pamp. *Mallotus ricinoides* Muell. Arg.  
 PACANCÁL, Pamp. *Palaquium latifolium* Blanco.  
 PACÁPIS, V. *Clerodendron intermedium* Cham.  
 PACAT-ÁRO, T. *Pisonia aculeata* DC.  
 PACAYÓMCOM-CASTÍLA, Pamp. *Cassia alata* L.  
 PACAYÓMCON. *Lycopodium*.  
 PACHAÍÑGAN, T. *Canarium*.  
 PÁCO. *Asplenium esculentum* Presl.  
 PÁCOL, V. *Musa*.  
 PÁCONG-ANÚANG. *Onychium auratum* Kaulf.  
 PACÓPOD, T. *Vitis carnosa* Wall.  
 PACPÁC-BÁLANG, T. *Berrya*.  
 PACPÁC-LÁÑGAO, T. *Desmodium triflorum* DC.  
 PACPÁC-LÁUIN, T. *Rhaphidophora pertusa* Schott.  
 PACPÁC-LÁUIN, T. *Polypodium quercifolium* L.  
 PACNÁN, T. *Quercus*.  
 PACÚPIS, T. *Trichosanthes anguina* L.  
 PADDÁN, Cag. *Pandanus odoratissimus* Linn. f.  
 PADÓNG-PADÓÑGAN, V. *Celosia cristata* Miq.  
 PAÉTAN, V. *Lunasia amara* Blanco and other species.  
 PAGÁLO. *Acrostichum*.  
 PAGAPLACÍN, H. *Ficus*.  
 PÁGAT, Ig. *Cnidoscolus wallichii* DC.  
 PÁGAT-PÁGAT (Laguna). *Diospyros*.  
 PAGATPÁT, T., V., B. *Sonneratia pagatpat* Blanco.  
 PAGATPÁT, T. *Diospyros*.  
 PAGBÚT, Pamp. *Gardenia obscura* Vidal.  
 PÁGLA, B. *Garcinia*.  
 PAGLUMHÚYEN. *Eugenia*.  
 PAGPÁGAN, Cag. *Hlpe betis* Merrill.  
 PAGAINGÁIN, T. *Canarium luzonicum* Miq.  
 PÁGUA, V. *Musa textilis* Nees, var.  
 PAGUÍLING, T. *Ficus*.  
 PAGURÍÑGON, B. *Cratoxylum floribundum* F. Vill.  
 PAHAMPÁC, Pamp. *Gouania*.  
 PÁHO, T., V. *Mangifera longipes* Griff.  
 PAHOÓTAN, V., T. *Mangifera odorata* Griff.  
 PÁHO-SÉCO (Cebu). *Mangifera longipes* Griff.  
 PAHÚTAN, T. *Semecarpus*.  
 PAÍHOD, V. *Albizzia procera* Benth.  
 PAÍHOT. *Albizzia procera* Benth.  
 PAÍLAN. *Hlpe betis* Merrill.  
 PAIMAÍBAI, T. *Litsea*.  
 PÁIMO. *Sindora wallichii*, Benth.  
 PÁINA, T. *Hopea plagata* Vidal.

- PAIPAI-ÁMO, T. *Polypodium quercifolium* L.  
 PAIPÁSI, V. *Leucas aspera* Spreng.  
 PAÍT. *Micromelum*.  
 PAÍT, T. *Lunasia amara* Blanco.  
 PAÍT-PAÍT (Zamboanga). *Lunasia amara* Blanco.  
 PAÍT-PAÍT. *Micromelum tephrocarpum* Turcz.  
 PAITÁN, T. *Garcinia*.  
 PAITÁN, T. *Lunasia amara* Blanco.  
 PAITÁN, T. *Terminalia*.  
 PÁJA-DE-MÉCA, Sp. Fil. *Andropogon schoenanthus* L.  
 PÁJO, T. *Mangifera longipes* Griff.  
 PÁLAC-PÁLAC, T. *Palaquium latifolium* Blanco.  
 PÁLAD-PÁLAD, V. *Hemigraphis repens* Blanco.  
 PALAGÁRIUM, V. *Samadera indica* Gaertn.  
 PALÁGIUM, V. *Samadera indica* Gaertn.  
 PALAGÚCON, V. *Crinum asiaticum* Linn.  
 PALÁLI, B. *Dillenia speciosa* Gilg.  
 PÁLANG. *Acalypha*.  
 PÁLANG-PÁLANG, V. *Canavalia obtusifolia* DC.  
 PALÁO-AN, V. *Homalomena miqueliana* Schott.  
 PALÁPAD, T. *Sonneratia pagatpat* Blanco.  
 PALÁPAR, V. *Alpinia brevilabris* Presl.  
 PALAPASÁGUI, V. *Hyptis capitata* Jacq.  
 PALÁPIL. *Flacourtea*.  
 PALASAN, Z. *Calamus albus* Pers.  
 PALÁTI. *Dillenia speciosa* Gilg.  
 PALATPÁT, T. *Sonneratia pagatpat* Blanco.  
 PALÁUAN, V. *Daemonorops*.  
 PALÁY, T. *Oryza sativa* L.  
 PALÁYEN, Ig. *Quercus jordanae* Lag.  
 PÁLI, V. *Mangifera odorata* Griff.  
 PALÍA, V. *Momordica balsamina* L.  
 PALÍAVAN, V. *Tinospora crispa* Miers.  
 PALICPÍC-PÍTO, Pamp. *Sapindus turezaniinowii* Vidal.  
 PALINDÁN, T. *Orania regalis* Zipp.  
 PALÍNG HUÁI, B. *Walsura robusta* Roxb.  
 PALINLÍN, T. *Buchanania*.  
 PALÍPAL, T. *Maesa*.  
 PÁLIS, T. *Callicarpa bicolor* Juss.  
 PALÍTIC. *Ficus amepias* Burm.  
 PALLÁ, T. *Momordica balsamina* L.  
 PAL-LÁM, H. *Psophocarpus tetragonolobus* DC.  
 PÁLMA-BRÁVA. *Livinstonia rotundifolia* Mart.  
 PÁLO, T. *Nylophia* sp.  
 PALOÁHAN. *Otophora spectabilis* Blume.  
 PALOÁHAN, V. *Capura*.  
 PALOÁI, B. *Litsea*.  
 PALOCUÍNA, V. *Cassia alata* Linn.

- PALO-DE-HIÉRRO, V. *Xanthostemon verdugonianus* Naves.  
 PALO-DÚRO (Zamboanga). *Eugenia*.  
 PALO-MARÍA, T., Pamp. *Calophyllum inophyllum* L.  
 PALO-MARÍA, T. *Vidalia lepidota* F. Vill.  
 PALO-MARÍA DE MÓNTE. *Calophyllum wallichianum* Planch and Triana.  
 PALO-MARÍA DE PLÁYA. *Calophyllum inophyllum* L.  
 PALO-MARÍANG-GÚBAT, T. *Vidalia navesii* F. Vill.  
 PALONÁPIN. *Tarrietia sylvatica* Merrill.  
 PALONÁPOY, Z. *Heritiera littoralis* Dry.  
 PALONÁPOY, Z. *Tarrietia sylvatica* Merrill.  
 PÁLONÉGRO. *Lepidopetalum*.  
 PALONPALÓÑGAN. *Celosia cristata* Moq.  
 PÁLO-PÁLO, B. *Randia cumingiana* Vidal.  
 PALOPÍNO. *Pinus insularis* Endl.  
 PALOSÁNTO, T. *Rourea heterophylla* Planch.  
 PALOSÁNTO, T. *Orophea*.  
 PALOSÁNTO, T. *Koordersiodendron pinnatum* Merrill.  
 PALOSÁPIS. *Shorea*.  
 PALOSÁPIS, T. *Pinus mercusii* Jungh. and de Vriese.  
 PALSAHINIÍN, T. *Canarium cumingii* Engl.  
 PALSANHINGUÍN, T. *Canarium*.  
 PÁLTUG-PALTÚCAN, Pamp. *Cardiospermum halicacabum* L.  
 PALNHAMBOBÓCAG, V. *Dysoxylum blancoi* Vidal.  
 PALÚNAG. *Spilanthes acmella* L.  
 PALUMBÚYEN, Pang. *Eugenia*.  
 PALÚNAI, Pamp. *Spilanthes acmella* L.  
 PALUÑGÁPOY, II. *Heritiera littoralis* Dry.  
 PAMALALÍAN, Cag. *Sindora wallichii* Benth.  
 PAMALATAÑGUÉN, II. *Canthium mite* Bartl.  
 PAMALATAGUÉN, II. *Amoora*.  
 PAMÁLIS, T., V., Pamp. *Sida carpinifolia* L.  
 PAMAÑGPÁNGON, V. *Boehmeria nivea* H. and A.  
 PAMANGQUÍLON, V. *Amorphophallus campanulatus* Blume.  
 PAMANGQUÍLON, V. *Leea aculeata* Blanco.  
 PAMAYUGSÚCON. *Ixora*.  
 PAMITAÓGUEN, II. *Calophyllum inophyllum* L.  
 PAMITLÁIN, II. *Ochrocarpus pentapetalus* Blanco.  
 PAMITLÁIN, II. *Calophyllum inophyllum* L.  
 PAMITLATÉN, II. *Calophyllum inophyllum* L.  
 PAMITLATÍN, II. *Ochrocarpus pentapetalus* Blanco.  
 PAMLOMBÓYEN, II. *Eugenia*.  
 PAMÓCOL, T. *Cocos nucifera* L.  
 PAMPÁNG, V. *Musa sapientum* L. var.  
 PAMPÁR. *Kleinhovia hospita* L.  
 PAMÚCUG, V. *Pollia*.  
 PAMÚHAT, V. *Premna vestita* Schauer.  
 PAMULACLÁQUIN, T. *Gonocaryum tarlacense* Vidal.  
 PAMULACLÁQUIN, T. *Symphorema luzonensis* Vidal.

- PAMULACLÁQUIN, T. *Combretum ovalifolium* Roxb.  
 PAMUNOÁN, V. *Feronia elephantopus* Corr.  
 PANÁBANG. *Aglaia*.  
 PANABÓLONG. *Scaevola koenigii* Vahl.  
 PANÁBON, T. *Ardisia*.  
 PANÁBOR, V. *Euryeles amboinensis* Herb.  
 PANABÓLONG, T., V. *Scaevola koenigii* Vahl.  
 PANÁCLA (Bulacan). *Pisonia aculeata* L.  
 PANAGUITMON, B. *Diospyros*.  
 PANALAYÁPIN, T., II. *Champereia griffithii* Planch.  
 PANALINŖGÁEN. *Pterospermum oblicuum* Blume.  
 PANAMPÁT, Pamp. *Kleinhovia hospita* L.  
 PANANCULÁNAN, B. *Vitex*.  
 PANANGQUÍLON, V. *Leea aculeata* Blanco.  
 PANÁO, T. *Dipterocarpus vernicifluus* Blanco.  
 PANÁON, V. *Elettaria*.  
 PANAPTÚM, V. *Erianthemum bicolor* Schrank.  
 PANAQUITÍN, T. *Sterculia*.  
 PANARIÉN, II. *Tacca pinnatifida* Forst.  
 PANÁVAN, V. *Tinospora crispa* Miers.  
 PANAYANŖTAGÓN, V. *Leea javanica* Blume.  
 PANAYPÁY. *Memeceylon*.  
 PANCALIAN, Cag. *Sindora wallichii* Benth.  
 PANCÚDO, T., V. *Morinda bracteata* Roxb.  
 PANDACÁGUC, T. *Tabernaemontana pandacaeque* Poir.  
 PANDACÁQUE-LALÁQUE, T. *Rauwolfia amsoniaefolia* A. DC.  
 PANDACÁQUI, T., V., Pamp. *Tabernaemontana pandacaequi* Poir. and other species.  
 PANDÁN, T., V. *Pandanus odoratissimus* Linn. f. and other species.  
 PANDÁN, II. *Terminalia catappa* L.  
 PANDÁN-SABOTÁN, T. *Pandanus*.  
 PANDAPÁNDA, T. *Ganophyllum falcatum* Blume.  
 PANDAPÁNDA, T. *Dysoxylum*.  
 PANDÁYA, V. *Tabernaemontana pandacaequi* Poir.  
 PANŖGAGUÁSON, V. *Strychnos ignatii* Berg.  
 PANŖGALÁNŖGAN, T., V. *Sophora tomentosa* L.  
 PANŖGANÁN. *Quercus*.  
 PANŖGANÁUA, Cag. *Orophea enterocarpoidea* Vidal.  
 PANŖGANŖTÓLONG, T., V. *Scaevola koenigii* Vahl.  
 PÁNŖGAS, Pamp. *Tournefortia*.  
 PÁNŖGAS, Z. *Zingiber officinale* Linn.  
 PÁNŖGAS, Pamp. *Cureuma longa* Linn.  
 PANŖGOSÍN. *Cocos nucifera* L.  
 PANŖGDÁN, V. *Pandanus odoratissimus* Linn. f.  
 PANŖGDÁN, T. *Freyinetia luzonensis* Presl.  
 PANŖGHIÁS (Dinagat). *Ardisia humilis* Vahl.  
 PANŖGHÍNG-BÚYEN (Abra). *Eugenia*.  
 PÁNŖGI, T. *Pangium edule* Reinw.

- PAÑGIÁVAN, V. *Tinospora crispa* Meirs.  
 PAÑGILÍNÓN, Z. *Wormia*.  
 PAÑGLANCAÉN, H. *Gelonium glomerulatum* Hassk.  
 PAÑGLOMBÓYAN, H. *Eugenia*.  
 PAÑGLONBÓYEN, Ig. *Loranthus*.  
 PAÑGMÁVAN. *Anamirta cocculus* W. and A.  
 PAÑGOSÍN, V. *Cocos nucifera* L.  
 PÁÑGUI, V. *Pangium edule* Reinw.  
 PAÑGURÍÑGU, V. *Cratoxylon blancoi* Blume.  
 PANILÁCAD, V. *Pandanus odoratissimus* Linn. f.  
 PANILÓÑGA-BÁCA. *Memeceylon*.  
 PANLAMBÚYEN, H. *Eugenia*.  
 PANIÑGUINÓN, Z. *Wormia luzonensis* Vidal.  
 PANÍTAN. *Globba marantina* Linn.  
 PANITLÁÍN. *Ochrocarpus pentapetalus* Blanco.  
 PANNILTASQUÍN, H. *Calophyllum*.  
 PANNIRIÉN, H. *Tacca pinnatifida* Forst.  
 PÁNNO. *Dipterocarpus vernicifluus* Blanco.  
 PANODÍAS, V. *Saurauja*.  
 PANOSIBÉN (Tiagan). *Sapindus turezainowii* Vid.  
 PANSIPANSÍ, T., V. *Leuca aspera* Spreng.  
 PANSIPANSÍ, T. *Hypoestes laxiflora* Nees.  
 PANSIPANSÍAN, T. *Hyptis suaveolens* Poir.  
 PANTÍGUI, V. *Pemphis acidula* Forst.  
 PANTÓG-SANG-USÁ, V. *Orchipeda foetida* Blume.  
 PÁNUO, T. *Dipterocarpus vernicifluus* Blanco.  
 PÁO, H. *Mangifera longipes* Griff.  
 PAOPÁNAN. *Mangifera longipes* Griff.  
 PAOPÁUAN, T. *Mangifera foetida* Lour.  
 PAPÁCA, Z. *Cratoxylon*.  
 PAPALSÍS, T. *Callicarpa bicolor* Juss.  
 PÁPAS. *Solanum tuberosum* L.  
 PAPÁYA, Sp. Fil. *Carica papaya* L.  
 PAPHÓTAN. *Mangifera longipes* Griff.  
 PAPÓNYA. *Mangifera longipes* Griff.  
 PAPÓÑGA, Z. *Eugenia*.  
 PAPPÁGAY, Cag. *Illipe betis* Merrill.  
 PÁQUIT. *Dioscorea*.  
 PAPÚA, T., V. *Pamp. Panax fruticosum* L.  
 PAQUILÍNG, Pamp. *Ficus*.  
 PÁQUIT, T. *Dioscorea*.  
 PARÁCAN, H. *Rhizophora mucronata* Lam.  
 PARAGÍS, T. *Paspalum*.  
 PARAÍSO, V., T. *Melia azedarach* L.  
 PÁRANG (Paranaque). *Alysicarpus tetragonolobus* Edgw.  
 PARANĠSĠT-IT-MANATÁD, V. *Tacca*.  
 PARÁPAD, Ig. *Alpinia*.  
 PARAPARANÁHAN, T. *Desmodium*.

- PARÁPIT-ΠΑΝΓΙΝ, T. *Naravelia*.  
 PARÁSAN, V. *Calamus albus* Pers.  
 PÁRI, V. *Cissampelos pareira* Linn.  
 PARÍA, H. *Momordica balsamina* L.  
 PARITÚLOT, T. *Justicia gendarussa* L.  
 PARNIPANSÍ. *Leucas linifolia* Spreng.  
 PARONÁPIN, H. *Helicteres*.  
 PARONÁPIN, H. *Heritiera littoralis* Dry.  
 PARONÁPIN, H. *Tarrietia sylvatica* Merrill.  
 PARONŌTÓNG-ÁHIAS, T. *Streptocaulon baumii* Decne.  
 PARSÓTIS, T. *Chenopodium ambrosioides* L.  
 PÁRUA, H. *Pinus insularis* Endl.  
 PASÁC. *Paranarium philippensis* Radlk.  
 PASÁC, T., Z. *Mimusops elengi* L.  
 PASÁC, T. *Pygeum arboreum* Endl.  
 PASÁCLA, H. *Ficus*.  
 PASAÍNŌGIN, T. *Canarium*.  
 PÁSARO. *Corchorus capsularis* L. and other species.  
 PÁSARO, V. *Graptophyllum hortense* Nees.  
 PÁSARO-NA-BILÓG, T. *Corchorus capsularis* L.  
 PÁSARO-NA-PIABÁ, T. *Corchorus acutangulus* Lam.  
 PASÁPLA, H. *Ficus*.  
 PASASABLÚT, H. *Litsea*.  
 PASCUÁS. *Euphorbia pulcherrima* Willd.  
 PÁSI, B. *Cinnamomum*.  
 PÁSIG, V. *Buchanania lucida* Blume.  
 PASÍTIS, T. *Capsicum minimum* Roxb.  
 PASÓTIS, T. *Chenopodium ambrosioides* L.  
 PASNÍT (Tiagan). *Alstonia scholaris* R. Br.  
 PASQUÍT, T. *Memecylon paniculatum* Jack.  
 PASURÍAO, V. *Dendrobium lunatum* Lindl.  
 PÁTA, Ig. *Cinnamomum pauciflorum* Nees.  
 PATABUGUÍN (Paragua). *Vernonia arborea* Ham.  
 PATACTÓL, Pamp. *Ardisia*.  
 PATAÍ-ÓOD, V. *Tournefortia sarmentosa* L.  
 PATÁLO, T. *Commersonia platyphylla* Andr.  
 PATÁNI, V. *Phaseolus lunatus* Linn.  
 PATÁNING-DÁGAT, T. *Canavalia ensiformis* DC.  
 PATÁPTO. *Ardisia*.  
 PATÁTAS, Sp. Fil. *Solanum tuberosum* Linn.  
 PATÉPUT, T. *Maesa*.  
 PATICÁN, V. *Caryota rumphiana* Mart.  
 PATÍNI (Mindoro). *Phaseolus tunkinensis* Lour.  
 PATÍPOL (Morong). *Maesa*.  
 POTÓLA, T., V. *Luffa aegyptiaca* Mill. and other species.  
 POTÓLO, T. *Commersonia platyphylla* Andr.  
 POTÚBO, T. *Cycas circinalis* L.  
 PAÚHAN (Mindoro). *Litsea*.

- PAUHÁPI, T. *Shorea*.  
 PAUNÑÓÁGAN, T. *Castanopsis philippinensis* Vidal.  
 PAÚTAN, T. *Santiria*.  
 PAUPAÚTAN, T. *Mangifera*.  
 PAYÁLE. *Timonius philippinensis* Merrill.  
 PAYÁÑGCA (Bulacan). *Flemingia*.  
 PAYANGPÁYANG, T. *Desmodium pulchellum* Benth.  
 PAYANGUÍT, V. *Marsdenia tinctoria* R. Br.  
 PÁYAO-PÁYAO, V. *Monochoria hastaeifolia* Presl.  
 PAYÁPA, T. *Ficus payapa* Blanco.  
 PÁYHOD. *Albizzia procera* Benth.  
 PÁYNA, T. *Scolopia*.  
 PÁYONG-PÁYONG, V. *Cyperus*.  
 PÁYONG-PAYÓÑGAN, T. *Boletus*.  
 PAYPÁYSI, V. *Leucas aspera* Spreng.  
 PEDPÉD, II. *Casearia*.  
 PELÓTAN. *Rhizophora mucronata* Lam.  
 PEPIÑO, Sp. *Cucumis sativus* L.  
 PEPIÑA, T. *Strychnos ignatii* Berg.  
 PEPIÑA-DE-SAN IGNÁCIO, Sp. Fil. *Strychnos ignatii* Berg.  
 PEPIÑA-SA-CATBALÓÑGAN, V., T., B., Pamp. *Strychnos ignatii* Berg.  
 PERNAMBÚCO, Sp. Fil. *Gossypium barbadense* L.  
 PETÚTAN, T. *Bruguiera gymnorrhiza* Lam.  
 PIÁGAO, T. *Xylocarpus obovatus* Juss.  
 PIAÍO, V. *Agathis loranthifolia* Salisb.  
 PIÁPI, T., V. *Avicennia officinalis* L.  
 PIÁS, II. *Averrhoa bilimbi* L.  
 PIÁYO, V. *Agathis loranthifolia* Salisb.  
 PICHÉL, T. *Nepenthes*.  
 PIDPÍD, II. *Casearia*.  
 PÍLA. *Codiaeum variegatum* Blume.  
 PILÁNI, T. *Canarium luzonicum* Miq.  
 PILÁPIL, T.? *Scolopia*.  
 PILÁUI, T. *Canarium ovatum* Engl.  
 PILDÍS, Pamp. *Garcinia*.  
 PILÉU, V. *Ficus*.  
 PÍLI, T. *Canarium luzonicum* Miq.  
 PÍLI, V., T. *Canarium ovatum* Engl.  
 PÍLI (Zamboanga). *Gelonium*.  
 PÍLIC (Cebu). *Ficus*.  
 PÍLI-PILÁUAY, T. *Canarium commune* L.  
 PILÍPOG, V. *Cocos nucifera* Linn.  
 PILÍPUD, V. *Mallotus ricinioides* Muell. Arg.  
 PÍLIS, V. *Abutilon indicum* G. Don.  
 PÍLIT, B. *Pemphis acidula* Forst.  
 PIMIÉNTA, Sp. *Piper nigrum* L.  
 PIMIÉNTANG-BUNDÓC, T. *Piper philippinum* Miq.  
 PINÁLI. *Canarium luzonicum* Miq.



- PÍNANG, V. *Areca alba* Rumph.  
 PINCABÁNAO, T. *Buxus rolfei* Vidal.  
 PINCAPÍNCÁ, T. *Oroxylum indicum* L.  
 PINCAPINCÁHAN, T. *Oroxylum indicum* L.  
 PINGÓL, T. *Engelhardtia*.  
 PINGÓL-BATÓ, T. *Begonia rhombicarpa* A. DC.  
 PINÚAN, Ig. *Maoutia platystigma* Wedd.  
 PIÑA, Sp. Fil. *Ananassa sativa* Lindl.  
 PIÑONES, V. *Quisqualis indica* Linn.  
 PÍPI, V. *Litsea garciae* Vidal.  
 PÍPI, V. *Albizzia retusa* Benth.  
 PÍPI, V. *Semecarpus macrophylla* Merrill.  
 PIPISÍC, T. *Aegiceras corniculatum* Blanco.  
 PIPISÍC, T. *Aegiceras floridum* R. and S.  
 PIPISÍC, T. *Avicennia officinalis* L.  
 PIPISÍC, T. *Scyphiphora hydrophyllacea* Gaertn.  
 PIRÁPIT-ÁÑGIN, Pamp. *Vitis repens* W. and A.  
 PÍRAS, T. *Evodia roxburghiana* Benth.  
 PÍRIS, T. *Clausena*.  
 PÍRIS, T. *Garcinia*.  
 PISÁ, T. *Canarium luzonicum* Miq.  
 PISANG-DÁYA, T. *Mimusops*.  
 PISÍC, T. *Aegiceras corniculata* Blanco.  
 PISÓNG, T. *Citrus aurantium* Linn. var.  
 PISSÍC, V. *Centripeda orbicularis* Lour.  
 PÍTA, Il. *Ananassa sativa* Lindl.  
 PÍTA (Cebu). *Agave americana* L.  
 PITÓGO, T. *Cycas circinalis* Linn.  
 PLÁTANO, Sp. *Musa sapientum* L. var.  
 PÓAS, T. *Harpullia blancoi* F. Vill.  
 POCOTPÓCOT, V., Pamp. *Trichosanthes anguina* L.  
 PÓLANG-PÓLANG (Iloilo). *Ipomoea pes-caprae* Forst.  
 POLAYÁGAN, T. *Bursera javanica* Baill.  
 POLÉO. *Verbena bonariensis* L.  
 POLÓGAN, V. *Dioscorea*.  
 POLONÍA, T. *Alpinia cernua* Roxb.  
 POÑGÁPON, T. *Amorphophallus paniculatus* Blume.  
 PÓÑGLO-POÑGLÓAN. *Corchorus capsularis* L.  
 PÓÑGO. *Dipterocarpus vernicifluus* Blanco.  
 PONOÁN, V. *Feronia elephantum* Correa.  
 PONOÁN, V. *Samadera indica* Gaertn.  
 PORÁC, Il. *Toona ciliata* Royle.  
 PÓRAS, V. *Phyllanthus distichus* Muell. Arg.  
 PÓRO. *Piper betle* L.  
 POSTALÁGON. *Gomphia angustifolia* Vahl.  
 POSTALÁGON, Z. *Mimusops*.  
 POTÁT, T. *Barringtonia racemosa* Blume.

- POTÁT, T. *Aralia javanica* Miq.  
 POTÍAN, T. *Eugenia*.  
 POTÓC. *Cyperus*.  
 POTOCÁN, T. *Physalis peruviana* L.  
 POTÓC-POTOCÁN, T. *Physalis peruviana* L.  
 POTÓT, V. *Cocos nucifera* Linn.  
 POTOTÁN, T. *Bruguiera ritchieii* Merrill.  
 POTOTÁN, V. *Ceriops candolleana* Arn.  
 POTOTÁN. *Rhizophora mucronata* Lam.  
 POÚGSO, Pamp. *Jasminum sambac* Ait.  
 PÚAS. *Harpullia blancoi* Vidal.  
 PUCOPÚCOT, V., Pamp. *Trichosanthes anguina* L.  
 PUGÁHAN, T. *Caryota eumingii* Mart.  
 PUGÁHAN, T. *Arenga saccharifera* Lab.  
 PUGÁHAN, T. *Caryota urens* L.  
 PÚGANG, V. *Dioscorea*.  
 PUGÁUY. *Decaspermum*?  
 PUIGAPUGÁHAN, T. *Arthropphyllum*.  
 PULÁNG-BALÁT. *Eugenia*.  
 PULÁT, T. *Linociera coriacea* Vid.?  
 PULÁT. *Barringtonia racemosa* Blume.  
 PULAYÁGAN. *Bursera javanica* Baill.  
 PÚLUG (Zamboanga). *Kibara coriacea* Perk.  
 PUŃGÁPUNG, V., T. *Amorphophallus campanulatus* Blume.  
 PUNTAS-PUNTÁS, T. *Ipomoea paniculata* R. Br.  
 PUQUÍŃGANG, T. *Chitoria ternatea* L.  
 PURÁ, B. *Saurauja*.  
 PURÍQUET, H. *Pisonia aculeata* L.  
 PUSO-PÚSO, T. *Litsea chinensis* Lam.  
 PUSO-PÚSO (Mindoro). *Buchanania florida* Schauer.  
 PUSO-PÚSO, T. *Eugenia*.  
 PUSO-PÚSO (Tayabas). *Agrotistachys maesoana* Vidal.  
 PUSO-PÚSO (Marinduque). *Quercus castellaranauiana* Vidal.  
 PUTÁD, T. *Barringtonia racemosa* Blume.  
 PUTÁT, T. *Barringtonia racemosa* Blume.  
 PUTÉNG, T. *Linociera*.  
 PUTÍAN, T. *Eugenia*.  
 PUTPÚTAY, B. *Ehretia buxifolia* Roxb.  
 PUTUCÁN, T. *Hibiscus abelmoschus* L.  
 PUTÚD (Nueva-Viscaya). *Viburnum luzonicum* Rolfe.

## Q.

- QUETQUÉT, Ig. *Deutzia pulchra* Vidal.  
 QUIÁPO, T. *Pistia stratiotes* L.  
 QUIAQUÍA, Z. *Pometia*.  
 QUIBÁL, T. *Vigna catjang* Endl.  
 QUIBÁL, T. *Dolichos*.  
 QUILÁA, V. *Cordyline*.

- QUILALÁ, V. *Saccharum officinarum* L.  
 QUILALÁ, V. *Musa*.  
 QUILÁMO, T. *Crypteronia paniculata* Blume.  
 QUILÁP, T. *Uncaria*.  
 QUÍLING, T. *Bambusa*.  
 QUILINGÍVA, V. *Averrhoa bilimbi* L.  
 QUILÍTE. *Amaranthus spinosus* L.  
 QUILÍTIS, T. *Amaranthus spinosus* L.  
 QUINAMBÓY, V. *Curcuma longa* L.  
 QUINAMPÁI (Cebu). *Dioscorea*.  
 QUÍNA-PÉSTULA, T. *Cassia fistula* L.  
 QUIMPÓY, V. *Colocasia antiquorum* Schott.  
 QUINANDÁ, T. *Oryza sativa* L. var.  
 QUINANÁYAN, T. *Musa paradisiaca* L. var.  
 QUÍNASAIKÁSAL, T. *Adenantha pavonina* L.  
 QUÍNAY-QUÍNAY, T. *Pterospermum*.  
 QUINDAYÓHAN, T. *Celosia argentea* L.  
 QUINTÁNA, T. *Melia candollei* Juss.  
 QUINTASÍN, B. *Ixora*.  
 QÚIO, T. *Ardisia*.  
 QUIRÁP, T. *Sumbavia rottleroides* Baill.  
 QUIRÓI, T. *Dioscorea sativa* L.  
 QUÍSOL, V. *Kaempferia galanga* L.  
 QUÍTA-QUÍTA, II. *Xylia*.  
 QUÍTA-QUÍTA, II. *Albizia*.  
 QUÍTA-QUÍTA, II. *Bischofia javanica* Blume.  
 QUITÍCOT, V. *Capsicum minimum* Roxb.  
 QUIUATULÚAN, T. *Erianthemum bicolor* Schrank.  
 QUENALUSCÚA, T. *Hoya*.  
 QUERÓE, T. *Dioscorea*.  
 QUESÉRO. *Bombax malabaricum* L.

## R.

- RAQUÍNDI, Pamp. *Hibiscus tiliaceus* L.  
 RAIZ-DE-MÓRAS, Sp. Fil. *Andropogon schoenanthus* L.  
 RÁMI, Sp. *Bohemeria nivea* H. and A.  
 RATIPÁN, II. *Arenga saccharifera* Lab.  
 RAY-YARAY-YÁ, II. *Ficus*.  
 RÍMA, T., V. *Artocarpus incisa* L.  
 RÍMO, T. *Artocarpus incisa* L. f.  
 RÍBAO, B. *Palaquium*.  
 ROCNÓHAN, T., V. *Sophora tomentosa* L.  
 RÓMA, T., V. *Acacia farnesiana* Willd.  
 ROMÉRO, Sp. *Rosmarinus officinalis* Linn.  
 RÓNAS. *Smilax*.  
 RÓSAS-CABALLÉRO, Sp. Fil. *Caesalpinia pulcherrima* Sw.  
 RÓSAS-DE-PÉRSIA, Sp. Fil. *Paneratium zeylanicum* L.  
 RÓSAS-SA-BÁBAY, V. *Vinca rosea* Linn.  
 RÚMBANG, V. *Aleurites moluccana* Willd.

## S.

- SAÁNG-CABÁYO, T. *Scoparia dulcis* Linn.  
 SABÁ, T. *Mallotus*.  
 SABÁ, H. *Musa sapientum* L. var.  
 SABÁNG-VISÁYA. *Musa paradisiaca* L.  
 SÁBLA, T. *Piper caninum* Dietr.  
 SÁBILA, T. *Vanda lissochiloides* Lindl.  
 SÁBILA, T. *Aloe barbadensis* Mill.  
 SÁBILÁO, V. *Commelina benghalensis* L.  
 SÁBILÁO, V. *Cyanotis axillaris* Roem. and Shult.  
 SÁBILÁO-ÑGA-LABA-ÁN, V. *Commelina benghalensis* L.  
 SÁBLES. *Asplenium nidus* L.  
 SABLÚT, H. *Litsea chinensis* Lam.  
 SABNÉT, T. *Rubus*.  
 SÁBONG-SABÓÑGAN, T. *Eleusine indica* Gaertn.  
 SABÓNG-SABÚÑGAN, T. *Panicum flavidum* Retz.  
 SABOTÁN, T. *Pandanus sabotan* Blanco.  
 SÁBUNG-SABÚÑGAN, T. *Paspalum*.  
 SÁBAY (Tiagan). *Colocasia antiquorum* Schott.  
 SACÁT, T. *Terminalia nitens* Presl.  
 SACSÁC, V. *Metroxylon*.  
 SACSÍC, T. *Areca catechu* L.  
 SADÁC, Ig. *Ichnocarpus ovatifolius* A. DC.  
 SADÚÑGAN, V. *Garcinia cowa* Roxb.  
 SÁGA, Z. *Nipa fructicans* Wurmbr.  
 SÁGA, T. *Abrus precatorius* L.  
 SAGÁD, H. *Vitex littoralis* Decne.  
 SAGAMAMÍN, T. *Abrus precatorius* L.  
 SAGAPSÁP, V. *Chionanthes*.  
 SÁGSA, V. *Glochidion littorale* Blume.  
 SAGÁSA. *Lumnitzera purpurea* Presl.  
 SAGÁSA, T. *Seyphiphora hydrophyllacea* Gaertn.  
 SAGÁSA, T. *Osbornia octodonta* F. Vill.  
 SÁGA-SÁGA, T. *Abrus precatorius* L.  
 SAGÁT, H. *Vitex littoralis* Decne.  
 SÁGAY, V. *Claoxylon indicum* Hassk.  
 SÁGAY-CÁÑGAY. *Zanthophyllum oxyphyllum* L.  
 SAGÍD, V. *Parameria philippinensis* Radlk.  
 SÁGIN, T. *Pinus insularis* Endl.  
 SÁGING, T., V. *Musa sapientum* L.  
 SAGÍT, T. *Parameria philippinensis* Radlk.  
 SAGRÍ, T. *Illicium anisatum* L.  
 SAGMÍ, T. *Rubus rosaeifolius* Smith.  
 SAGNÍ, T. *Mezoneurum glabrum* Desf.  
 SAGÓMAY. *Psychotria malayana* Jack.  
 SAGÚ. *Caryota urens* L.  
 SAGUILALÁ, T. *Corydeline*.

- SAGUILALÁ, T. *Codiaeum variegatum* Muell. Arg.
- SÁGUING, T. *Musa paradisiaca* L. var.
- SÁGUING-NANĜ-CÁLAO, B. *Myristica*.
- SÁGUING-SÁGUING, V. *Canna indica* L.
- SÁGUIN-SAGUÍNĜAN, T. *Aegiceras corniculatum* Blanco.
- SÁGUIN-SAGUÍN-ESTÁCAS. *Aegiceras corniculatum* Blanco.
- SAGUINSÍN, V. *Memecylon edule* Roxb.
- SAGUINSÍN. *Agiceras*.
- SAGUIT. *Lunasia amara* Blanco.
- SAGUNYÁTE, V. *Tectona grandis* L. f.
- SÁLA, T., V. *Mallotus philippinensis* Muell.
- SÁLA. *Mallotus ricinoides* Muell. Arg.
- SÁLAB, T. *Cupania regularis* Blume.
- SÁLAB, T. *Hemigyrosa canescens* Thw.
- SALÁDAY, V. *Erycibe paniculata* Roxb.
- SALÁDAY. *Zanthoxylum oxyphyllum* Edgew.
- SÁLAG. *Hemigyrosa canescens* Thw.
- SALÁGO, V. *Phaleria perrottetiana* B. and H.
- SALÁGO, T., V. *Wikstroemia indica* Mey.
- SALAGSÁLAG, T. *Trichosanthes anguina* L.
- SALÁGUIN-PULÁ. *Amoora rohituka* W. and A.
- SALAGUÍSO (Albay). *Leucosyke hispidissima* Miq.
- SÁLAI, T. *Andropogon schoenanthus* L.
- SALÁID. *Andropogon schoenanthus* L.
- SALAMÚŃĜAY, T. *Aglaia*.
- SALANĜCÚGUL. *Albizzia tomentosa* Miq.
- SALAPÁO, T. *Ventilago maderaspatana* Gaertn.
- SALÁPONG, T. *Modecea cardiophylla* Mart.
- SALAQUÍ. T. *Amoora perrottetiana* C. DC.
- SALAQUÍ, T. *Chisocheton ceramicus* Miq.
- SALAQUÍNG-PULÁ, T. *Amoora rohituka* W. and A.
- SALARÁDAN. B. *Eugenia*.
- SALASÁN, T. *Crypteronia*.
- SALASANDÍA, V. *Ipomoea pes-tigridis* Linn.
- SÁLAY, V. *Zanthoxylum oxyphyllum* Edgew.
- SÁLAY, Pamp. *Zanthoxylum avicennae* DC.
- SÁLAY, V. *Bombax malabaricum* DC.
- SÁLAY, T. *Andropogon schoenanthus* L.
- SÁLAY-CÁŃĜAY, Pamp. *Zanthoxylum avicennae* DC.
- SALAYSÁY. *Terminalia catappa* L.
- SALBÁC, Pamp., V. *Alpinia gigantea* L.
- SÁLENG, H. *Pinus insularis* Endl.
- SALEOÁSOL, V. *Areca triandria* Roxb.
- SALIBANGBÁNG, V. *Crinum asiaticum* Linn. .
- SALIGANGBÁNG, V. *Bauhinia*.
- SALILIHAN, V. *Decaspermum paniculatum* Turcz.
- SALIMÁRA, T. *Piper*.
- SALIMÓMO, V. *Capparis micrantha* DC.

- SÁLIMÓMO, T. *Ehretia philippinensis* A. DC.  
 SALIMPÓCOT, T. *Trichosanthes anguina* L.  
 SALINCÁPA. *Vitex littoralis* Deene.  
 SÁLING-BÓBOG, V., T. *Crataeva religiosa* Forst.  
 SÁLING-OUÁC, V. *Clerodendron macrostegium* Schauer.  
 SÁLING-OUÁC-NĜA-MAÍTUM, V. *Clerodendron blancoanum* F. Vill.  
 SÁLING-SÁGUING, B. *Agiceras corniculatum* Blanco.  
 SALIPAPÁ (Albay). *Vitex*.  
 SALÍSAY. *Terminalia catappa* L.  
 SAL-LACÁPO, H. *Tournefortia sarmentosa* L.  
 SAL-LÁDAY. *Connarus ferrugineus* Jack.  
 SAL-LOCÁPO, H. *Tournefortia*.  
 SALÓAG, V. *Ptychosperma punicea* Miq.  
 SALÓGO, V. *Pandanus*.  
 SALOMÁGUE, H. *Tamarindus indica* L.  
 SÁLONG, Z. *Pinus mercusii* J. and de V.  
 SÁLONG, V. *Canarium multipinnatum* Llanos.  
 SALÓYONG, T. *Corchorus olitorius* L.  
 SALSALÍDA, V. *Mollugo pentaphylla* Linn.  
 SALUDSALÚD. *Nepenthes ventricosa* Blanco.  
 SALUMÁGUI, H. *Tamarindus indica* L.  
 SÁLUNG (Paragua). *Canarium*.  
 SALUPÍSIN (Bontoc). *Podocarpus*.  
 SAMÁC, H. *Macaranga tanarius* Muell. Arg.  
 SAMÁC, Pamp. *Melochia*.  
 SAMALÁGUI, V. *Tamarindus indica* Linn.  
 SÁMAT, Pamp. *Piper betle* L.  
 SAMBÁC, B. *Tamarindus indica* L.  
 SÁMAT, Pamp. *Piper betle* L.  
 SAMBÁGUI, V. *Tamarindus indica* Linn.  
 SAMBALABÚAN. *Koordersoidendron pinnatum* Merrill.  
 SAMBALÁGUI, V. *Tamarindus indica* Linn.  
 SAMBÁLE, T. *Eleusine indica* Gaertn.  
 SAMBÍLAO, V. *Commelina communis* Linn.  
 SAMBÓN, T., Pamp. *Blumea balsamifera* DC.  
 SAMBÓNG, T. *Blumea balsamifera* DC.  
 SAMBÓNG GALÁ, T. *Sphaeranthus indicus* L.  
 SAMPÓNG GALÁ, T. *Pterocaulon cylindrostachyum* Clarke.  
 SAMBUÁLAU, V. *Nephelium*.  
 SAMBULÁGUAN. *Koordersoidendron pinnatum* Merrill.  
 SAMBULÚAN (Mindoro). *Hopea*.  
 SAMBÚNG, T. *Blumea balsamifera* DC.  
 SAMBÚNG-CÓLA, T. *Buddleia asiatica* Lour.  
 SAMÍLIN, T. *Cinnamomum*.  
 SAMPÁC, T. *Michelia champaca* L.  
 SAMPÁCA, T. *Michelia champaca* L.  
 SAMPÁGA, T. *Jasminum sambac* Ait.  
 SAMPÁGA-DEL-MÓNTE, T. *Gynura angulosa* DC.

- SAMPÁGANG, Pamp. *Jasminum sambac* Ait.  
 SAMPAGUÍTA. *Jasminum sambac* Ait.  
 SAMPALÁGUI, B. *Tamarindus indica* L.  
 SAMPALÍA, V. *Momordica balsamina* L.  
 SAMPÁLOC, T., B., Pamp. *Tamarindus indica* L.  
 SAMPÁLOC-SAMPALÓCAN, T. *Dalea nigra* Mart. and Gal.  
 SAMPÁNG, T. *Vitis geniculata* Blume.  
 SAMPAPÁRE, V. *Cissampelos pareira* Linn.  
 SAN-ANTÓNIO. *Bauhinia tomentosa* Linn.  
 SANDALAITÁN, T. *Sophora tomentosa* L.  
 SANDÁNA, T., V. *Anisoptera thurifera* Blume.  
 SANDÁNA, V. *Cedrela taratara*, Blume.  
 SANDÁNA. *Anisoptera oblonga* Dyer.  
 SANDÁNA, T., V. *Anisoptera thurifera* F. Vill.  
 SAN-FRANCÍSCO, Sp.-Fil. *Codiaeum variegatum* Blume.  
 SAÑGAY (Zamboanga). *Caladium bicolor* Vent.  
 SAÑGÓCYLANG, V. *Bridelia stipularis* Blume.  
 SAÑGDIGÉQUIT, T. *Plumbago zeylanica* L.  
 SAÑGÍLO, V. *Piper corylistachyon* C. DC.  
 SAÑGÍTAN?. *Gelonium glomerulatum* Hassk.  
 SAÑGÚMAI, T. *Trichoglottis rigida* Blume.  
 SAÑGUMAÍN, T. *Dendrobium*.  
 SAÑGÚMAY, T. *Panicum indicum* L.  
 SANQUÉ, V. *Pterocarpus blancoi* Merrill.  
 SANQUÍ, T. *Clausena*.  
 SANSÁLI, T. *Sapindus*.  
 SANSÁO. *Cissampelos pareira* Linn.  
 SANSÁOSAN-SANSÁOSAN, T. *Cissampelos pareira* L.  
 SANTÁN, T. *Ixora stricta* Roxb.  
 SANTA ANA. *Ixora stricta* Roxb.  
 SANTA HELENA. *Leucaena glauca* Benth.  
 SANTA MARIA. *Artemisia vulgaris* L.  
 SANTÁN, T. *Ixora coccinea* L.  
 SANTIÁGO, V. *Acacia farnesiana* Willd.  
 SANTÓL, T., V. *Sandoricum indicum* L.  
 SANTÓR (Zamboanga). *Sandoricum indicum* L.  
 SÁOG, V. *Piper corylistachyon* C. DC.  
 SAPÁNG, T., II. *Caesalpinia sappan* L.  
 SAPÉNOT, T. *Hibiscus*.  
 SAPÍLCO, Ig. *Pollia thyrsiflora* Endl.  
 SAPÍNT, V. *Rubus glomeratus* Blume.  
 SAPÍNT, T. *Schrankia aculeata* Willd.  
 SAPÍNT, T. *Rubus rosaefolius* Smith.  
 SAPÍNT, V. *Hibiscus abelmoschus* L.  
 SAPÍNT, T., V. *Caesalpinia nuga* Ait.  
 SAPINSAPÍN, T. *Peristrophe contorta* Blanco.  
 SAPINSAPÍN, T. *Blechnum brownei* Juss.  
 SAPÍT-USÁ (Albay). *Tabernaemontana*.

- SAPLÍT, B. *Albizzia*.  
 SAPLÚÑGAN-COLORÁDO. *Chisochaeton*.  
 SAPLÚÑGAN, T. *Hopea plagata* Vid.  
 SAPNÍT, T., Pamp. *Mezoneurum glabrum* Desf.  
 SAPNÍT, T. *Rubus*.  
 SAPOLÓÑGAN, T. *Hopea plagata* Vidal.  
 SAPÓTE. *Diospyros ebenaster* Retz.  
 SARÁMO, V. *Achyranthes aspera* L.  
 SARANG-PUTÍ, V. *Euonymus*.  
 SARÁSA, T. *Graptophyllum hortense* Nees.  
 SÁRAY, Cag. *Shorea guiso* Blume.  
 SARIPONGPÓNG, B. *Litsea*.  
 SÁROC, Ig. *Pogostemon cablin* Benth.  
 NARSALÍDA, T. *Mollugo oppositifolia* L.  
 SASÁ, T. *Nipa fructicans* Wurmbr.  
 SATÍNG-CÁGAN, B. *Cratoxylon floribundum* F. Vill.  
 SÁUA-SÁUA. *Scolopia dasyanthera* Benth.  
 SÁUA-SÁUA, V. *Flacourtia sepriaria* Roxb.  
 SAÚCE. *Salix azaolana* Blanco.  
 SAÚCE. *Sambucus javanica* Blume.  
 SAUSAÚLI. *Sapindus turezianowii* Vid.  
 SAUSAUÓLI, T.? *Cupania*.  
 SAYCÚA, V. *Luffa acutangula* Roxb.  
 SAYÍCAN, T. *Portulaca quadrifida* L.  
 SAYÍCAN, T. *Euphorbia pilulifera* L.  
 SAYÍCAN, T. *Portulaca oleracea* L.  
 SAYÍCAN, T. *Euphorbia pilulifera* L.  
 SÁYO, Ig. *Weinmannia luzoniensis* Vidal.  
 SELBÁNG. *Erythrina indica* Lam.  
 SIAC, V. *Excoecaria agallocha* L.  
 SIBÓG, T. *Acacia concinna* DC.  
 SIBUCÁO, V., T. *Caesalpinia sappan* L.  
 SIBÚYAS, T., Pamp. *Allium cepa* L.  
 SIBÓYAS-SA-TAÁL. *Allium porrum* Linn.  
 SIBÓYAS-SONGSÓNG. *Allium jaquemontii* Kunth.  
 SICÁLEG, V. *Morinda braeteata* Roxb.  
 SÍCO, V. *Achras sapota* Linn.  
 SÍCAY, V. *Lagenaria vulgaris* Seringe.  
 SIEMPREVÍVA, Sp. Fil. *Kalanchoe laciniata* DC.  
 SIGÁN-DÁGAT, B. *Cordia subcordata* Lam.  
 SIGÁN-DÁGAT, T. *Elephantopus spicatus* Juss.  
 SÍGGAY, Il. *Hopea plagata* Vidal.  
 SÍIT, V. *Mezoneurum glabrum* Desf.  
 SÍLAC, Il. *Corypha umbraulifera* L.  
 SÍLAO. *Dolichos sesquipedalis* L.  
 SILASÍLA, T. *Derris uliginosa* Benth.  
 SILHIGÓN, V. *Sida carpinifolia* L.  
 SÍLI, T. *Capsicum minimum* Roxb.



- SILISÍLI, T. *Jasminum marianum* DC.  
 SILISÍLI. *Plectrona moluccana* Merrill.  
 SILISILÍHAN, T. *Cleome viscosa* L.  
 SILÍPAO, T. *Ventilago maderaspatana* Gaertn.  
 SILISÍAN, T. *Cleome viscosa* L.  
 SILISÍHAN. *Gynandropsis pentaphylla* DC.  
 SILISILÁHAN, T. *Cleome viscosa* L.  
 SILISILÍHAN, T. *Sphenoclea zeylanica* L.  
 SILISILÍHAN, T. *Erianthemum bicolor* Schrank.  
 SINALÍGAN, H. *Cordia blancoi*, Vidal.  
 SINAMPÁGA, T. *Randia dumetorum* L.  
 SINCAMÁS, T. *Pachyrhizus angulatus* Rich.  
 SINCAMÁS-ÁSO, T. *Pueraria javanica* Benth.  
 SINCÓYLANG, V. *Bridelia stipularis* Blume.  
 SINDÓC, T. *Cinnamomum*.  
 SÍÑGON, Ig. *Vernonia*.  
 SÍÑGCULCÚGOS, T. *Jasminum marianum* DC.  
 SÍÑGÍTAN, Ig. *Jasminum luzoniensis* Vidal.  
 SÍNIT. *Memeylon*.  
 SINTÓNIS, T. *Citrus aurantium* Linn.  
 SÍPIT-CÁIT. *Leea javanica* Blume?.  
 SÍPIT-OLÁG. *Smilax latifolia* Blanco.  
 SIRIC-PÚYO, V. *Lippia nodiflora* Rich.  
 SIRIHÚCLAS, T. *Spondias purpurea* L.  
 SIRÍQUE. *Quercus vidalii* F. Vill.  
 SÍSIO, V. *Physalis angulata* L.  
 SÍSIO, V. *Physalis peruviana* L.  
 SISIÓHAN, Pamp. *Euphorbia pilulifera* L.  
 SÍTAO (Manila). *Vigna catjang* Endl.  
 SOÁL, T. *Cyathocalyx zeylanicus* Champ.  
 SOBOSÁBO, T. *Terminalia*.  
 SOBSÓB, H. *Blumea balsamifera* DC.  
 SOBSÓGAN-EÓGO, B. *Geunsia eumingiana* Rolfe.  
 SOGONSÓGON, V. *Nepenthes gracilis* Korth.  
 SOLÁSI, T. *Ocimum basilicum* L.  
 SOLASOLASÍAN, T. *Leucas aspera* Spreng.  
 SOLÍNAO, T. *Maesa gaudichaudii* A. DC.  
 SOLÓÑGA, V. *Impatiens balsamina* L.  
 SONTÍNG, T. *Cassia alata* L.  
 SÓOB-CABÁYO, T. *Hyptis suaveolens* Poir.  
 SOROGSÓROU, T. Pamp. *Euphorbia neriifolia* L.  
 SOYÓSOY, Ig. *Lilium philippinense* Baker.  
 SÚA, H. *Citrus*.  
 SÚÁL. *Bruguiera*.  
 SUBÍAN-DAGÁ. *Plectronia*.  
 SUBSÚBAN, T. *Polygonum barbatum* L.  
 SÚCAO, H. *Nelumbium speciosum* L.  
 SUD-SÚD, V. *Cyperus*.

- SUD-SÚD, V. *Kyllinga monocephala* Rottb.  
 SUGÁNDÁ, T. *Coleus*.  
 SÚGPON-SÚGPON, V. *Vitis quadrangularis* Wall.  
 SUGSÚGA, Ig. *Aralia hypoleuca* Presl.  
 SÚHA (Batangas). *Citrus hystrix* DC.  
 SULÁMIOG, V. *Ficus pseudopalma* Blanco.  
 SULÁSI, T. *Ocimum basilicum* L.  
 SULBÁNG, Pamp. *Erythrina indica* L.  
 SULÍAC-DAGÁ, T. *Plectronia*.  
 SULÍPA. *Gardenia pseudopsidium* Blanco.  
 SULÍAC-DAGÁ. *Canthium horridum* Blume.  
 SULÍAO, V. *Dendrobium lunatum* Lindl.  
 SULUDSÚLUD, V. *Nepenthes gracilis* Korth.  
 SÚMA, T., V., Pamp. *Anamirta cocculus* W. and A.  
 SÚMAG, Pamp. *Elephantopus spicatus* Juss.  
 SUMALÁGUI, V. *Tamarindus indica* L.  
 SÚÑGUT-OLÁNG, V. *Breynia cernua* Muell.  
 SÚÑGOT-OLÁNG, V. *Phyllanthus reticulatus* Muell.  
 SUNTING, V., T. *Cassia alata* L.  
 SÚPA, T. *Sindora wallichii* Benth.  
 SÚPIT-CAFÉ, T. *Leea javanica* Blume.  
 SURÁÑGA, V. *Impatiens balsamina* L.  
 SURANSURÁN. *Gordonia luzonica* Vidal.  
 SÓROG-SÓROG, T., Pamp. *Euphorbia neriifolia* L.  
 SÓRO-SÓRO, T., Pamp. *Euphorbia neriifolia* L.  
 SURSÚR, Pamp. *Cyperus rotundus* L.  
 SÚSONG-CALABÁO, T., V. *Uvaria purpurea* Blume.  
 SÚTENG. *Cassia alata* L.  
 SÚGPON-SÚGPON, V. *Vitis*.  
 SURÁN-SURÁN, V. *Gordonia*.  
 SUSOCAYÓLI, T. *Oxalis corniculata* L.  
 SÚSOL, T. *Crotalaria quinquefolia* L.  
 SÚSONG CALABÁO, T. *Unona*.  
 SÚSONG-DAMÚLAG, Pamp. *Uvaria*.  
 SÚSONG-DAMÚLAG, Pamp. *Artabotrys*.  
 SUSOSUSÓYAN, T. *Crotalaria quinquefolia* L.  
 SUSPÍROS, Sp. *Mirabilis jalapa* L.

## T.

- TAÁL?, V. *Chamaerops excelsa* Linu.  
 TAÁL, T. *Azelia bijuga* A. Gray.  
 TABÁCO, Sp. Fil. *Nicotiana tabacum* L.  
 TABÁCO-TABACÓHAN. *Solanum verbascifolium* L.  
 TÁBAG. *Hernandia peltata* Meissn.  
 TABÁÑGAN, Cag. *Lagerstroemia speciosa* Pers.  
 TABA-TABÁ, V. *Mussaenda grandiflora* Rolfe.  
 TABATABACÁHAN, T. *Elephantopus scaber* L.  
 TABÁYAC (Poilo). *Piper subpeltatum* Willd.

- TAGÁTOI, T. Illipe.  
 TAGÓGON, Z. Terminalia.  
 TAGOÍSMON, B. Diospyros.  
 TAGPÁ, C. Pterocarpus.  
 TAGPÓ, T. Ardisia.  
 TAGPÓ, T. Psychotria malayana Jack.  
 TAGPÚNG-PULÁ, T. Ardisia.  
 TAGÚC-TAGÚC, V. Parameria philippinensis Radlk.  
 TAGUÍLMA. Heptapleurum.  
 TAGUÍMAN, V. Ardisia perrottetiana A. DC.  
 TAGUIPÁN. Clerodendron lamuginosum Blume.  
 TAGUIPÁN. Caryota urens L.  
 TAGUIP-ASÍN, T. Mallotus moluccanus Muell. Arg.  
 TAGUIP-SÓSO. Hydrocotyle asiatica L.  
 TAGUÍSAN-BAYÁUAG (Unisan). Ficus.  
 TAGUÍSI, T. Bambusa.  
 TAGULÁUAY, T., V. Parameria philippinensis Radlk.  
 TAGULÁUAY. Ficus.  
 TAGULÍNAO, T., Pamp. Emilia sonchifolia DC.  
 TAGUIP-CÚHIOL. Hydrocotyle asiatica L.  
 TÁGUM, V. Indigofera tinctoria L.  
 TÁGUM, V. Indigofera teysmanni Miq.  
 TÁCUM-TÁGUM, V. Tephrosia luzoniensis Vogel.  
 TÁGUM-TÁGUM, V. Indigofera tinctoria L.  
 TÁGUNG, V. Indigofera tinctoria L.  
 TAGUSTÚS, V. Scaevola koenigii Vahl.  
 TAGÚTONG, V. Solanum ferox L.  
 TAHÁD-LABÚYO, T. Cudrania javanensis Tree. and other species.  
 TAHÍT-LABÚYOC, F. Allaenthus.  
 TAHÓD-NGA-ILÁHAS, V. Ixora fulgens Roxb.  
 TAIÉTI, Ig. Alsophila glauca Blume.  
 TAINÁNAC. Bambusa.  
 TAINÑÁNG-DAGÁ. Oxalis corniculata L.  
 TAÍRIS, V. Alpinia previlabris Presl.  
 TAÍTAI, V. Paederia foetida L.  
 TAIUÁNAC, T. Bambusa blancoi Steud.  
 TÁLA, T. Linnophila roxburgii G. Don.  
 TALACÁTAC, T. Castanopsis philippinensis Vidal.  
 TALACTÁC, H. Capparis horrida L. f.  
 TALÁHID, T. Anthistiria gigantea Cav.  
 TALAÍLO, T., V., Pamp. Nymphaea lotus Linn.  
 TALAMPÁY, T. Solanum.  
 TALAMPÓNAI, T., Pamp. Datura alba Nees.  
 TALAMPÓNAI-NA-ITÍM, T. Datura fastuosa L.  
 TALÁNAS, T. Zizyphus.  
 TALANCÁO, H. Plumbago zeylanica L.  
 TÁLANG, T., Pamp. Diospyros discolor Willd.  
 TÁLANG-BÚLO, T. Solanum sanctum L.

- TÁLANG-BUNDÓC, T. *Myristica guatteriifolia* A. DC.  
 TALANGCÁW, H. *Plumbago zeylanica* L.  
 TÁLANG-GÚBAT, T. *Diospyros embryopteris* Pers.  
 TÁLANG-ÍNDONG, B. *Strychnos*.  
 TÁLANG-TÁLANG, T. *Myristica philippinensis* Lam.  
 TALAÑISOY, B. *Tabernaemontana*.  
 TALAÓNOR, V. *Euryeles amboinensis* Herb.  
 TALALABÁCO, V. *Sphaeranthus africanus* L.  
 TALATÁLA, Pamp. *Limnophila menthastrum* Benth.  
 TÁLA-TALÁRUM, T. *Aristolochia tagala* Cham.  
 TALAÚYO, T. *Thunbergia gigantea* L.  
 TALÁYLO, *Nymphaea lotus* L.  
 TALBÁC, Pamp. *Alpinia*.  
 TALIAÑTÁN, T. *Leea*.  
 TALIAÑTÁR, Pamp. *Morinda bracteata* Roxb.  
 TALIBÓBONG, V. *Ehretia philippinensis* A. DC.  
 TÁLIC-HARÁP (Tayabas). *Mussaenda*.  
 TALICNÓNO, T. *Buddleia*.  
 TALICORÁN, T. *Hippeastrum miniatum* Herb.  
 TALÍCOT, V. *Ficus*.  
 TALICTÁN, T., Pamp. *Dysoxylum blancoi* Vidal.  
 TALÍCUT, *Ficus*.  
 TALIGÁNA, Z. *Pterospermum*.  
 TALIMÚRONG, T. *Mitrephora reticulata* H. f. and Th.  
 TALIMÚRONG, Pang. *Cyclostemon*.  
 TALINGHARÁP, T. *Anisomelis ovata* R. Br.  
 TALINOÚNO, Pamp. *Capura*.  
 TALIPÓPO, V. *Mimusops elengi* L.  
 TALÍSAL, T., V., Pamp. *Terminalia catappa* L.  
 TALOCNÁSI, *Pygeum*.  
 TALOCTÓN, Z. *Gomphia angustifolia* Vahl.  
 TALÓLA, T. *Calamus buroensis* Mart.  
 TALÓLON (Marinduque). *Quisqualis indica* L.  
 TALÓLONG, H. *Cudrania javanensis* Trec.  
 TALÓLONG, H. *Allaenthus*.  
 TÁLONG, T., V. *Solanum melongena* L.  
 TÁLONG-GÚBAT, T. *Solanum ferox* L.  
 TALÓNCON, T. *Solanum*.  
 TALONPÚNAY, *Datura metel* L.  
 TALÓSAN, T. *Helicteres spicata* Colb.  
 TALOSTOS, *Leea*.  
 TALÓTO, T. *Pterocymbium javanicum* R. Br.  
 TALOTÓ-ON (Benguet). *Ilex*.  
 TALÚCTOC (Nueva Ecija). *Ficus*.  
 TALÚÑGUN, V. *Gmelina villosa* Roxb.  
 TALÚTO, *Pterocymbium javanicum* R. Br.  
 TALÚTU, V. *Bombax malabaricum* DC.  
 TAMANÍAN, *Calophyllum inophyllum* L.

- TAMARÍNDO, Sp. Fil. *Tamarindus indica* Linn.  
 TAMAUIÁN, T. *Calophyllum inophyllum* L.  
 TAMAÚYAN. *Gymnosporia ambigua* Vidal.  
 TAMÁÚYAN-PULÁ (Tayabas). *Canthium*.  
 TAMAÚYAN-PUTÍ, Z. *Gymnosporia*.  
 TAMBÁL, T. *Eurycles amboinensis* Herb.  
 TAMBALABÁSE. *Callicarpa cana* L.  
 TAMBALAGUÍSAI, T., V. *Sophora tomentosa* L.  
 TAMBALÍSA, V. *Cassia occidentalis* Linn.  
 TAMBALÍSA, T., V. *Sophora tomentosa* L.  
 TÁMBAO, T. *Myristica*.  
 TAMBÍS. *Eugenia*.  
 TAMBÍT (Dinagat). *Eugenia*.  
 TAMBÓ, T. *Phragmites roxburghii* Nees.  
 TAMBÓN-TAMBÓN (Tayabas). *Mallotus ricinioides* Muell. Arg.  
 TAMBÓYOG USÁ. *Casaeria moluccana* Blume.  
 TÁMBU-HAÑGUIN, H. *Eugenia*.  
 TAMÍS, V. *Dioscorea*.  
 TAM-ÍS, V. *Cocos nucifera* Linn.  
 TAM-ISÁN, V. *Cocos nucifera* Linn.  
 TAMLÍG. *Aglaia*.  
 TÁMO, T. *Zingiber zerumbet* Rose.  
 TÁMO, T., Pamp. *Curcuma xanthorrhiza* Roxb.  
 TAMOCÁUN. *Costus*.  
 TAMOHÍLAN, T. *Globba strobilifera* Zoll.  
 TAMPÓI, T., V. *Eugenia jambos* L.  
 TAMPÚC, T. *Eugenia*.  
 TAMPUHÍNG, T. *Musa sapientum* L.  
 TAMPÚPOT, T. *Tabernaemontana*.  
 TAN-ÁG, T., V. *Kleinhovia hospita* L.  
 TANAGÁYAY (Dinagat). *Bruguiera parviflora* W. and A.  
 TANAGDÓN. *Parasponia*.  
 TANÁUA, T. *Premna*.  
 TANCÁPAN, B. *Evodia latifolia* DC.  
 TANCÓNG, V. *Ipomoea reptans* Poir.  
 TANDADÁGUY. *Ficus*.  
 TANDÚC-TANDÚCAN, T. *Aegiceras corniculatum* Blanco.  
 TÁÑGA-BABÁE. *Bruguiera carophylloides* Blume.  
 TÁÑGÁL, T. *Ceriops candolleana* Arn.  
 TÁÑGÁL, T. *Bruguiera gymnorrhiza* Lam.  
 TÁÑGÁL, T. *Rhizophora mucronata* Lam.  
 TÁÑGÁL, B. *Terminalia*.  
 TÁÑGÁL-LALÁQUI, T. *Ceriops roxburghiana*.  
 TÁÑGÁLON (Marinduque). *Quisqualis indica* Linn.  
 TÁÑGÁL-TÁÑGÁL, T. *Ceriops roxburghiana* Arn.  
 TÁÑGAN-TÁÑGAN, T., H. *Ricinus communis* L.  
 TÁÑGAN-TÁÑGAN, T. *Solanum sanctum* L.

- TÁNĠCONĠ, V. *Ipomoea reptans* Poir.  
 TÁNĠI, T. *Oryza sativa* L. var.  
 TÁNĠÍLI, T. *Dipterocarpus polyspermus* Blanco.  
 TÁNĠÍLI, T. *Shorea*?.  
 TÁNĠÍLI (Tarlac). *Gonocaryum*.  
 TÁNĠÍSÁN, T. *Ficus*.  
 TÁNĠÍSÁN, T. *Terminalia*.  
 TÁNĠÍSÁN, T. *Uvaria*.  
 TÁNĠÍSANG-BAGÍO, T. *Xylopia dehiscens* Merrill.  
 TÁNĠÍSANG-BAYÚAC, T. *Ficus*.  
 TÁNĠÍSÁN-PÚNAY, V. *Phyllanthus*.  
 TÁNĠÍTAN, V. *Alstonia macrophylla* Wall.  
 TÁNĠLÁD, T., V. *Andropogon schoenanthus* L.  
 TÁNĠLÁY-MALÓTO, Pamp. *Premna vestita* Schauer.  
 TÁNĠLÓN, Pang. *Amoora*?.  
 TÁNĠÓLON, T., V. *Quisqualis indica* L.  
 TÁNĠO-TÁNĠO. *Randia*.  
 TÁNĠPÚPO, V. *Ixora coccinea* L.  
 TÁNĠÚILI. *Dipterocarpus polyspermus* Blanco.  
 TÁNĠÚÍSÁN-BAYÁUAC, T. *Ficus cuneata* Miq.  
 TÁNĠÚLAY, T. *Alphitonia*.  
 TÁNĠÚLON, T. *Quisqualis indica* L.  
 TANĠÁS, V. *Dolichandrone spathacea* K. Sch.  
 TANÍGAD (Dinagat). *Rapanea philippinensis* Mez.  
 TANÍTAN, V. *Alstonia*?.  
 TANÚAL, V. *Euryeles amboinensis* Herb.  
 TAOINTAOÍN, H. *Aristolochia tagala* Cham.  
 TAPÁ-LAÓ, Zamb. *Pinus merkusii* J. and de V.  
 TAPÁT-TAPÁT, T. *Casearia*.  
 TAPIASÍN, T. *Coldenia procumbens* L.  
 TAPIASÍN. *Cocos nucifera* L.  
 TAPÍT, B. *Mallotus ricinoides* Muell. Arg.  
 TAPLÍ, Z. *Albizzia*.  
 TAPOLÁNĠA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 TAPONÁYA, V. *Coleus acuminatus* Benth.  
 TAPULÁGA. *Hibiscus rosa-sinensis* L.  
 TAPÚLAO. *Pinus merkusii* J. and de V.  
 TAPURÁNĠA, V. *Hibiscus rosa-sinensis* L.  
 TAPURÁNĠA, V. *Canna indica* L.  
 TAPÚRAS (Mindanao). *Palaquium*.  
 TAPÚYAY, V. *Ganophyllum falcatum* Blume.  
 TAQUÍNG-BÁCA, H. *Sida frutescens* Blanco.  
 TAQUÍNES, V. *Ficus*.  
 TAQUÍNG-BÁCA-BÁCA, H. *Sida frutescens* Blanco.  
 TÁQUI. *Dioscorea hirsuta* Blume.  
 TAQUIPÁN, T. *Caryota urens* L.  
 TAQUÍP-ASÍN, T. *Mallotus ricinoides* Muell. Arg.

- TAQUÍP-ASÍN, T. *Macaranga tanarius* Muell. Arg.  
 TAQUÍP-ASÍN, T. *Garuga*.  
 TAQUÍP-CÓHOL, T. *Hydrocotyle asiatica* L.  
 TAQUÍP-SUSÓ, T. *Hydrocotyle asiatica* L.  
 TARAMBÓLO, T. *Solanum ferox* L.  
 TARAMIAMPÁM, T. *Limnophila menthastrum* Benth.  
 TARÁN (Zamboanga). *Bridelia ovata* Decne.  
 TARATACÓPES, V. *Abutilon indicum* G. Don.  
 TARATÁRA, T. *Cedrela taratara* Blanco.  
 TARATÁRA, H. *Limnophila menthastrum* Benth.  
 TARNÁTE, V. *Musa sapientum* L. var.  
 TAROCÁÑGA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 TARRÍN. *Curcuma viridiflora* Roxb.  
 TARTARÁO, H. *Quisqualis indica* L.  
 TARUMPÁLIT, T. *Sesuvium portulacastrum* L.  
 TARUMPÚNIA, T. *Datura metel* L.  
 TÁTA, Cag. *Nipa fruticans* Wurmbr.  
 TATANÍC, T. *Psychotria*.  
 TATATABÁ, T. *Jatropha curcas* L.  
 TATCHÚBONG, V. *Datura alba* Nees.  
 TATLÁC-ANÁC, T. *Garcinia*.  
 TATLÓNG-PÁLAD, T. *Hippocratea obtusifolia* Roxb.  
 TAVATÁVA, H. *Jatropha curcas* L.  
 TAVATAVANGSÍNA, H. *Ricinus communis* L.  
 TAVÁVA, V. *Euphorbia pilulifera* L.  
 TAWATÁWA, H. *Jatropha curcas* L.  
 TAWATAWASÍÑGA, H. *Ricinus communis* L.  
 TAYÁBAS, T. *Psidium guayava* L.  
 TAYÁCAN, Mang. *Gardenia*.  
 TÁYA-LÚÑGO (Paragua). *Artocarpus*.  
 TAYÁN (Tayabas). *Alchornea javensis* Muell. Arg.  
 TAYÁNG TAYÚÑGAN, B. *Indigofera tinctoria* Linn.  
 TAYÓBONG, V. *Tacca pinnatifida* Forst.  
 TAYÓCON, V. *Aegiceras corniculatum* Blanco.  
 TÁYOC-TÁYOC, V. *Eleocharis*.  
 TÁYOM, T. *Indigofera tinctoria* L.  
 TAYOMÁMIS, V. *Cocos nucifera* Linn.  
 TAYOMTÁYOM, H. *Marsdenia tagudina* Blanco.  
 TAYOMTAYÓMAN, T. *Tephrosia luzonensis* Vogel.  
 TÁYON-TÁYON. *Indigofera angustifolia* L.  
 TÁYONG-TÁYONG, T. *Eugenia*.  
 TAYULÁUAY (Iloilo). *Parameria philippinensis* Radlk.  
 TÁYUM, T. *Indigofera*.  
 TÁYUNG, Pamp. *Indigofera tinctoria* L.  
 TEB-BÉG, Ig. *Ficus*.  
 TEBÉC. *Ficus*.  
 TÉCA, Sp. Fil. *Tectona grandis* Linn. f.

- TECBÉC, H. *Ficus*.  
 TEGBÉ, T. *Coix lachryma-jobi* L.  
 TELBÓNG. *Erythrina indica* Lam.  
 TENÁAN. *Phyllanthus*?  
 TENÁAN-BANTÁY (Tayabas). *Cyclostemon cumingii* Baill.  
 TENOLUÁNG-GÁTOS, T. *Mussaenda*.  
 TÉQUE, T. *Pithecolobium*.  
 TERNÁTE, T. *Graptophyllum hortense* Nees.  
 TIÁUI, T. *Shorea*?  
 TIÁUN, T. *Salix* (Blanco).  
 TIBÁNG, Z. *Canarium*.  
 TIBÁTIB, Pamp. *Polypodium quercifolium* L.  
 TIBÁTIB, T. *Epipremnum medium* Engl.  
 TIBCÁL, Z. *Aglaia*.  
 TIBIÁYON, V. *Benincasa cerifera* Savi.  
 TIBÍG, T. *Ficus glomerata* Roxb.  
 TIBÍGI. *Xylocarpus obovatus* Juss.  
 TIBÍG-NA-LALÁQUI, T. *Ficus glomerata* Roxb?.  
 TICAMÁS, V. *Pachyrhizus angulatus* Rich.  
 TÍCAS, T. *Canna indica* L.  
 TÍCAS-TÍCAS, T. *Canna indica* L.  
 TÍCAY, T. *Cyperus*.  
 TÍDA, T. *Tectona grandis* L.  
 TICLÉB, Ig. *Quereus*.  
 TIGÁLOT, V. *Elaeocarpus multiflorus* F. Vill.  
 TIGAO, B. *Callicarpa angusta* Schauer.  
 TIGASÁN, T. *Ceriops candolleana* Arn.  
 TIGASÁN. *Rhizophora mucronata* Lam.  
 TIGASÁN, T. *Bruguiera gymnorrhiza* Lam.  
 TIGHÁLANG, T. *Smilax*.  
 TIGBÁO, V. *Heteropogon contortus* Roem. and Schult.  
 TIGBÁO, V. *Anthistiria*.  
 TIGÉI, T. *Coix lachryma-jobi* L.  
 TIGCÁL, Z. *Aglaia*.  
 TIGHÍMAN, T. *Cassia occidentalis* L.  
 TIGSÍ, V. *Ipomoea batatas* L.  
 TÍHOL-FÍHOL, V. *Eranthemum bicolor* Schrank.  
 TÍLE, Z. *Xylia*.  
 TÍLE, Z. *Albizzia*.  
 TILÍLES, V. *Amaranthus spinosus* L.  
 TIMBÁNĜAN, T. *Aristolochia tagala* Cham.  
 TIMBÁNG-TIMBÁNĜAN, T. *Aristolochia tagala* Cham.  
 TIMSÍN, T. *Rottboellia muricata* Retz.  
 TIMÚYUNG, T. *Antidesma ghaesembilla* Gaertn.  
 TINÁAN, T. *Phyllanthus*.  
 TINAINĜŪI, T. *Nephelium glabrum* Noronh.  
 TINÁLONG, T. *Musa paradisiaca* L. var.



- TINATÍNAN, T. *Phyllanthus reticulatus* Muell. Arg.  
 TINCÁL (Zambonga). *Pierardia*.  
 TÍNDALO, T. *Azelia rhomboidea* Vidal.  
 TINDÓI, T. *Acanthus ilicifolius* L.  
 TÍNGAN-BÁQUIS, T. *Aegiceras corniculatum* Blanco.  
 TÍNGAN-TÍNGAN, T. *Pterospermum obliquum* Blume.  
 TÍNGA-TÍNGA, T. *Mussaenda grandiflora* Rolfe.  
 TINGÁL, Z. *Aglaiia*.  
 TIÑGLÓG, T. *Acanthus ilicifolius* L.  
 TIÑGLÓI, T. *Acanthus ilicifolius* L.  
 TINÍSA, T. *Artemisia vulgaris* L.  
 TINITRÍGO, T. *Ischaemum ciliare* Retz.  
 TINÁQUI, V. *Albizzia lucida* Benth.  
 TINTATÍNTA, H. *Eclipta alba* Hassk.  
 TINTATINTÁHAN, T. *Phyllanthus reticulatus* Muell. Arg.  
 TINULÚAN-GÁTAS, T. *Mussaenda*.  
 TIPÍG. *Ficus*.  
 TIPÓLO, T., V., Pamp. *Artocarpus incisa* L. f.  
 TIQUÉS, T. *Pithecolobium montanum* Benth.  
 TÍQUIO, T. *Cyperus difformis* Linn.  
 TIQUÍS-TIQUÍS, T. *Sapindus turezianinowii* Vid.  
 TIQUÍS-TIQUÍS, T. *Canna indica* L.  
 TIRBÁTIB, V. *Epipremnum medium* Engl.  
 TIRIBÚHAN, T. *Panicum colonum* L.  
 TIRÓRON, B. *Canthium*?.  
 TÍTIO, V. *Acanthus ilicifolius* L.  
 TÍTIO, T. *Cyperus difformis* Linn.  
 TIÚI, V. *Dolichandrone spathacea* K. Sch.  
 TOÁR, V. *Tabernaemontana pandacaqui* Poir.  
 TOÁ, T. *Bischofia javanica* Blume.  
 TOÁC, T. *Bischofia javanica* Blume.  
 TOBÁYAN (Tayabas). *Conocephalus ovatus* Trec.  
 TOBÓGOR, T. *Mallotus ricinoides* Muell. Arg.  
 TÓBO-TÓBO-LÁÑGIT, V. *Kyllinga monocephala* Rottb.  
 TÓCOD-BÁNUA, Pamp. *Amorphophallus campanulatus* Blume.  
 TÓCOD LÁÑGIT, V., T. *Amorphophallus campanulatus* Blume.  
 TÓCOR-PARI, Pamp. *Cordyline terminalis* Kunth.  
 TOCTÓC-CÁLO, T. *Cerbera odollam* Gaertn.  
 TOCÚD-LÁÑGIT, T. *Semecarpus gigantifolius* Vidal.  
 TOGNÁO-TOGNÁO, B. *Astronia rolfei* Vidal.  
 TOGUÍNG-PÓLO. *Dioscorea*.  
 TOGÚIS, V. *Amomum*.  
 TOGÚIS-ÑGA-ISA, V. *Amomum villosum* Lour.  
 TOI, T. *Dolichandrone spathacea* K. Sch.  
 TOLÁNG-SANG-BÁNUG, V. *Clematis*.  
 TOMÁTES, Sp. Fil. *Lycopersicum esculentum* Mill.

- TOMBÓNG-ÁSO. *Morinda citrifolia* L.  
 TONCÁPAN, V. *Evodia*.  
 TONCÓD-OBÍSPO, T. *Cordyline terminalis* Kunth.  
 TOÑGNÁO-TOÑGNÁO, B. *Astronia rolfei* Vidal.  
 TOÑGO, T. *Dioscorea fasciculata* Roxb.  
 TÓNĠOG, V. *Rhizophora conjugata* L.  
 TÓNĠOG, B. *Lumnitzera purpurea* Presl.  
 TONÓC. *Serianthes grandiflora* Benth.  
 TONUÁR, V. *Eurycles amboinensis* Herb.  
 TÓOB, T. *Bischofia javanica* Blume.  
 TÓOB, T. *Chisocheton tetrapetalus* Turcz.  
 TÓOC, T., V. *Bischofia javanica* Blume.  
 TÓOG, T. *Bischofia javanica* Blume.  
 TOÓGAN, Cag. *Bischofia javanica* Blume.  
 TOQUÍAN, T. *Ternstroemia toquian* F. Vill.  
 TOQUÍNG-PÁLO. *Dioscorea*.  
 TORTORÁOC, T. *Quisqualis indica* L.  
 TOSTÓN, T. *Trianthema monogyna* L.  
 TOTOCÁLO, T. *Cerbera odollam* Gaertn.  
 TÓVAL, T. *Gnetum scandens* L.  
 TRES-PÚNTAS, Sp. Fil. *Mallotus ricinoides* Muell. Arg.  
 TROMPALIPAÚTE, V. *Heliotropum indicum* L.  
 TSAMPÁCA, T. *Michelia champaca* L.  
 TSATSATSATSÁHAN, T. *Lippia nodiflora* Rich.  
 TSÍCU, T. *Achras sapota* L.  
 TÚA. *Dolichandrone spathacea* K. Sch.  
 TÚA. *Bischofia javanica* Blume.  
 TUADTUÁRAN, T. *Panicum*.  
 TÚBA. *Jathropha curcas* L.  
 TÚBA, T. *Croton tiglium* L.  
 TÚBA, T., V., Pamp. *Anamirta cocculus* W. and A.  
 TÚBA-CAMAÍSA, T. *Croton tiglium* L.  
 TÚBAC-TÚBAC (Iloilo). *Bidens pilosa* Linn.  
 TÚBANG DALÁGA, T. *Callicarpa bicolor* Juss.  
 TÚBA-SA-BÚGUID, V. *Croton tiglium* L.  
 TÚBA-TÚBA, V. *Barringtonia racemosa* Blume.  
 TÚBLI, T. *Milletia splendens* W. and A.  
 TUBÓ, T. *Saccharum officinarum* L.  
 TUCÁN-CÁLAO, T. *Aglaia*.  
 TUCÁN-CÁLAO, T. *Sterculia*.  
 TÚCAS-TÚCAS. *Canna indica* L.  
 TUÉ, T. *Dolichandrone spathacea* K. Sch.  
 TUÉL, Ig. *Bischofia javanica* Blume.  
 TUGÁBANG, V. *Mezoneurum glabrum* Desf.  
 TÚGAN, T. *Myristica guatteriifolia* A. DC.  
 TÚGAS. *Vitex littoralis* Deene.  
 TUGLÍMA, V. *Heptapleurum venulosum* Seem.

- TUGNÁNG, H. *Buddleia*.  
 TUGÓGONG, Z. *Terminalia*.  
 TUGUÍ, T. *Dioscorea*.  
 TUGUÍ-SŪGA-ISÁ, V. *Alpinia*.  
 TUGUÍ-TUGUÍAN, T. *Ipomoea marianensis* Chois.  
 TUGÚP, V. *Artocarpus*.  
 TUGÚS, T. *Amomum*.  
 TÚI, T. *Dolichandrone spathacea* K. Sch.  
 TÚIA, T. *Pouzolzia indica* Gaud.  
 TÚLANG-NANÓC, B. *Casearia*.  
 TÚLA-TÚLA, B. *Mallotus floribundus* Muell. Arg.  
 TULÍBAS, T. *Micromelum tephrocarpum* Turcz.  
 TÚLO-LALÁQUI (Iloilo). *Pluchea indica* Less.  
 TUMAHÍBA, T. *Curcuma xanthorrhiza* Roxb.  
 TÚNBON-ÁSO. *Morinda umbellata* Linn.  
 TÚMBONG-ÁSO, T. *Morinda bracteata* Roxb.  
 TÚMBONG-ÁSO, T. *Zingiber*.  
 TÚMBONG-ÁSO-HÁPAY, T. *Morinda tinctoria* Roxb.  
 TUMINTÍNG, V. *Vitis*.  
 TÚNAN-TÚNAN, V. *Melastoma obovatum* Jack.  
 TÚNAN-TÚNAN, B. *Astronia calycina* Vidal.  
 TÚNAS, T., V., Pamp. *Nymphaea lotus* Linn.  
 TÚNAY-TÚNAY, V. *Astronia calycina* Vidal.  
 TÚNCAL, V. *Tabernaemontana*.  
 TÚNCO-TÚNCO, T. *Evodia*.  
 TÚNCUT-LÁNŪGUIT, T. *Tacca*.  
 TÚŪGAO, B. *Melastoma*.  
 TÚŪGUNG, V. *Ceriops candolleana* Arn.  
 TUNQUÍN. *Ipomoea muricata* Jacq.  
 TURUCÁN, T. *Hyptis capitata* Jacq.  
 TÚTAO, T. *Vigna catjang* Endl.  
 TITFULLÁCAC, T. *Physalis angulata* L.  
 TÚY, B. *Dolichandrone spathacea* K. Sch.  
 TÚYAT-BAGUÍO, V. *Desmodium umbellatum* DC.  
 TÚYA-TÚYA, B. *Mallotus floribundus* Muell. Arg.

## U.

- UÁC, V. *Flagellaria indica* Linn.  
 UACÁTAN, V. *Alphitonia moluccana* Teysm. and Binn.  
 UALISUALISÁN, T. *Decaspermum blancoi* Vidal.  
 UÁMPIT. *Clausena wampi* (Blanco) Oliv.  
 UÁNI (Jolo). *Mangifera caesia* Jack.  
 UANUÁNA-NA-PUTÍ, B. *Glochidion*.  
 UATÍTIC, T., V. *Colubrina asiatica* Brongn.  
 UAUALISÍN, T., V., Pamp. *Sida frutescens* Blanco.  
 UAYÁN, T. *Quercus blancoi* A. DC.  
 UBÁLDO, Z. *Jasminum*.

- ÚBAN, B. *Adina philippinensis* Vidal.  
 ÚBAN, T. *Barringtonia*.  
 ÚBAN. *Premna*?  
 ÚBE. *Dioscorea*.  
 ÚBE-ÚBE, T., V. *Aristolochia tagala* Cham.  
 ÚBL. *Dioscorea alata* L. and other species.  
 UBÍAN (Tarlac). *Myristica*.  
 UBÍAN. II. *Artocarpus*.  
 ÚBIC-ÚBIC, II. *Loranthus*.  
 ÚBI-UBÍHAN, T. *Smilax china* L.  
 UBODÚBOD, T. *Eleocharis*.  
 UBIÁON, T. *Pterocarpus*.  
 UGÁBANG, V. *Mezoneurum glabrum* Desf.  
 UGÁO, V. *Cyclostemon*.  
 UGÁO, B. *Diospyros*.  
 UMBABÁON, T. *Sterospermum quadripinnatum* F. Vill.  
 ULIGBÓŃGON. *Commelina bengalensis* Linn.  
 ÚLUD (Tarlac). *Cynometra ramiflora* L.  
 ÚLUD, Z. *Crudia*.  
 UNCIÓN. *Smilax*.  
 UNG-ÁLI, V. *Solanum verbascifolium* Linn.  
 UNGÁLI-NA-PULÁ, V., Pamp. *Rourea heterophylla* Planch.  
 UNÍP, Pang. *Acacia*.  
 UNÍSOC, T. *Adina polycephala* Benth.  
 UÓS, B. *Sterelia oblongata* R. Br.  
 UPLÁS, II. *Ficus heterophylla* L.  
 UPLÍ (Tayabas). *Ficus*.  
 ÚPO. *Lagenaria vulgaris* Seringe.  
 URÍAN. *Pterocarpus blancoi* Merrill.  
 ÚRUNG (Paragua). *Fagraea fragrans* Roxb.  
 URUTÁN, T. *Linociera*.  
 ÚSIU, T. *Bambusa*.  
 ÚTTA (Cag). *Musa textilis* Nees. var.  
 UYÁYAN, V. *Quercus*.  
 ÚYO, T. *Calamus buroensis* Mart.  
 ÚYOS. *Cupania*.

## V.

- VICBÍQUI, Ig. *Rhododendron rosmarinifolium* Vidal.  
 VÍLOS, Pamp. *Mallotus ricinoides* Muell. Arg.  
 VÍTAM. *Calophyllum inophyllum* L.  
 VOCÁBUL, T. *Malaehra bracteata* Cav.  
 VÚAS, II. *Mallotus philippinensis* Muell. Arg.

## W.

- WÁMPI, T. *Clauseua wampí* Oliv.  
 WAWALISÁN. *Sida carpinifolia* L.

## Y.

- ΥΆΒΑΘ, T., V. *Sophora tomentosa* L.  
 ΥΆCΑΛ, T. *Hopea plagata* Vidal.  
 ΥΆCΑΛ-ΔΙΛΆΟ, T. *Sindora wallichii* Benth.  
 ΥΆCΑΛ ΡΥΤΪ, T. *Vatica*.  
 ΥΆCΟΤ, Z. *Sindora*?  
 ΥΑΝΤΌC ΛΙΜΟΡΆΝ, T. *Calamus piscicarpus* Blume.  
 ΥΆΗΟΝ-ΥΆΗΟΝ, V. *Hydrocotyle asiatica* L.  
 ΥΑΜΒΆΝ, Η. *Shorea guiso* Blume.  
 ΥΆΜΒΟ, T. *Eugenia jambos* L.  
 ΥΑΜΒΟΛΪΝ. *Eugenia jambos* L.  
 ΥΑΜΒΌSΑ. *Eugenia jambos* L.  
 ΥΑΜΠΌΝΓ, V. *Abutilon indicum* G. Don.  
 ΥΑΝΤΌC. *Calamus*.  
 ΥΆΤΕ, V. *Tectona grandis* L. f.  
 ΥΆΥΟ, Pamp. *Oxalis corniculata* L.  
 ΥΒΑ, T. *Phyllanthus distichus* Linn.  
 ΥΕΜΟΥΜΌΗΑΝ, T. *Cissampelos pariera* L.  
 ΥΝΓΥΛΑ, T. *Flagellaria indica* L.  
 ΥΌΡΟ (Μιυδορο). *Caryota*.  
 ΥΌΥΑS, T. *Graptophyllum hortense* Nees. var.

## Z.

- ΖΑΥΆCΗΕ. *Phaseolus lunatus* L.  
 ΖΆΛΕΝΓ, V. *Canarium*.  
 ΖΑΠΌΤΕ. *Diospyros ebenaster* Retz.  
 ΖΑΠΌΤΕ-ΝΈΓΡΟ, Sp. *Diospyros nigra* Blanco.  
 ΖΪΤΑΝ, Cag. *Shorea guiso* Blume.



## PART II.

---

### A.

**ABROMA ALATA** Blanco. (*Sterculiaceæ*.) Shrubs, the roots and bark somewhat used in the practice of medicine; the bark also yields a valuable fibre.

Anába, T.; Anábong, V.; Anfbiong, Anfbong, T.; Lábon, V.; Nábo, V.

**A. AUGUSTA** L. Anfbong, T.; Anfbog, T.; Anábo.

**A. FASTUOSA**, R. Br. Anabo.

**ABRUS PRECATORIUS** L. (*Leguminosæ*.) A small vine, very common in the Philippines, the small seeds, red and black, used as beads; also used in the practice of medicine.

Agáy-on (Cebu); Agniyáñgyiáng, V.; Agiyáñgyiáng, V.; Aguyángyan, V.; Aroyáñgyang, V.; Bañgáti, T., V.; Bugayón, Il.; Caló, V.; Cásasága, Cansasága, Pamp.; Gícos-gícos, V.; Guícos-gícos, V.; Lága (Cebu); Mangadólong, V.; Matáng-púne, V.; Oyanñga, V.; Sága, T.; Sága-sága, T.; Sagamamfn, T.

**ABUTILON INDICUM** G. Don. (*Malvaceæ*.) A small shrub with yellow flowers, common, used in the practice of medicine.

Cuacuacóhan, T.; Gufling guiflñgan, T.; Gilig-gilñgan, T.; Dulúpang, V.; Lulúpao, Il.; Málvas de Castilla, Sp. Fil.; Málvas, Sp.; Malís, V.; Mélbas, T.; Pilis, V.; Taratacópes, V.; Yampóng, V.

**ACACIA**. (*Leguminosæ*.) Spiny shrubs or small trees, generally producing more or less gum similar to gum Arabic.

Caráol, Z.; Unfp, Pang.

**A. CONCINNA** DC. Sibóg, T.

**A. FARNESIANA** Willd. Aróma, T.; Róma, T. V.; Santiágo, V.

**ACALYPHA**. (*Urticacæ*.) Trees, shrubs, or herbs.

Mayágos-laláqui, V.; Pábto, T.; Pálang.

**A. GRANDIS** Benth. Bol-ló, Ig.; Búgos, T. V.; Gutlí, T., V.

**A. STIPULACEA** Klotzsch. Bógos, V.

**A. TILLÆFOLIA** Muell. Arg. Malaebóc (Morong).

**ACANTHUS ILICIFOLIUS** L. (*Acanthaceæ*.) A small shrub with glossy spiny leaves resembling ilex, and blue flowers, common in regions inundated by salt water.

Dilivário, T.; Doloárin, T.; Dolovário, Dulanári, Dulauári, Pamp.; Láguio-láguio, T.; Láquis-láquis, Lagíw-lagíw, T.; Tindói, T.; Tiñg-lói, T.; Tiñglóg, T.; Títio, V.

- ACHRAS SAPOTA Linn. (*Sapotaceæ*.) A tree introduced from Mexico, cultivated for its edible fruit. In Mexico a valuable gum, known as "gum chicle," is obtained from the bark, extensively used in the United States as the basis of chewing gums.  
Chíco, Sp. Fil.; Sico, V.; Tsícu, T.
- ACHYRANTHES AQUATICA R. Br. (*Amarantaceæ*.) Herbaceous plants, somewhat utilized in the practice of medicine.  
Lópo-lópo, V.
- A. ASPERA L. Ángud, Pamp.; Dócot-décot, T.; Háñgot, T.; Hangór, T., V.; Líbai, T.; Sarámo, V.
- A. OBTUSIFOLIA Lam. Aúgod, Pamp.; Líbay, T.
- ACORUS CALAMUS Linn. (*Aroidææ*.) Herbaceous, the root stock very aromatic. The "sweet flag" of the United States.  
Buéng, Pamp.; Lubígan, T.
- ACROSTICHUM. (*Filices*.) Pagálo.
- A. AUREUM L. A large coarse fern, common in tidal marshes.  
Lagólo, T.
- ADENANTHERA. (*Leguminosææ*.) Trees without spines or tendrils, with bipinnate leaves and very small flowers in small spike-like racemes.  
Adambaguén, Il.; Álang-láñgal; Ípil, Z.; Malatáyon, Pang.
- A. PAVONINA Linn.  
Alaláñgat; Báhay, T., V.; Baguiróro, V.; Cásay, V.; Quinasaicásai, T.
- ADENOSTEMMA VISCOSUM Forst. (*Compositææ*.) A glandular-pubescent herb.  
Búlac-manúe, T., Pamp.
- ADIANTUM. (*Filices*.) The "maiden-hair" fern.  
Malacalesquís, T.
- A. LUNULATUM Burm.  
Caicái, T.; Culantrílo, Sp. Fil.; Dalipáco, Il.; Gayóman-manóc, T.; Lámot-lamótan, T.; Lómot-lomótan, T.
- ADINA POLYCEPHALA Benth. (*Rubiaceææ*.) Shrubs or small trees with globose heads of white flowers.  
Unísoe, T.
- A. PHILIPPINENSIS Vidal. Úrban, B.
- AEGICERAS CORNICULATUM Blanco. (*Myrsinaceææ*.) Shrubs or small trees, common along the borders of mangrove swamps, etc., on the seashore.  
Pisíc; Pipisíc, T.; Ságuin saguñígan, T.; Ságuin-ságuin-estácas; Sáling-ságuing, B.; Tayócon, V.; Tandue-tandúcan, T.; Tíngan-báquis, T.
- A. FLORIDUM R. and S. Áñglai, V.; Pipisíc, T.
- AEGLE DECANDRA Naves. (*Rutaceææ*.) A small tree, the fruit with a mucilaginous, aromatic, acid pulp.  
Malacabúyao, T.
- AFZELIA BIJUGA A. Gray. (*Leguminosææ*.) A very valuable timber tree, always found near the seashore.  
Ípil, T., V.; Nála, Z.; Taál, T.



- A. RHOMBOIDEA Vidal. Like the preceding, producing a very valuable timber. Pods much larger, and leaves smaller than in *A. bijuga*.  
Baláyon, T., V.; Baláyong, T.; Baráyon, V.; Magaláyao, C.; Tindalo, T.
- AGARICUS. Many species of *Agaricus* and other genera of fleshy fungi are found in the Philippines, some of which are used by the natives as food.  
Colatcólat.
- AGATHIS LORANTHIFOLIA Salisb. (*Coniferae*.) Very large trees, growing in the mountains, and yielding the valuable gum known in commerce as "dammar."  
Balté (Paragua); Damár (Camarines); Gála-gála, T.; Biáyo, V.
- AGAVE AMERICANA L. (*Amaryllideae*.) Introduced from Mexico and cultivated for the valuable fiber known as "maguey."  
Magúey, Sp. Fil.; Mágai, V.; Mugúey, Sp. Fil.; Nípis; Píta (Cebu).
- AGLAIA. (*Meliaceae*.) Mostly very large trees, some valuable for timber, many species being found in the Philippines.  
Agapánga, Il.; Bayantí, T.; Bolála, B.; Cacáo-cacáuan (Tayabas); Cásay, T.; Dalúrny, Pamp.; Guisóe-guisóe; Hebóng, Mang.; Hagupánga, T.; Ibabá; Malaságing-pulá, T.; Macabáugon; Manabróng, B.; Magsináya; Oratán, Il.; Panábang; Salamáugay, T.; Tamlíg; Tigeál, Z.; Tibeál, Z.; Tingeál, Z.; Tucán-cáldao, T.
- A. ARGENTEA Blume. Dalúrny; Ilofo, Pamp.
- A. GRANDIS Miq. Gógong-bisáya, T.; Cubatíli, T.
- A. MINUTIFLORA Bedd. Busíla, T.
- A. ODORATA Lour. A small tree with fragrant yellow flowers, introduced from Asia and cultivated for ornament.  
Cinamómo-de-China, Sp. Fil.
- A. OLIGANTHA C. DC. Manálo, T.
- A. PALEMBANICA Miq. Malaságuin, T.
- AGROSTISTACHYS MESOANA Vidal. (*Euphorbiaceae*.) Shrubs.  
Caeáo-caeáo, Tieao; Malacafé (Paragua); Pusopúso (Tayabas).
- AILANTHUS MOLUCCANA DC. (*Simarubeae*.) A lofty tree with large leaves and winged seeds.  
Calánag, B.; Malaadúas, T.; Macaisá, T.
- ALANGUIM OCTOPETALUM Blanco. (*Cornaceae*.) Malatápáy, T.
- ALBIZZIA. (*Leguminosae*.) Trees, many valuable for timber.  
Acléng-párang, Pamp.; Banúyo, T.; Hanagó, B.; Malatágui; Malagámit, T.; Mangasinóro, Z.; Malatáco, T.; Quitaquita, Il.; Saplít, B.; Taplí; Tile, Z.
- A. JULIBRISSIN Durazz. Carisquí, T.; Caríquis, Il.; Oónog, Il.
- A. LEBBEK Benth. Aninápla, T.; Lanúgil; Lánúgil, T.
- A. LITTORALIS Teysm. and Benn. Cásay, B.
- A. LUCIDA Benth. Tináqui, V.
- A. ODORATISSIMA Benth. Malatocó, T.
- A. PROCERA Benth. Ananáplas, T.; Ananápla; Adaán, T., Il.; Adyángao, T.; Ayángao, T.; Anítap, Pamp.; Boáe, Ig.; Dariaúgáo, T.; Páthot; Páthod, V.

- A. RETUSA Benth. Pípi, V.; Lánġil, T.
- A. SAPONARIA Blume. Cógon-tocó; Inauáqui, V.; Jaunáqui, (Albay); Lánġil; Malatóro.
- A. TOMENTOSA Miq. Salanġeúgui.
- ALCHORNEA BLUMEANA Muell. Arg. (*Euphorbiaceæ.*) Trees or shrubs. Busflac, T.
- A. JAVANSIS Muell. Arg. Tayán (Tayabas).
- A. MOLLIS Muell. Arg. Balánti, T.
- ALEURITES MOLUCCANA Blume. (*Euphorbiaceæ.*) Tree, the seeds yielding large quantities of a valuable oil, used for illuminating purposes, etc. Báguilúmban, T.; Balucánad, T.; Balucánag, Il.; Balocánad, T.; Calúmban, T.; Lumbán, T.; Lumbán, T.; Lumbáng, T.; Rúmbang, V.; Capili, T.
- ALLAEANTHUS LUZONICUS Benth and Hook. (*Urticaceæ.*) A deciduous tree. Tahít-labúyoc; Talólong, Il.; Guinbabaó; Balóng-cadyós, V.; Alócan, Il.; Cámal; Buñgón, Il.; Himbabáo, T.
- ALLIUM CEPA L. (*Liliaceæ.*) The onion. Lasoná, Il.; Lasuná, T.; Sibúyas, T., Pamp.
- A. JAQUEMONTII Kunth. Sibóyas-songsóng.
- A. PORRUM Linn. Sibóyas-sa-Taál.
- A. SATIVUM L. Garlic. Báuang, V.; Bánag, Il.; Bawang, T.; Báuang, V.; Báuang potí (Jolo); Gandá, V.; Lásó, V.
- A. ULIGINOSUM Don. Cuchái, T.
- ALMANIA NODIFLORA R. Br. (*Amarantaceæ.*) A diffuse dichotomously branched herb, with a sessile globose inflorescence. Lópo-lópo, V.
- ALLOPHYLUS COBEE Blume. (*Sapindaceæ.*) A small tree or shrub with trifoliolate leaves and edible red globose fruits. Balfé?, V.
- ALOCASIA INDICA Schott. (*Araceæ.*) Herbaceous, leaves very large, known to English-speaking people as "elephant's ears." Badfang, T., V.; Gábíng-ónac, T.
- ALOE BARBADENSIS Mill. (*Liliaceæ.*) Introduced from America and cultivated for ornament and for medicinal purposes. Aloes of pharmacists. Dilang-boáya, V.; Dilang-hálo, V.; Sábila, T.
- ALPHITONIA MOLUCCANA Teysm. and Binn. (*Rhamnaceæ.*) Shrubs or trees. Tañgúlay, T.; Uacátan, V.
- ALPINIA. (*Marantaceæ.*) Tall herbaceous plants. Parápad, Ig.; Lígnid-lígnid, V.; Talbác, Pamp.; Tugús-nġa-isá, V.
- A. BREVILOBRIS Presl. Bánay, Pamp.; Bagóngbong, V.; Católan, V.; Catátan, Pamp., V.; Catótang, V., Pamp.; Cátang-cátang.
- A. CERNUA Roxb. Polonía, T.
- A. GALANGA Swartz. Lancóas, Pamp.; Lanġeáuas, V.
- A. GIGANTEA L. Bagómbon, Pamp., V.; Catótang, V., Pamp.; Salbác, Pamp., V.

- ALSOPHILA GLAUCA Blume. (*Filices*.) The common tree fern of the northern Philippines.  
Alibañgdán, Ig.; Taiéte.
- ALSTONIA. (*Apocinacea*.) Trees with milky sap, the bark being used in the practice of medicine as a substitute for quinine.  
Bacñit, Pang.; Cuyao-yáo (Masbate); Diríta, T.; Cuyanyán, B.; Tanítan, V.
- A. MACROPHYLLA Wall. Batíno, T.; Tañgítan, V.
- A. SCHOLARIS R. Br. Andaráyan (Cagayan); Bíta, V.; Díta, V., T.; Dítáa; Dal-lopáven, Il.; Dalipáoen, Il.; Layá, Il.; Opláy; Pasñit (Tiagan).
- ALTERNANTHERA DENTICULATA R. Br. (*Amarantacea*.) An herb, prostrate, flowers white.  
Boñgábonga, T.
- ALYSICARPUS TETRAGONOLOLUS Edgw. (*Leguminosca*.) A small herb.  
Párang (Parañaque).
- ALYXIA ODORATA Wall. (*Apocinacea*.) Shrubs with milky sap.  
Láyo, B.
- AMARANTHUS MANGOSTANUS L. (*Amarantacea*.) Culiápa (Iloilo); Cudiápa, V.
- A. MELANCHOLICUS L. Hálon, T.
- A. SPINOSUS L. A low herb, very common in waste places about towns and along rivers.  
Ayantóto, Pamp.; Báyañgbáyang, V.; Bambán; Blédo; Calítes, V.; Cuantón, Il.; Culétes, V.; Harum, V.; Oráyi, T., V.; Quilíte; Quilítis, T.; Tilítes, V.; Tilíles, V.
- A. VIRIDIS L. Common in waste places.  
Culílis, T.; Hálon, T., V.
- AMMANIA BACCIFERA L. (*Lythracea*.) A small herbaceous plant.  
Ápoy-ápoyan, T.; Biás-pógo, T.
- AMOMUM. (*Scitiminca*.) Herbaceous plants, with creeping root stocks.  
Togúis, V.; Tugús, T.
- A. CILIATUM Blume. Balfe-balfe, Pamp.; Carópi, V.
- A. CARDAMOMUM L. The cardamon plant.  
Lampúyang-ñga-maputí, V.
- A. VILLOSUM Lour.  
Togúis-ñga-isá, V.
- AMOORA. (*Meliacea*.) Large trees, valuable for timber.  
Buñglío, V.; Busñlac, T.; Malaságuin-pulá, T.; Pamalataguén, Il.; Tañglón, Pang.
- A. GRANDIFOLIA C. DC. Malabanabá, T.
- A. PERROTTETIANA C. DC. Balaquí, T.
- A. ROHITUKA W. and A. Agac-ác, V.; Saláguin-pulá.
- AMORPHOPHALLUS CAMPANULATUS Blume. (*Aroidca*.) Tuberous herb with rough, mottled petioles and purplish spathe.  
Ápon, T.; Anto, V.; Bagáng, Cag.; Bágong (Jolo); Corót, Il.; Carót, Il.; Óroy, V.; Pamangquñlon, V.; Puñgápung, V., T.; Tócod-láñgít, V., T.

ANACARDIUM OCCIDENTALE L. (*Anacardiaceæ*.) A small tree introduced from America and cultivated for its edible fruits, the seeds of which also yield a valuable oil.

Casóy, T., V.; Casúy, T.; Bollógo, II.; Balúbad, T.

ANAMIRTA COCCULUS W. & A. (*Menispermaceæ*.) A vine with long petioled glabrous leaves, the roots being extensively used in the practice of medicine.

Bayáti, T., V.; Pamp.; Balásin, T., V., Pamp.; Lag-tál, V.; Lantá, T., V., Pamp.; Laetáng, T., V., Pamp.; Lietáng, T., V., Pamp.; Lintang-báguin, T., V., Pamp.; Súma, T., V., Pamp.; Túba, T., V., Pamp.; Abútra, Sp. Fil.; Pañgmávan.

ANANASSA SATIVA Lindl. (*Bromeliaceæ*.) The pineapple, introduced from America and cultivated for its fiber and for its edible fruits.

Malísa (Camarines); Pfta, II.; Piña, Sp. Fil.

ANAXAGOREA LUZONENSIS A. Gray. (*Anonaceæ*.) An under-shrub.

Bagáng áso, B.; Bobonóyang, V.

ANDROPOGON. (*Gramineæ*.) Coarse or fine grasses.

Aniás, T.; Barbón.

A. MURICATUS Retz. Móro, Sp. Fil.

A. SCHIÖENANTHUS L. The roots of this species yield an essential oil, used for perfumes, etc.

Balfyoc, B.; Pája-de-méca, Sp. Fil.; Raiz-de-móras, Sp. Fil.; Sálai, T.; Sálai, T.; Saláid; Tañglád, T., V.

ANISOMELIS OVATA R. Br. (*Labiatae*.) A coarse erect branching herb with purplish flowers.

Talingháp, T.

ANISOPTERA. (*Dipterocarpaceæ*.) Tall trees, very valuable for their timber.

Bágar, II.; Dáyang, T.

A. OBLONGA Dyer. Sandana.

A. THURIFERA Blume. Lauáan, T., V.; Nenénu, Cag.; Sandána, T., V.; Láuan sandána.

ANNESLEA CRASSIPES Hook. (*Ternstroemiaceæ*.) An evergreen tree with crenulate, acute, or obtuse leaves.

Malatibíg, T.

ANONA MURICATA L. (*Anonaceæ*.) This species like the two following were introduced from America, and are now generally cultivated in the Philippines for their edible fruits. The "custard apple," "sour sop," etc., of English-speaking people.

Goyabáno, Sp. Fil.; Guanabáno, Sp. Fil.

A. RETICULATA L. Anónas, Sp. Fil.

A. SQUAMOSA L. Átes, T.

ANTHISTHRIA GIGANTEA Cav. (*Gramineæ*.) A coarse, tufted grass growing in open lands.

Tigbáo, V.; Taláhíib, T.

ANTHOCEPHALUS CANDAMBA Miq. (*Rubiaceæ*.) A glabrous tree with flowers in solitary globose heads.

Bagarflat, T.; Bagarflao, T.; Caluntñgan, V.

- ANTIDESMA. (*Euphorbiaceae*.) Trees or shrubs, bearing numerous small spherical fruits which are edible, having a pleasant acid taste.  
Borñáy-gúbat, V.; Bignái-máya, T.; Bignái-calabáo, T.; Inyám, V.; Mobóti, V.; Malasucá, V.
- A. BUNIUS Spreng. Bignáy, Pamp.; Bignái, T.; Búgnai, V.; Bub-búgnay.
- A. CUMINGII DC. Catamantás.
- A. GIAESENBILLA Gaertn. Arósep, Il.; Baminúyo, T.; Binayóyo, T.; Bignayóco, T.; Bignái-pógo, T.; Calamantáo, T.; Cabógbog, T.; Iníam, V.; Timúyung, T.
- APHANTHE. (*Urticaceae*.) Chá, T.
- APOROSA. (*Euphorbiaceae*.) Trees with alternate entire leaves.  
Alámag, T.; Baransiágo, T.; Balinsiágao; Cansúyot; Cúlis-na-pulá, V.
- ARACHIS HYPOGAEA L. (*Leguminosae*.) The peanut, introduced from America and more or less cultivated.  
Cacachuéte; Cacauáte, T.; Maní.
- ARALIA JAVANICA Miq. (*Araliaceae*.) Mageásao, V.; Potát, T.
- ARDSIA. (*Myrsinaceae*.) Trees or shrubs, many species being found in the Philippines.  
Atarólon, T.; Báhay namóc, B.; Gáblos, T.; Gubgúbao, Ig.; Panábon, T.; Patactól, Pamp.; Patápto; Qúio, T.; Tagpó, T.; Tagpúng-pulá, T.
- A. HUMILIS Vahl. Babágion, V.; Bútao, B.; Malasíac, B.; Pañghás (Dinagat).
- A. PERROTTETIANA A. DC. Catáya (Dinagat); Taguñman, V.
- A. PHILIPPINENSIS DC. Luéti (Zamboanga).
- A. PYRAMIDALIS Pers. Maláísa, T.
- A. SERRATA Pers. Logonhón (Iloilo).
- ARECA. (*Palmae*.) Several species of *Arcca* are found in the Philippines. the nuts of one species (*A. catechu*), the "betle nut," being extensively used by the natives, being chewed with the leaves of *Piper betle*, and slaked lime.  
Boñgáng-páto, T.
- A. ALBA Rumph. Capón, T.; Pínang, V.
- A. CATECHU L. Bánğa (Camarines); Bónğa, T. V.; Bónğa-sántol; Boñgáng-matúlis, T.; Bónğa-pálo; Boá, Il.; Buá, Cag; Búnğa, T.; Lúyos, Pamp.; Lúgos; Mangúpod; Mañgúpod, T.; Saesíe, T.
- A. NIBUNG Mart. Anfbung, V. T.; Anfbong, V. T.
- ARENGA SACCHARIFERA Labill. (*Palmae*.) Anfbung, Pang.; Báhi, V.; Báru; Cáuon, T.; Hidióe, V.; Hibióe, Vis.; Ibióe, V.; íroe, T.; Idióe, V.; Pugáhan, T.; Ratipán, Il.
- ARGEMONE MEXICANA L. (*Papaveraceae*.) An herb with large yellow flowers, spiny leaves, and yellow sap, introduced from Mexico.  
Cachúmba, Il.; Chicalóte; Casúbang-áso; Casubháng-áso, Il.; Diluário, T.; Duluário, T. \*
- ARGYREIA. (*Convolvulaceae*.) Scandent shrubs with showy flowers.  
Bágnin-castíla, T.; Bulácao (Iloilo).
- A. NITIDA Choisy. Bulalácao, V.

- ARISTOLOCHIA TAGALA Cham. (*Aristolochiaceæ.*) Aétan, T.; Goán-goán, V.; Malaúbe, T., V.; Taointaoín, Il.; Tála-talárum, T.; Timbáŋgan, T.; Timbáŋg-timbáŋgan, T.; Úbe-ube, T., V.
- ARTABOTRYS. (*Anonaceæ.*) Sarmentose or scandent shrubs.  
Súsong-damúlag, Pamp.
- A. ODORATISSIMUS R. Br. Álag-álag sonson, T.; Álang-ílang sónson, T.; Ílang-ílang de Chfna.
- ARTEMESIA GRATA Wall. (*Compositæ.*) Damú-María.
- A. VULGARIS L. An erect herb, used in the practice of medicine.  
Ca-María, T.; Santa María; Tinífas, T.
- ARTHOPHYLLUM. (*Araliaceæ.*) Shrubs or small trees.  
Puigapuigáhan, T.
- ARTOCARPUS. (*Urticacæ.*) Large trees with milky sap, many of the species bearing very large edible fruits.  
Anúblin, T.; Amúgni, V.; Anúbion, T.; Abíbling, B.; Cátoy (Albay); Canét, T.; Doloŋfán, T., V.; Márang, T.; Obíen, Il.; Óloy, T.; Tugúp, V.; Táya-lúŋgo (Paragua); Ubfán, Il.
- A. BLUMEI Trec. Similar to *A. incisa*, but leaves small, entire.  
Gumífan, V.
- A. CAMANSI Blanco. Camáŋgsi, T., V.; Camongsí, T., V.; Dalangían, V. T.; Doloŋfán, T., V.; Dalugufán; Pác; Pacác, Il.
- A. CUMINGIANA Trec. A valuable timber tree.  
Anóbion, Pamp.; Anóbling, V.; Anúbing; Anóbing, T.; Bayúco ŋga langeáon, V.; Bayúco ŋga cacáuon, V.; Cúbi, V.
- A. INCISA L. f. A tree with large incised leaves and large edible fruit.  
Antipólo. T., V., Pamp.; Cólo, V.; Cálo; Ógob, B.?. Rímo. T.; Ríma, T., V.; Tipólo, T., V., Pamp.
- A. INTEGRIFOLIA L. f. A tree with small ovate, entire leaves, fruit on trunk and larger branches.  
Láŋgea, Il.; Lánca, T.; Nánea, T.; Náŋgea, T.
- A. LAMELLOSA Blanco. Anóbling-caqufosing.
- A. LANCEOLATA Trecul. Bayúco ŋga lanhán, V.
- A. NITIDA Trec. Anóbling, T.; Anóbing cagufofosing, T.; Anúbing na cagufofosing, T.; Bayuco, V.; Bayúco ŋga birfon, V.
- A. ODORATISSIMA Blanco. Anúbing, T.; Lolfo, T.
- ARUNDINELLA NERVOSA Nees. (*Gramineæ.*) A tall, coarse grass growing in wet places.  
Calacanáyan, V.
- ARYTERA RUFESCENS Radkl. (*Sapindaceæ.*) Shrubs or small trees.  
Magabagába, T.
- ASCLEPIAS CURASSAVICA L. (*Asclepiadaceæ.*) A small herb, introduced from America, with milky sap, red and yellow flowers, etc. Now very common in the Philippines and used by the natives in medicine.  
Búlac-bulácan, T.; Búlac-damó, T.; Búlac-castfla, T.; Buquitquft; Calaláuan, T.; Cápol-cápol, T.
- ASPLENIUM NIDUS L. (*Filices.*) The "bird's-nest fern." Very common in forests, growing in large tufts on the trunks and branches of trees.  
Sábles.

- A. ESCULENTUM Presl. Young stems and leaves much used for food by the natives.  
Páco, T.
- ASTRONIA. (*Melastomaceæ.*) Shrubs or small trees.  
Bagalíguan, B.; Coléngay, T.; Dagalíguan, V.; Dongáo, T.; Donháó, T.;  
Duñgáo, T.
- A. CALYCINA Vidal. Túnan-túnan, B.; Túnay-tunay, V.
- A. CUMINGIANA Vidal. Halentihínao, V.
- A. MACROPHYLLA Blume. Búyo-búyo, B.
- A. PULCHRA Vidal. Díta-díta (Camarines).
- A. ROLFEI Vidal. Alintutúnas; Tonñgáo-tonñgáo, B.; Tognáo-tognáo, B.
- ATALANTIA. (*Rutaceæ.*) Small trees.  
Camuníng, T.; Dáyap-dayápat, T.
- A. MONOPHYLLA Correa. Dáyap-na-montí, T.; Magea-búgao, V.
- A. NITIDA Oliv. Malábac, V.; Malaráyat.
- AVERRHOA BILIMBI L. (*Geraniaceæ.*) Tree, cultivated for its edible acid fruits, which have rounded lobes.  
Calamfas, T.; Ciliñg-íwa, V.; Camfas, T.; Colonáuas, T.; íba, V.; Piás, Il.; Quilihgíva, V.
- A. CARAMBOLA L. Fruit similar to that of the preceding species, but the lobes angular.  
Bilimbínes; Balimbín, T.; Bilimbín, T.; Balimbíng, T.; Baliñgbíng, V.;  
Garangán, V.
- AVICENNIA OFFICINALIS L. (*Verbenaceæ.*) A shrub or a small tree growing in wet soil along the sea shore, with small yellow flowers. The bark is used in dyeing.  
Apiápi, T.; Buñgálon, T., V.; Buñgálu, T.; Calupínes, Z.; Calapni, T.;  
Miápi, T., V.; Pipisíc, T.; Piápi, T., V.
- AZIMA NOVA Blanco. (*Salvadoraceæ.*) A shrub.  
Casnút-cábag, T.; Cámut-cábag, T.

## B.

- BAMBUSA. (*Graminæ.*) "Bamboo." Several genera and many species of bamboo are found in the Philippines.  
Ánas, Pamp.; Ános; Baíto, T.; Bóho, T.; Bocávi, T.; Cálbang, T.;  
Caña, Sp.; Cauáyan-pána; Quíling, T.; Tainánac; Tagufsi, T.;  
Úsiu, T.
- B. ARUNDINACEÆ Retz. Cauáyang-totóo, T.
- B. BLANCOI Steud. Taiuánac, T.
- B. BLUMEANA R. and S. Cauáyan-tiníc; Cauáyan-guñd, V.; Cauáyan-tóbo.
- B. DIFFUSA Blanco. Bocáui, T.; Ósiu, T.
- B. LAEVIS Blanco. Cauáyang-bóo, T.
- B. LONGINODIS Miq. Cauáyan-ános.
- B. LUMANPAO Blanco. Lumánpao, T.
- B. LUZONICA Munro. Cauáyan-balícao, T.
- B. MONOGYNA Blanco. Cauáyang-quíling, T.

- BARLERIA PRIONITIS L. (*Acanthaceae*.) A small shrub with straw-colored flowers.  
Culánta, T.; Cócang-manóc, T.
- BARRINGTONIA. (*Myrtaceae*.) Trees or shrubs, with racemes of large pink or white flowers, the petals and stamens falling early.  
Bayág cabáyo, T.; Úban, T.
- B. RACEMOSA Blume. A shrub or small tree with a long drooping raceme of white flowers.  
Botát; Putád, T.; Potát, T.; Putát, T.; Pulát; Malaputád, T.; Túbátuba, V.
- B. SPECIOSA Forst. A tree usually found near the sea, with very large pink fragrant flowers and large angular fruits.  
Bótong, T., V.; Bótong-bótong, T; Bitóon, V.; Bítug; Bonétes; Bítug, V.
- BASELLA RUBRA L. (*Chenopodiaceae*.) A much-branched twining fleshy herb, wild or cultivated.  
Alugbáti, V.; Ilaibáquir, II.; Libáto, T.
- BAUHINIA. (*Leguminosae*.) Unarmed trees or vines with simple leaves, which are usually deeply cleft at the apex.  
Ateúy, Pamp.; Ágpoy, Pamp.; Bambéng, T.; Bodbód, T.; Lúpid; Salingabáng, V.
- B. BINNATA Blanco. Alibíhil; Alihízo; Dás.
- B. BLANCOI Baker. Alibánban, P. T.
- B. CUMINGIANA Benth. Banót, T.
- B. GRANDIFLORA Blanco. Bonǵálon.
- B. MALABARICA Roxb. Alibángbang, T., V., Pamp.
- B. PURPUREA L. Alibánban, T.
- B. TOMENTOSA L. Alibánban, T., V., Pamp.; Alibíhil, V.; Ahihíro, V.; Alambíhor, V.; Balibánban, V.; Dfís, V.; Línas, V.; Marulmao, V.; San-Antonio.
- BEAUMONTIA. (*Apocinaceae*.) Climbing shrubs with large flowers.  
Hingúe calabo, T.
- BEDDOMEA LUZONENSIS Vidal. (*Meliaceae*.) A tree.  
Malacamóte, T.
- BESSEA RIEEDII Kunth. (*Gramineae*.) A bamboo.  
Bocáui, T.
- BEGONIA RHOMBICARPA A. DC. (*Begoniaceae*.) Succulent herbs, valued for ornamental purposes.  
Língat, T.; Píngol-bató, T.
- BELSCHMIEDIA CAIROCAN Vidal. (*Lauraceae*.) Evergreen trees or shrubs.  
Cairócan, T.
- B. MADANG Blume. Malabónga.
- BENINCASA CERIFERA Savi. (*Cucurbitaceae*.) A climbing herbaceous vine, cultivated.  
Condól, T.; Candól, V.; Malínga, T.; Tibiáyon, V.
- BERCHEMIA PHILIPPINENSIS Vidal. (*Rhamnaceae*.) A shrub, with armed branches.  
Odaódeg, Ig.



- BERRY. (*Tiliaceæ.*) Trees.  
Paçác-bálang, T.
- BIDENS PILOSA Linn. (*Compositæ.*) Herbaceous, a kind of "Beggartick."  
Túbac-túbac (Iloilo).
- BIOPHYTUM SENSITIVUM DC. (*Geraniaceæ.*) An herb, with sensitive leaves and yellow flowers.  
Damóng-híya, T.; Húya-húya, V.; Mahihín, Il.; Macahíya, T.
- BISCHOFIA JAVANICA Blume. (*Euphorbiaceæ.*) A lofty tree, valuable for timber.  
Canárem; Dúeg; Dampól, T.; Quitaquíta, Il.; Tóob, T.; Tóog, T.; Tóoc, T., V.; Tuél, Ig.; Toá, T.; Toógan, Cag.; Túa.
- BIXA ORELLANA Linn. (*Bixaceæ.*) A shrub, introduced from America and now very common in the Philippines, the red seeds being used for coloring food, etc.  
Achíote, Sp. Fil.; Achúete; Achúte; Atsúiti, T.; Anáte; Atóla.
- BLECHUM BROWNEI Juss. (*Acanthaceæ.*) An herb of American origin.  
Calabóa, Pamp.; Dáyang, T.; Sapinsapín, T.
- BLUMEA BALSAMIFERA DC. (*Compositæ.*) A tall almost woody herb, 5 to 8 ft. high, very common, and extensively used by the natives in the practice of medicine.  
Ayóban, V.; Alibun, V.; Alibhon, V.; Gábuen, V.; Guftin-guftin; Gíntin-gíntin, V.; Guftin-guftin, V.; Hamlibon, V.; Lalaedan, V.; Lácad-búlan, V.; Laedan-búlan, V.; Sambón, T., Pamp.; Sambóng, T.; Sambúng, T.; Sobsób, Il.
- B. CHINENSIS DC. Catáray (Balabac).
- B. LACINIATA DC. Dílan butiquí, T.
- BOEHMERIA NIVEA Hook. and Arn. (*Urticaceæ.*) A small shrub, the leaves white beneath, yielding the valuable commercial fiber, ramie.  
Apóo; Amíray, T.; Arímai, Il.; Cantón; Cagayán, Il.; Lapnís, C.; Labrús; Labnís, Il.; Pampanḡpáñḡon, V.; Rámí, Sp.
- B. WEDDELIANA Vidal. Ngáluy, Ig.
- BOERHAAVIA REPENS L. (*Nyctaginaceæ.*) A prostrate spreading herb, with very small pink or red flowers, common about towns.  
Paanbalivís, T.
- BOLETUS. A genus of fleshy fungi, with numerous pores on the under side, but no gills.  
Culápo, T.; Cabúti, T.; Payong-payóngan, T.
- BOMBAX MALABARICUM DC. (*Malvaceæ.*) A tree with digitate leaves and very large red or white flowers.  
Bóbuy-gúbat, T.; Bubóy-gúbat, T.; Malabúlac, T.; Queséro; Sálay, V.; Talútu, V.
- BOOTIA CORDATA Wall. (*Hydrocharideæ.*) Submerged fresh-water herb.  
Gábi-gábi, V.
- BRACKENRIDGEA FASCICULARIS F. Vill. (*Ochnaceæ.*) Trees or shrubs.  
Aniátan, T.
- BREYNIA ACUMINATA Muell. Arg. (*Euphorbiaceæ.*) Shrubs or small trees.  
Atíluag (Abra).

- B. CERNUA Muell. Arg. Matáng-uláng (Tayabas); Súngut-oláng, V.
- BRIDELIA. (*Euphorbiaceæ.*) Shrubs or small trees.  
Lándo, T.; Javíli (Zamboanga); Quínay-quínay, T.
- B. OVATA Muell. Arg. Manása, T.; Tarán (Zamboanga).
- B. STIPULARIS Blume. Bancóflan, T.; Cutoeúto, T.; Carabá, Il.; Calondáguí; Dugáron, T.; Hinḡouḡoto, T.; Lobálob, T.; Lubálob, T.; Sincóy-lang, V.; Sañcóy-lang, V.
- BRUCEA SUMATRANA Roxb. (*Simarubaceæ.*) A shrub with large pinnate leaves, the bark, etc., very bitter.  
Bógo-bógo.
- BRUGUIERA. (*Rhizophoraceæ.*) Constituents of the Mangrove vegetation.  
Petals 8 to 14. Useful for tans and dyes, much cut for fire wood.  
Busím; Suál.
- B. CARYOPHYLLOIDES Blume. Bacáuan, T.; Busáin, T.; Búuas, T.; Táñga-babáe.
- B. ERIOPETALA W. and A. Bafo; Báiao, V.; Calibáyoan.
- B. GYMNORRHIZA Lam. Bácan (Tinago); Bacánun, T.; Bácao, T.; Bessín, T.; Oóñḡon, Il.; Petútan, T.; Tañḡál, T.; Tigasán, T.
- B. PARVIFLORA W. and A. Lanáray (Tayabas); Tanagáyay (Dinagat).
- B. RITCHIEI Merrill. Hangáray, T.; Langéray, T.; Magálay, T.; Pototán, T.
- BUCHANANIA. (*Anacardiaceæ.*) Trees.  
Malalígas-na-laláque, T.; Palinlín, T.
- B. FLORIDA Schauer. A variable and widely distributed tree valuable for timber.  
Án-an, Mang.; Ánam, V.; Baliñḡhásay, T.; Balinhásay (Morong); Balinhása, T.; Balenḡásay, T.; Bagulbas (Mindoro); Balíhud, T.; Baligóhot, B.; Balayóhot, T.; Baliñḡáhood, T.; Beobayáno, V.; Bancaláuan, T.; Cocátmon, V.; Diláan, V.; Húpong-húpong, V.; Magúlioc, T.; Malaibóhod; Pusopúso (Mindoro).
- B. LUCIDA Blume. Pásig, V.
- BUDDLEIA ASIATICA Lour. (*Loganiaceæ.*) A shrub, the leaves grayish, pubescent beneath.  
Lagúndi-salása, V.; Sambúng-cóla, T.; Tugnáng, Il.; Talicóno, T.
- B. NEEMDA Hamilt. Háya-háya, V.
- BURSERA. (*Burseraceæ.*) Balsamiferous trees.  
Calamansáinai, T.
- B. JAVANICA Baill. Polyágan, T.; Pulayágan.
- BUXUS ROLFEI Vidal. (*Euphorbiaceæ.*) Evergreen shrubs or trees.  
Pincabánao, T.
- BRYOPHYLLUM CALYCIUM Salisb. (*Crassulaceæ.*) A tall, erect perennial herb.  
Catacataeá, T.; Caritána, V.

## C.

- CAESALPINIA. (*Leguminosæ.*) Trees, shrubs, or vines.  
Bañḡón, B.
- C. BONDUC Roxb. Flowers yellow, leaflets 2 to 3 inches long. Pods with spines on the valves.  
Búgtong, V.; Cámot-cábag, T.

- C. *BONDUCELLA* Flem. Flowers yellow, leaflets  $\frac{1}{2}$  to 1 inch long. Pods with spines on the valves.  
Bayág cambíng, T.; Calambítí; Calambibít, T.; Dalugdúg, V.
- C. *NUGA* Ait. A vine. Pod naked on the valves.  
Cámit cábag, T.; Cabít-cábag, T.; Sapinit, T., V.
- C. *PULCHERRIMA* Sw. A small shrub with striking red flowers, common about towns, introduced from America.  
Caballéro, Sp. Fil.; Rósas caballero, Sp. Fil.
- C. *SAPPAN* L. Shrub or small tree. Pods unarmed. The red wood of this species yields an important dye.  
Sapáng, T., Il.; Sibucáo, V., T.
- C. *CAJANUS INDICUS* L. E. (*Leguminosae*.) Erect, herbaceous. 4 to 6 ft. Flowers yellow.  
Cagyós; Cád-yos, V.; Cagnóis, T.
- C. *CALAMUS*. (*Palmæ*.) Extensively climbing palms, which yield the rattan of commerce. The Philippine species not well known.  
Apís (Zambales); Balinánay, T.; Búcton (Masbate); Bejúco-sípa, T.; Cúnag, T.; Cúrag; Lambótan, T.; Lágni, Pamp.; Locóan (Masbate); Límorán, T.; Yantóe, Calamus.
- C. *ALBUS* Pers. Bacápie, V.; Calápi, V., B.; Boñgán labní, Pamp.; Labnít, B.; Lapnéi, Zamb.; Labní-áuy-na-malóto. Pamp.; Labnéi, Pang.; Parásan, V.
- C. *BUROENSIS* Mart. Oéy, Pang.; Talóla, T.; Úyo, T.
- C. *HAENKAENUS* Mart. Bárit, Il.; Ditáan; Dit-án, T.
- C. *PISICARPUS* Blume. Amlís, T.; Oáy, Il.; Ouây, Il.; Yantóe-límorán, T.
- C. *RHOMBOIDEUS* Blume. Alínao?, Il.; Bunúgan?, Cag.; Lurút, Cag.
- C. *CALLICARPA*. (*Verbenaceæ*.) Shrubs or small trees with small usually pale blue flowers.  
Apúlo (Paragua); Áling hotúngas; Alínao, T.; Dañglínḡan, T.; Inañḡón, T.; Malatabá, T.; Malariconḡaron, Pamp.
- C. *ANGUSTA* Schauer. Tígao, B.
- C. *BICOLOR* Juss. Bayóg; Pális, T.; Papalsís, T.; Túbang dalága, T.
- C. *CANA* L. Tambalabáse.
- C. *CALOPHYLLUM*. (*Guttiferae*.) Trees, valuable for their timber.  
Bilangtón, B.; Cúlu-éflu, B.; Falumoréa, T.; Malaboebóe, T.; Pamiltasquín, Il.
- C. *CUNEATUM* Vidal. Balágnan, V.
- C. *INOPHYLLUM* L. A large tree usually growing near the sea shore. The wood is exceedingly hard and durable, while the seeds yield an oil.  
Bítog, Il.; Bitanhól, T.; Bítoc; Bírog; Bitáoi, Z.; Bancálan, T.; Bitáog, V., Il., Pamp.; Dancálan, T., V., B.; Dincálin; Dincálin, T.; Palo-maría, T., Pamp.; Palo-maría-de-playa; Pamitaóguen, Il.; Pamitlatén, Il.; Tamaufan, T.; Vítam.
- C. *VIDALII* F. Vill. Balágnan.
- C. *WALLICHIANUM* Planch and Triana. A species found in the mountains, distinguished by its rusty-tomentose branchlets.  
Batínan-ámo, T.; Palo-maría de mónte.

- CALOTROPIS GIGANTEA R. Br. (*Aselepiadaceæ.*) A shrub or tree, flowers medium, in cymes.  
Cápol-cápol, T.
- CALYPTROCALYX SPICATUS Blume. (*Palma.*) Báñga, V.; Báhi, V.
- CANANGA ODORATA Hook. f. et Th. (*Anonaceæ.*) A tree very common in the vicinity of towns; the flowers yield a valuable perfume.  
Ángflang (Jolo); Álang-ilang, T.; ílang-ilang, T., V., II.
- CANARIUM. (*Burseraceæ.*) Large trees, many species being found in the Philippines, several species being of special importance as they yield the odorous gum known locally as "brea," which in commerce is known as Manila elemi.  
Adúas, T.; Anagálti; Antóng (Abra); Anáñgi, T.; Basiác, T.; Basiád (Tayabas); Bait; Búlao, T.; Catón-machíng (Zamboanga); Fésa, T.; Hagushús, B.; Jatsahengúm, T.; Malatágun, B.; Mayacyát, B.; Malacalantás, B.; Míli-píli, V.; Malapilánay, B.; Pasaíngin, T.; Palsanguingúñ, T.; Pachaíngan, T.; Palsanhingúñ, T.; Piláui, T.; Sálung (Paragua); Tibáng, Z.; Záleng, V.
- C. COMMUNE L. A source of elemi.  
Píli-piláuy, T.
- C. CUMINGII Engl. Alagátli, T.; Anagátli, T.; Ánten, II.; Bacáyan, V.; Palsabinhím, T.
- C. LUZONICUM Miq. This species yields most of the elemi exported from Manila, and is locally known as "Brea blanca."  
Ánten, II.; Bélis, T.; Pagsaingáin, T.; Piláni, T.; Pináli; Píli, T.; Pisá, T.
- C. MULTIPINNATUM Llanos. Sálung, V.
- C. OVATUM Engl. Áten; Píli, V., T.
- CANAVALIA ENSIFORMIS DC. (*Leguminosæ.*) A twining glabrous perennial or biennial.  
Magtambócao (Leyte); Patáning-dágat, T.
- C. OBTUSIFOLIA DC. A prostrate vine with purple flowers and rather large hard seeds, common on sandy sea shores.  
Pálang-pálang, V.
- CANNA INDICA Linn. (*Scitiminæ.*) Erect herbaceous, with showy red flowers, growing wild; and commonly cultivated for ornament. The canna.  
Balunsaying, V.; Colintásan, V.; Cacuertásan, T.; Cuintás-euintásan, T.; Ságuing-ságuing, V.; Tícas, T.; Tícas-tícas, T.; Tiquís-tiquís, T.; Túcas-túcas; Tapuráñga, V.
- CANSCORA DIFFUSA R. Br. (*Gentianaceæ.*) An annual dichotomously branched herb, with quadrangular stems and rose-colored flowers.  
Cobámba, T.
- CANTHUM. (*Rubiaceæ.*) Usually spinous shrubs or small trees, with small whitish or greenish flowers.  
Cúling-manóc, V.; Tamaúyan-pulá (Tayabas); Tiróron, B.
- C. ARBOREUM Vidal. Malatadiáng (Morong).
- C. CONFERTUM Korth. Dilig, II.; Malapatópat, T.
- C. HORRIDUM Blume. Culíac-dagá.

- C. MITE Bartl. Alanghídan it bánug, V.; Calin-manóg; Pamalatañguén, Il.
- CAPPARIS. (*Capparidaceæ.*) Trees, shrubs, or woody vines, usually armed with spines.  
Casuft, Pamp.; Dánag, T.; Halugábat; Laguño, V.
- C. AURANTIOIDES Presl. Camóng-cámong.
- C. HORRIDA Linn. A climbing shrub, with stout thorns.  
Dáuag, T.; Laguño, V.; Talaetác, Il.
- C. MICRANTHA DC. A shrub or small tree, with small thorns.  
Alagúng-ung, V.; Dáuag, T.; Halugábat, T.; Mararáyat-cáho, T.; Salimómo, V.
- CAPSICUM MINIMUM Roxb. (*Solanaceæ.*) A stout herbaceous plant, with red fruits which have a very pungent taste, universally cultivated and used as a condiment.  
Chfle, Sp. Fil.; Chfli-pscante, Sp. Fil.; Chfleng-bundóc, T.; Lára; Malísa; Pasftis, T.; Quitfcot, V.; Sili, T.
- CAPURA. (*Sapindaceæ.*) Shrubs or small trees.  
Dirig, Il.; Onáo, T.; Paloáhan, V.; Talinoúno, Pamp.
- CARALLIA INTEGERRIMA DC. (*Rhizophoraceæ.*) A small evergreen tree, with small white flowers and ovate leaves, found in dry forests.  
Bacúan guba (Mang.); Dílan usa, T.; Macaásin, T.
- CARDIOSPERMUM HALICACABUM L. (*Sapindaceæ.*) A small herbaceous vine, with inflated fruits, found in waste places about towns.  
Barcólón; Bañgólón, T.; Cána, V.; Páltug-páltécan, Pamp.
- CARICA PAPAYA L. (*Passi oraceæ.*) A tree commonly cultivated for its edible fruits, introduced from America. The Papaw.  
Capáyas, T., V.; Papáya, Sp. Fil.
- CARTHAMUS TINCTORIUS L. (*Compositæ.*) An herb with orange-red flowers, commonly cultivated, the flower being used as a condiment to color foods. The Safflower.  
Casabhá, V.; Catsúmba, T.; Cachúmba, Pamp.; Casubhá, T., Pamp.; Castúmba, Pamp., T.; Bfiri, T.; Lágo, T.
- CARUM COPTICUM Benth. (*Umbellifereæ.*) Herbaceous, the leaves finely pinnately compound, flowers white. Commonly cultivated for its seeds, which in form and taste resemble anise. Caraway.  
Damóro, T., Pamp.; Lamúdió, T., V.
- CARYOTA. (*Palmae.*) The sheaths of various species of this genus produce a very strong black fiber.  
Yóro (Mindoro).
- C. CUMINGII Mart. Pugáhan, T.
- C. RUMPHIANA Mart. Bágasang, V.; Calálíos, V.; Lúmang, Cag.; Malanúig, Cag.; Paticán, V.
- C. URENS L. Cábo-négro; Pugáhan, T.; Sagú; Taguipán; Taquipán, T.
- CASEARIA (*Samydaceæ.*) Trees or shrubs, with alternate leaves and small axillary flowers.  
Calúag, T.; Malatamóyan, T.; Pidpid, Il.; Tapát-tapát, T.; Túlángnanóc, B.; Inignín, T.
- C. CINEREA Turcz. Anavúnga; Maralígao, V.

- C. *MOLUCCANA* Blume. Bintoco; Tambóyog usá.
- CASSIA. (*Leguminosca.*) Usually shrubs or trees.  
Malacatúray, T.
- C. *ALATA* L. A small shrub with yellow flowers and angular winged pods, probably introduced from America, extensively used in the practice of medicine.  
Acapulco, Sp. Fil.; Baiyabásin, T.; Catandá, T.; Casítas, V.; Pacagoncón-castfla; Palochúna, V.; Sonting, T.; Suntng, V., T.
- C. *FISTULA* L. A tree with yellow flowers and long cylindrical pods, used in medicine.  
Anchérhan, T.; Balóyong, V.; Baláyong, V.; Bálay, V.; Caña-pístola, T.; Caña-fístula, Sp.; Ibabáo, V.; Lombayóng, V.; Quína-péstula, T.
- C. *OCCIDENTALIS* L. A diffuse glabrous undershrub, pods compressed.  
Balátong-áso, T.; Balótang-áso, T.; Tighíman, T.; Tambalísa, V.
- C. *TORA* L. Herbaceous, or developing into a small shrub.  
Báho-báho, V.; Balátong-áso, T.; Catandá, T.; Catandáng-áso, T.; Manimaufhan, T.; Mongonongóhan, T.
- CASSYTHA FILIFORMIS L. (*Lauracea.*) A leafless twining yellow parasite, common on grasses, shrubs, etc., on the seashore.  
Malabohóc, T., V.
- CASTANOPSIS PHILIPPINENSIS Vidal. (*Cupuliferca.*) A tree, fruits resembling chestnuts.  
Livían; Lovían, T.; Paunñgágan, T.; Talacátac, T.
- CASUARINA EUISETIFOLIA Forst. (*Casuarinacea.*) Trees with very hard wood, slender cylindrical jointed leaves (not true leaves), and small cones, common near the seashore and along rivers.  
Agóo, T., Il.; Agóho, T., V., Pamp.; Agúho, T.; Agúso, Z.; Agóso, T.; Arróo: Áro, Il.; Áyo, V.; Antóng (N. Ecija); Cáro, Il.; Malabohóc, V.
- CEBRELA TARATARA Blanco. (*Meliacea.*) This species and the next are known as the Philippine cedar, the wood has the appearance and odor of red cedar, and is used for the construction of cigar boxes.  
Sandana, V.; Balongcaúit, B.; Taratára, T.
- C. *TOONA* Roxb. Alam (Mindoro); Calantás, T., Pamp.; Cantínŕgen, Il.; Danúpra (Cagayan); Daníggá (Cagayan); Lagíni; Lanŕpá; Laníggá, B., V.; Laníggá, V.; Laníggá, V., B.; Poráe, Il.
- CEIBA PENTANDRA Gaertn. (*Malvacea.*) Trees with straight trunks and few branches, extending at right angles from the trunk. This species yields an abundance of a fiber known in commerce as "copak" and used for stuffing pillows and mattresses.  
Bóboy, T.; Búbuy, T.; Búlac, T.; Búlac-dondól (Cebu); Búlac-castfla, Pamp.; Bulaesíno, T.; Cápoe (Jolo); Cápas, Il.; Cáyo, B.; Cápas-sánŕglay, Il.; Daldól, V.; Dondól, Il.
- CELOSIA ARGENTEA Linn. (*Amarantacea.*) An erect glabrous annual herb.  
Cadayóhan, T.; Cudiápa, V.; Quindayóhan, T.
- C. *CRISTATA* Moq. An erect glabrous herb, cultivated for ornament.  
Palonpalónŕgan; Padóng-padónŕgan, V.

- CELTIS PHILIPPINENSIS Blanco. (*Urticacæ.*) A tree, leaves prominently triple nerved. A valuable timber tree.  
 Alméz; Lodóno; Logóg, V.; Lagóg (Iloilo); Malafemo, T.; Malaguibúyo, V.; Malaitmo, T.; Magabóyo, V.
- CENTRIPEDA ORBICULARIS Lour. (*Compositæ.*) A very small prostrate herb with small yellow flowers.  
 Haráñgan, T., V.; Pissfe, V.
- CEPHALOSTACHYMN CAPITATUM Munro. (*Graminæ.*) A bamboo.  
 Napnáp, V.
- CERATOPHYLLUM SUBMERSUM Linn. (*Ceratophyllacæ.*) Small herbs found in fresh water.  
 Ináta, T.
- CERBERA ODOLLAM Gaertn. (*Apocinacæ.*) A shrub, found along the seashore, with white flowers and milky sap.  
 Árbon (Paragua); Baraybáy, T.; Búto-búto, V.; Lipáta (Ticao); Marayábay, T.; Toctóe-cálo, T.
- CERIOPS CANDOLLEANA Arn. (*Rhizophoracæ.*) A constituent of the mangrove vegetation. Petals 5 to 6.  
 Bácao, T.; Bacáuan, T.; Bfuas, T.; Ligásan, T.; Pototán, V.; Tanǵál, T.; Túngung, V.; Tigasán, T.
- C. ROXBURGHIANA Arn. Tanǵál laláqui, T.; Tanǵál-tanǵál, T.
- CESTRUM NOCTURNUM L. (*Solanacæ.*) A small shrub with greenish flowers, cultivated for ornament. Introduced from America.  
 Dama-de-nóche, Sp.
- CHAILLETIA GELONIOIDES H. f. (*Challetiæ.*) Small trees.  
 Córong, T.; Bítlag, T.
- C. GRIFFITHII Hook. f. Deedé, Il.
- CHAMPEREIA GRIFFITHII Planch. (*Santalacæ.*) A small tree with alternate leaves and very small flowers.  
 Malalúcban, T.; Malulúcban, T.; Panalayápin, T., Il.
- CHENOPODIUM AMBROSIODES L. (*Chenopodiæ.*) A tall aromatic herb, introduced from America.  
 Aposótis, T., V., Pamp.; Apasóte, T.; Alposótes, Sp. Fil.; Apasótis, T.; Pasótis, T.; Parsótis, T.
- CHIONANTHES. (*Olcacæ.*) Trees.  
 Bayógo, V.; Sagapsáp, V.
- CHIOSCHETON. (*Meliacæ.*) Large trees or some species shrubs.  
 Agupáñga (Mindoro); Agapáñga, V.; Agopáñga (Marinduque); Balúcao, T.; Cúling-bábuy, T.; Himámao, T.; Saplúñgan-colorádo.
- C. CERAMICUS Miq. Salaquí, T.
- C. PANICULATUS Hiern. Balocánac, T.
- C. TETRAPETALUS Turcz. Bogolóyae, B.; fbo, V.; Malabáya, T.; Magulfve, T.; Tóob, T.
- CHLORANTHIUS BRACHYSTACHYS Blume. (*Chloranthacæ.*) Small shrub, flowers in terminal racemes.  
 Em-ém, Ig.
- CHRYSANTHEMUM INDICUM L. (*Compositæ.*) Cultivated for ornament.  
 Dolóntas, T.

- CHRYSOPOGON ACICULATUS Trin. (*Gramineæ*.) A tufted grass, common in open places.  
Amóres secos, Sp. Fil.; Cólol-colótan, T.; Maríscos, T.
- CINNAMOMUM. (*Lauraceæ*.) Several species of cinnamon are found in the Philippines, the bark of the several species having to a greater or less extent the properties of true cinnamon of commerce.  
Canéla de monte; Malasángui; Maragaoéd, Il.; Pási, B.; Samflin, T.; Sindóe, T.
- C. MERCADOI Vidal. Calín̄gag, T., V.; Canín̄gag, T., V.
- C. PAUCIFLORUM Nees. Candaróma, Il.; Calín̄gad, T., V.; Calín̄ga, V.; Canéla; Páta, Ig.; Macalín̄gag, T.
- CISSAMPELOS PAREIRA L. (*Menispermaceæ*.) A vine with a cylindrical woody stem. Much used in the practice of medicine.  
Bátang-bátang (Cebu); Caláad; Chancháe; Chincháo-chincháuan, T.; Cincháó-cincháuan, T.; Calacalamáyan (Batangas); Cuscuspa, Il.; Gulangulamánan, T.; Himpapára, V.; Hampapáre, V.; Pári, V.; Sampapáre, V.; Sansáo; Sausaósan-sansaósan, T.; Yemoumóhan, T.
- CITRUS. (*Rutaceæ*.) The lemons, oranges, limes, etc.  
Calamóndiu; Lucbán-gúbat; Malacabúgao, V.; Súa, Il.
- C. ACIDA Roxb. Dáyap, T.
- C. AURANTIUM L. Orange.  
Calamansé, T.; Cahél, T., V.; Cagél, Sp. Fil.; Cabúlaó (Tiagan); Dalandán, T.; Pisóng, T.; Narangítas, T., V.; Sintónis, T.
- C. DECUMANA Linn. Cabúgao, V.; Lucbán, T.; Naránja T.
- C. HYSTRIX DC. Camúlao, Il.; Camuntáy, V.; Camúyo, T.; Colobót, T., V.; Cábog; Cabúyao, Pamp.; Dilánan; Duñgurún̄gut, C.; Gufd (Tiagan); Mayagárin; Súha (Batangas).
- C. MEDICA L. Búyag, T.; Cídra; Calamondín, T.; Daláyap, V.; Limón, Sp. Fil.
- C. TOROSO Blanco. Calábot.
- CLAOXYLON INDICUM Hassk. (*Euphorbiaceæ*.) A shrub or small tree with pubescent branches and variable leaves.  
Bflid-bflid (Zamboanga); Ságay, V.
- C. WALLICHIANUM Willd. Balílang oác, T.
- CLAUSENA. (*Rutaceæ*.) Unarmed shrubs or trees with white flowers and small ovoid fruits.  
Balucbúe, T.; Lognig; Píris, T.; Sanquí, T.
- C. EXCAVATA Burm. Camañguíanis, T.; Calomáta, T.; Maisipáisi, T.; Cayumánis, T.
- C. WAMPI Oliv. Huampít, T.; Uámpit; Wámpi, T.
- C. WILLDENOVII W. and A. Himúlao, V.
- CLEIDION. (*Euphorbiaceæ*.) Trees with alternate leaves.  
Malaputát, T.; Camáisa sa gubat, T.
- C. JAVANICUM Blume. Macaisá, T.; Malatúba, V.
- CLEISISTOMA AMABILE T. and B. (*Orchidaceæ*.) An epiphytic orchid.  
Dapó-sa-cauáyan, T.
- CLEMATIS GOURIANA Roxb. (*Ranunculaceæ*.) An herbaceous vine.  
Calúpad, V.; Toláng-sang-bánug, V.



- CLEOME VISCOSA Linn. (*Capparidaceæ*.) An annual erect, softly pubescent herb with yellow flowers.  
Apoy-ápoyan, T.; Balabalanóyan, T.; Huláya-sang-áyam, V.; Sili-silíhan, T.; Silisían, T.
- CLERODENDRON. (*Verbenaceæ*.) Shrubs or small trees, many of the species with very showy flowers.  
Alibácta, B.; Bagáuaç, T.; Baggáb; Bagánag, T.; Gogáuaç, T.; Casopánguil-na-putí, T.; Casopángil-sa-gúbat, T.; Malabága, T.; Máñgha, T.
- C. BLANCOANUM F. Vill. Bagáuaç na morádo, T.; Balictárin, T.; Sáling-ouáç-ñga-mañtum, V.
- C. BLANCOI Naves. Casupañgil gubat, T.
- C. BRACHYANTHIUM Schauer. Hamíndan, B.
- C. CUMINGIANUM Schauer. Dacítung (Jolo).
- C. FRAGRANS Vent. Higantóng, V.
- C. INERME R. Br. Balíseng, V.
- C. INFORTUNATUM L. Casupañgil-gúbat, T.
- C. INTERMEDIUM Cham. Small shrub with showy red flowers, common.  
Balantána, V.; Bantána, V.; Bolóng-támbal; Alocásoc, V.; Asnánñgai, V.; Iginñga, T.; Iguinñga; Colocológ, V.; Casopánguil, T.; Caláica; Laróan-aníto, T.; Macalalánang, T.; Pacápis, V.
- C. LANUGINOSUM Blume. Taguipán.
- C. MACROSTEGIUM Schauer. Actolígan; Agbolígan, Il.; Bagánac; Binúnñga, T.; Magbolígan, Il.; Malapotocán, T.; Nacbolígan, Il.; Sáling-ouáç, V.
- CLETHRA CANESCENS Reinw. (*Ericaceæ*.) Shrubs.  
Cámog, Il.; Malacláç.
- CLINOGYNE GRANDIS B. and H. (*Scitiminææ*.) Erect herbaceous plants.  
Bañbáng (Morong).
- CLITORIA TERNATEA Linn. (*Leguminosææ*.) Herbaceous vine with large blue flowers, common about towns.  
Calocantíng, T.; Colocantíng; Puquínñgang, T.
- CLORIS BARBATA Sw. (*Graminææ*.) A tufted, handsome grass, 1 to 2 ft. high, found about towns.  
Coroscorósan, T.
- CNESTIS TRIFOLIA Pers. (*Leguminosææ*.) A climbing shrub.  
Hammabalár; Marindáto.
- CNICUS WALICHI DC. (*Compositææ*.) A thistle.  
Págat, Ig.
- COCOS NUCIFERA Linn. (*Palmaæ*.) The coco palm, the natives distinguish many varieties.  
Adiávan, T.; Anbong, V.; Bonotán, V.; Bótong, V.; Cayománis, V.; Cóco, Sp. Fil.; Dahíli, V.; Lóbi, V.; Lubácan, V.; Níog-ñga-potí, V.; Lóbi-ñga-hinbáon, V.; Lóbiññga-pilípog, V.; Ngónñgot. Pamp.: Limbáon, V.; Lubí; Níog, T., C., Il., B., V.; Óññgot, Z.; Pamócol, T.; Pañgosín; Potót, V.; Pañgosín, V.; Pilípog, V.; Tapiasín; Tam-ís, V.; Tam-ísán, V.; Tayománis, V.

- CODIAEUM VARIEGATUM** Muell. Arg. (*Euphorbiaceae*.) A small shrub with exceedingly variable variegated leaves, extensively cultivated for ornamental purposes.  
Buena vista, Sp. Fil.; Calipayang, V.; Pfla; Saguilalá, T.; San-Francisco, Sp. Fil.
- COFFEA ARABICA** L. (*Rubiaceae*.) A shrub or small tree. Coffee, universally known to the natives as café.  
Cabána (Jolo); Café, Sp.
- COIX LACHRYMA-JOBI** Linn. (*Gramineae*.) A stout grass with very hard globose fruits, which are used for beads. "Job's tears."  
Adláy, V.; Agdá, Ig.; Tegbé, T.; Tigbí, T.
- COLDENIA PROCUMBENS** L. (*Borraginaceae*.) A prostrate scabrous herb with alternate crisped leaves.  
Tapiasín, T.; Orégano-laláqui, T.
- COLEUS**. (*Labiatae*.) Commonly cultivated herbs, ornamental.  
Sugánda, T.
- C. ACUMINATUS** Benth. Albaláca morádo, T.; Daponáya, V.; Laponáya, V.; Malamayána, T.; Taponáya, V.
- C. AROMATIUS** Benth. Orégano, Sp. Fil.
- C. ATROPURPUREUS** Benth. Badiára, T., V., Pamp.; Mayána, T., V., Pamp.; Marayápa, T., V., Pamp.; Maliána, T., V., Pamp.
- COLOCASIA ANTIQUORUM** Schott. (*Aroidae*.) Tall, coarse herb from a tuberous root, extensively cultivated for its edible root, very variable.  
Abálong, V.; Apípi, V.; Badiang; Bíga, V.; Dágmay; Dágmay-ñga-qufuson, V.; Dágmay-ñga-inflog, V.; Dágmay-ñga-bolflao, V.; Dágmay-ñga-apípi, V.; Dágmay-ñga-tapól, V.; Gávay, T., V., Pamp.; Gábi, Cag., T., V., Pamp.; Gábíng-moráda, V.; Gandús, T., V., Pamp.; Galíang, V.; Gáby-na-sibóyas, T.; Gábíng-polá, T.; Gáby-ñga-guinátos, V.; Gábíng-siláñgan, T.; Gáby-na-sinibóyas, T.; Guinátos, V.; Lagváy, T., V., Pamp.; Quimpóy, V.
- COLUBRINA ASIATICA** Brongh. (*Rhamnaceae*.) An erect glabrous, unarmed shrub.  
Cabalíti, T., V.; Uatitit, T., V.
- COLUMBIA**. (*Tiliaceae*.) Shrubs or small trees with 3 to 5 winged fruits.  
Anílao-uan, T.; Barió-an, Pang.; Namáued, T.
- C. SERRATIFOLIA** DC. A very common shrub; the bark yields a strong bast fiber.  
Anílao, T.; Arílao; Baynúd.
- CONNAROPSIS PHILIPPICA** F. Vill. (*Geraniaceae*.) Shrub.  
Balábang quilíng, V.; Malabanñquilín, V.
- COMBRETUM**. (*Combretaceae*.) Large shrubs, with long pendent or scandent branches.  
Malaedóg, H.
- C. OVALIFOLIUM** Roxb. Pamulacláquin, T.
- C. SQUAMOSUM** Roxb. Malatumbága, T.

- COMMELINA BENGHALENSIS L. (*Commelinacea*.) A slender creeping succulent herb, with blue flowers.  
Alicbáñgon, T.; Biás-biás, Pamp.; Cabilao, V.; Sabiláo, V.; Sabiláo-ñga-laba-án, V.; Ulighbóñgon.
- C. COMMUNIS Linn. Sambítao, V.
- COMMERSONIA PLATYPHYLLA Andr. (*Sterculiacea*.) A tree with broad pubescent leaves, white flowers, and 5-valved capsules which are covered with soft bristles.  
Bagó; Benoáng, T.; Culilí; Labáya (Tayabas); Mayamágar, V.; Patálo, T.; Potólo, T.
- CONNARUS. (*Connaracea*.) Trees or shrubs with odd pinnate leaves.  
Camágsa-taguilís, T.; Hanmababáo, T., V., Pamp.; Gufcos-gufcos, T.
- C. FERRUGINEUS Jack. Sal-láday.
- CONOCEPHALUS. (*Urticacea*.) Climbing shrubs with alternate entire leaves.  
Cátoy (Albay).
- C. ACUMINATUS Turcz. Anópol (Albay).
- C. ERECTUS Blanco. Hanópol, T., V.
- C. OVATUS Tree. Tobáyan (Tayabas).
- C. SUAVEOLENS Blume. Lágna, T.
- CORCHORUS ACUTANGULUS Lam. (*Tiliacea*.) An annual herb with elongated 6-angled capsules.  
Pásao-na-habá, T.
- C. CAPSULARIS L. An annual with sub-globose capsules.  
Lambáy, V.; Pásao; Pásao-na-bilóg, T.; Póñglo-póñgloan.
- CORDIA BLANCOI Vid. (*Borraginacea*.) Shrubs or small trees with alternate leaves and rather large flowers.  
Ánong, T.; Anóngang, B.; Bibili, V.; Salóyong, T.; Sinalígan, H.
- C. SUBCORDATA Lam. Agút-ut, V.; Banálo, T.; Sigán-dágat, B.
- CORDYLINE TERMINALIS Kunth. (*Liliacea*.) Shrub with distichous linear leaves.  
Quiláa, V.; Saguilalá, T.; Toneód-obíspo, T.; Tócor-pari, Pamp.
- CORIANDRUM SATIVUM Linn. (*Umbelliferae*.) An aromatic stout, smooth herb with white flowers, cultivated. Coriander.  
Culántro (Manila); Óñgsay (Manila).
- CORYPIA. (*Palma*.) Anáhao, T.; Macasílad, T.
- C. UMBRACULIFERA L. Bulí, T.; Báuñga; Burí, T.; Bulí-burí; Bálong-lúyon, Pamp.; Silae, H.
- COSTUS. (*Scitiminea*.) Leafy erect herbaceous plants.  
Tamocáun.
- COUTHOVIA CELEBICA Koorders. (*Loganiacea*.) Tree.  
Balí-balí, V.
- CRATAEVA RELIGIOSA Forst. (*Capparadacea*.) Tree with 3-foliate leaves and large yellow or purplish flowers.  
Balái-lamóc, H.; Baláy-namúc, H.; Sáling-bóbog, V., T.
- CRATOXYLON. (*Hypericacea*.) Trees.  
Goyón-goyón, T.; Papáca, Z.; Daráya, T.; Lúyong-lúyong, V.

- C. BLANCOI Blume. Bága-túbang (Samar); Causflan, V.; Guyón-guyón, T.; Pañguríngu, V.
- C. CELEBICUM Blume. Olínguon, V.
- C. FLORIBUNDUM F. Vill. Cuélang (Benguet); Pagurínguon, B.; Satíng-gágan, B.
- C. FORMOSUM Benth. and Hook. f. Camantáyo, V.; Malaráyat, T.
- CRESCENTIA ALATA H. B. K. (*Bignoniacea.*) A tree, introduced from America, sometimes cultivated for ornament.  
Hoja cruz, Sp.
- CRINUM. (*Amaryllidacea.*) Succulent herbaceous plants with long leaves and large white fragrant flowers.  
Lirio, V.
- C. AMOENUM Roxb. Bácong-bácong, V.
- C. ASIATICUM Linn. Agubáhan, V.; Bácong, T.; Bácong, V.; Palagúcon, V.; Salibangbáng, V.
- C. PRATENSE Herb. Bácong sa sólog, V.; Bácong ñga duláo, V.
- CROTALARIA L. (*Leguminosae.*) Herbs or small shrubs with yellow flowers and simple or 3-foliolate leaves.  
Catandá, T.; Cólung-cólung, V.; Górong-górong, V.
- C. LINIFOLIA L. f. Gúrong-gúrong, V.
- C. QUINQUEFOLIA L. Súsoi, T.; Susosusóyan, T.
- C. VERRUCOSA L. Búlai-láva, T.
- CROTON. (*Euphorbiacea.*) Shrubs or small trees.  
Canónay, T.; Camánnga, T.; Malabágná, T.
- C. CONSANGUINEUS Muell. Arg. Malatúba, B.
- C. LEIOPHYLLUS Muell. Arg. Cátap (Zamboanga).
- C. MURICATUM DC. Balánti.
- C. TIGLIUM L. A small shrub, the seeds yielding the croton oil (*Oleum tiglium*) of commerce. Used by the natives in the practice of medicine and for poisoning fish.  
Camáisa, T.; Camandág, V.; Macásla, V.; Túba, T.; Túba-camaisa, T.; Túba-sa-búquid, V.
- CRUDIA BLANCOI Rolfe. (*Leguminosae.*) Shrub or tree with odd pinnate leaves.  
Calatumbága; Hintotóor, T.; Malatumbágo, T.; Malusúngay, T.; Úlud, Z.
- CRYPTERONIA. (*Lythraceae.*) Trees with opposite entire leaves and small white or green flowers.  
Camanóe, V.; Salásan, T.
- C. PANICULATA Blume. Quilámo, T.
- CRYPTOCARYA. (*Lauraceae.*) Evergreen shrubs or trees.  
Banítan, Pamp.
- C. DENSIFLORA Blume. Aedán, T.
- C. ILOCANA Vidal. Camígay, H.
- C. VILLARII Vidal. Balictan?.
- CUEBIA RUMPHII Blume. (*Sapinduceae.*) Tree.  
Cubíli (Balacan); Lubilubíli (Bataan).

- CUCUMIS MELO L. (*Curcubitaceae*.) The melon.  
Atímon, V.; Catimón, V.; Melón, Sp. Fil.
- C. SATIVUS Linn. The cucumber.  
Cábul; Calavága, V.; Cohómbro; Pepino, Sp.
- CURCUBITA MAXIMA Duch. The squash.  
Calabázang bilóg, T.; Calabázang pulá, T.
- C. PEPO DC. The pumpkin.  
Calabáza.
- CUDRANIA JAVANENSIS Trec. (*Urticaceae*.) Shrubs or small trees.  
Talólong, I., II.; Tahád-labúyo, T.
- CUMINGIA PHILIPPINENSIS Vidal. (*Malvaceae*.) A shrub or small tree.  
Libáto-putí, T.
- CUPANIA. (*Sapindaceae*.) Shrubs or small trees.  
Anácu, T.; Balasábis, Z.; Bagoníto B.; Cúyos-cúyos, T.; Cusibén, II.;  
Guiríc-gutín, B.; Sausafíli, T.; Úyos; Sálab, T.; Balasábis.
- CURCUMA CASSIA Roxb. (*Scitiminaceae*.) Herbaceous plants with large  
leaves.  
Lampúyang-tápol, V.; Lampúyang-dorác, V.
- C. LONGA Linn. Áñgai, Pamp.; Calánuag, V.; Calavága, V.; Culíao, II.;  
Culálao, Pamp.; Diláo, T.; Dúlao, V.; Cúnig, II.; Lisáñgay, Z.;  
Páñgas, Pamp.; Quinambóy, V.
- C. VIRIDIFLORA Roxb. Caláoag, V.; Tarrín.
- C. XANTHORRHIZA Roxb. Bólon, T.; Lampúyang, T.; Támo, T., Pamp.;  
Tumahíba, T.
- C. ZERUMBET Roxb. Barác, T.
- CYANOTIS AXILLARIS Roem. and Schult. (*Commelinaceae*.) Prostrate herb  
with small leaves and small blue flowers.  
Bílang-bílang?, V.; Haúli? (Jolo); Sabiláo, V.
- C. CRISTATA R. and S. Alicbánñgon, T.; Luya-luya, V.
- CYATHEA INTEGRÁ J. Sm. (*Filices*.) Calatóndon, T.
- CYATHOCALYX ZEYLANICUS Champ. (*Anonaceae*.) A tree with acuminate  
leaves and large carpels.  
Soál, T.
- CYATHULA PROSTRATA Blume. (*Amarantaceae*.) An annual, prostrate,  
flowers in small solitary clusters.  
Dáyang, T.; Dócat-décat, V.
- CYCAS CIRCINALIS L. (*Cycadaceae*.) Bitógo, T.; Patúbo, T.; Pitógo, T.
- CYCLEA PELTATA H. f. and Th. (*Menispermaceae*.) A climbing shrub  
with peltate deltoid leaves.  
Abiáb, V.
- CYCLOSTEMON. (*Euphorbiaceae*.) Trees.  
Bítong-manóc, V.; Magaranbúlo (Tayabas); Talimúrong, Pang.;  
Ugáo, V.
- C. CUMINGII Baill. Tenáan-bantáy (Tayabas).
- CYNODON DACTYLON Pers. (*Gramineae*.) A low prostrate grass, the "Ber-  
muda grass" of the United States.  
Colátay, T.; Cáuat-cauáran, T.; Málit, T.

CYNOMETRA. (*Leguminosæ*). Trees.

Malapúyao, T.

C. INAEQUALIFOLIA A. Gray. Batíti, V.; Dila-dila, T.; Ólod, Pamp.

C. RAMIFLORA L. Balitbítan, T.; Ódling, V.; Úlnd (Tarlac).

CYNOMORIUM PHILIPPINENSE Blanco. Capúla, V., T.

CYPERUS. (*Cyperaceæ*.) Coarse or fine grass-like plants, usually found in wet soils, the sedges.

Alúsang, T.; Báca-bacáhan, T.; Balañgótan, T.; Boñgót-boñgót, V.; Calambó-calambóan, T.; Colabatán, T.; Gúmi-gúmi, T.; Gufsay calabáo, T.; Mané manican, T.; Mísay-calabáo, T.; Múta, T.; Óbud-óbud, V.; Potóc; Páyong-páyong, V.; Sud-súd, V.; Tíca, T.

C. DIFFORMIS Linn. Bancóan; Báqui-báqui, V.; Guilámhon, V.; Títio, T.; Tiquio, T.

C. ELATUS Linn. Cóbong-cóbong, V.

C. ROTUNDUS L. This species is somewhat used in the practice of medicine, the "nut grass" of the United States.

Botobótones, B.; Cúsung, Pamp.; Galonálpas, Pamp.; Malaapólid, Pamp.; Móta, Pamp.; Mútha, T.; Onorán, Pamp.; Omáding, Pamp.; Omádiung, Pamp.; Sursúr, Pamp.

## D.

DACTYLOCTENIUM ÆGYPTIUM Pers. (*Gramineæ*.) A common tufted grass with digitate inflorescence.

Álam, T.

DAEMONOROPS. (*Palmeæ*.) A climbing palm, related to *Calamus* and yielding rattan.

Calábang, V.; Halambám?, V.; Paláuan, V.

DALBERGIA. (*Leguminosæ*.) Scandent shrubs or trees.

Malaga-hánip, T.; Malunál-núgáyam, T.

D. FERRUGINEA Roxb. Cámut-cábag, T.

D. LANCEOLARIA Linn. Macápil, T.

D. SPINOSA Roxb. Balibágan, V.

DALEA NIGRA Mart. and Gal. (*Leguminosæ*.) An herbaceous plant introduced from Mexico and now common in many localities in the Philippines.

Agógo, T.; Camángi, T.; Dúrang-párang, T.; Sampáloc sampalocan, T.

DATURA ALBA Nees. (*Solanaceæ*.) Stout herbaceous plants with elongated large whitish flowers, the "Jimson weeds" of the United States.

Catchúbung, V.; Catchíbung, V.; Talampónai, T., Pamp.; Tatchúbung, V.

D. FASTUOSA L. Talampónai na itim, T.

D. METEL L. Catchúbung, V.; Tarumpúnia, T.; Talonpúnay.

DECASPERMUM. (*Myrtaceæ*.) Shrubs with white or pink flowers.

Pugáuy.

D. BLANCOI Vidal. Ualisualisán, T.

D. PANICULATUM Kurz. Álung-cágay, V.; Culási, B.; Dugayón, V.; Salilhan, V.

- DEERINGIA CELOSIODES R. Br. (*Amarantacea*.) A climbing shrub with small greenish white flowers.  
Hagorflis, T.; Hanlilimócon, V.
- D. INDICA Zoll. Babánat (Nueva Viscaya).
- DEHAASIA. (*Lauracea*.) Evergreen trees.  
Casói-casúian, T.; Malacádios, B.
- DELIMA SARMENTOSA L. (*Dilleniacea*.) A woody vine with very harsh leaves, small white flowers, and small red fruits.  
Malacatmón, T.; Málvas-tagbálang, T.
- DENDROBIUM. (*Orchidacea*.) An epiphytic orchid.  
Sañgumafn, T.
- D. LUNATUM Lindl. Pasuríao, V.; Sulfao, V.
- DENDROCALAMUS. (*Gramineæ*.) A bamboo.  
Cauáyan-tainánae; Cauáyan-lumanpáo; Cauáyan-búho; Bútong, V.
- D. FLAGELLIFER Munro. Búlio, V.; Bóho, T.
- D. MEMBRANACEUS Munro. Bagáca, V.; Macalbáng, V.
- DENTELLA REPENS Forst. (*Rubiacea*.) A small, weak, prostrate annual with white flowers.  
Dílang-butiquí, T.; Dílan-butiquí.
- DERRIS. (*Leguminosæ*.) Climbing woody vines.  
Bagáybay, T.; Balúgai.
- D. SCANDENS Benth. Malasága, T.
- D. SINUATA Benth. Asiasmanan, T.; Bútong, V.
- D. ULIGINOSA Benth. Hingasinán, V.; Hingasín, V.; Silasíla, T.
- DESMODIUM. (*Leguminosæ*.) Trees, shrubs, or herbs with jointed pods.  
Malacáro, V.; Manimanfan, T.; Mañgquét, T.; Masambóng; Parapanáhas, T.
- D. LAXIFLORUM DC. A small shrub, the branches angled, pubescent.  
Dócot-dócot, V.
- D. PULCHELLUM Benth. A shrub, the flowers hidden in persistent distichous bracts.  
Caláicai (Leyte); Calayáca, V.; Caliacay, V.; Manquí; Payangpayáng, T.
- D. TRIFLORUM DC. A trailing herb, the flowers axillary.  
Pacpác-láñgao, T.
- D. UMBELLATUM DC. A shrub or small tree found near the sea shore.  
Malapígas, T.; Malacários, Z.; Túyat-bagufo, V.
- DEUTZIA PULCHRA Vidal. (*Saxifragacea*.) A shrub with opposite leaves and white flowers.  
Quetquét, Ig.
- DICTYONEURA. (*Malphigiacea*.) Tree.  
Cúbao.
- DIGITARIA. (*Gramineæ*.) A slender grass with digitate inflorescence, the "crab grass" of the United States.  
Baludgangan, T.
- DILLENIA PHILIPPINENSIS Rolfe. (*Dilleniacea*.) A tree with very large showy white flowers.  
Catmón, T., V.

D. SPECIOSA Gilg. Malacatmón, T.; Paláti, Paláli, B.

DIOSCOREA. (*Dioscoreaceae*.) Climbing plants, usually from fleshy root-stocks, many species being used for food. The Philippine species are very imperfectly known.

Boháyan, V.; Bódot, V.; Cairóni, T.; Cálot, Pang.; Cóbag-na-quirói, T.; Hampás tagbálang; Pológan, V.; Páquit, T.; Púgang, V.; Limalíma, T., V.; Queróe, T.; Quinampái (Cebu); Tamís, V.; Toquíng-pálo; Tuguí, T.; Toguíng, T.; Toguíng-pólo; Úbe.

D. ALATA L. Úbi.

D. BATATAS Deene. Dulían, Il.

D. DIVARICATA Blanco. Ignéma.

D. EBURNEA Lour. Banáyan, V.

D. FASCICULATA Roxb. Bolót, V.; Borót, V. Corót, V.; Culád, V.; Dalíngga, V.; Dalíngag, V.; Tóñgo, T.

D. HIRSUTA Blume. Cálut, Pamp.; Cólót, V.; Cáyos, V.; Gáyos, V.; Orót, V.; Táquí.

D. PENTAPHYLLA Pers. Bayañgacán.

D. SATIVA L. Báong, V.; Balaíeag, V.; Cóbag, T.; Dógue; Náme; Quirói, T.<sup>6</sup>

DIOSPYROS. (*Ebenaceae*.) Shrubs or trees, many species being found in the Philippines, most species having very hard dark-colored wood, and some species having edible fruit. The American persimmon belongs to this genus.

Aláhan, T.; Alántag, T.; Aráhan, B.; Anang, T.; Bantolinon, T.; Baganfto (Morong); Baliñgácta-colorádo (Abra); Banlatináo, Pang.; Bulonguítan, T.; Busíli, Pang.; Bantolico, Z.; Camagahál (Morong); Calimántao, T.; Calohádiang, Pamp.; Calamansánaí, T.; Cadapdap, B.; Catelána, T.; Camónay, T.; Camayúan, T.; Coloyánang, Pamp.; Colohádia, Pamp.; Dambuhála, T.; Laguiedí, Mang.; Malagaítmon, T.; Matobató, B.; Maravical (Morong); Marabíeat, T.; Malasóro, B.; Malatálang, Pamp.; Ogáo, B.; Pagatpát, T.; Págatpágat (Laguna); Panaguítmon, B.; Tagofsmón, B.; Ugáo, B.

D. BLANCOI DC. Amága.

D. CUNALON A. DC. Cunálon, V.

D. DISCOLOR Willd. Amága, V., T.; Camagúan; Camagón, T.; Mabólo, T., V.; Malatápay, T.; Tálang, T., Pamp.

D. EBENASTER Retz. Sapóte; Zapóte.

D. EMBRYOPTERIS Pers. Tálang-gúbat, T.

D. MALACAPAI A. DC. Malacápai, T.

D. MULTIFLORA Blanco. Canómay, T.

D. NIGRA Retz. Lúyong; Lúyan, T.; Zapóte negro.

D. PILOSANTHERA Blanco. Amága, V., T.; Alintátao, T.; Apopúyot (Cagayan); Bálatinao; Bantolinao, V., T.; Batolínao (Cagayan); Bolongaéta, T.; Bolonguíta, T.; Balonígíta; Bárlis; Baliñgácta, Il.; Dalondóng, V.; Calohádia; Caloyánang.

DIPLODISCUS PANICULATUS Turez. (*Tiliaceae*.) A small tree.

Banágo, T.; Balóbo, T.; Baróbo, V.; Balúbo, T.; Camilíng; Malúbo, T., V.; Manáyao; Mulíng-mulíng, T.



- DIPTEROCARPUS. (*Dipterocarpaceæ*.) All large forest trees, valuable for timber and many species producing valuable gums.  
 Antóng, T.; Búñga (Cagayan); Banúyo, T.; Bailáyan (Mindoro); Bayúcan, T.; Dañglín, II.; Hagadhád; Láuan-maputí, T.
- D. AFFINIS Brandis. Binagúan, V.
- D. GRANDIFLORUS Blanco. Apítton, T.; Apítong, T.; Hapítton, T., V.
- D. MAYAPIS Blanco. Mayápis, T.
- D. PILOSUS Roxb. Hagachác, T.
- D. POLYSPERMUS Blanco. Tañguñli; Tañgíli, T.
- D. VERNICIFLUS Blanco. Búlay (Batangas); Bálao, T.; Malápao; Malapábo, T.; Panáo, T.; Pámo, T.; Pámo; Póñgo.
- DITTELASMA RARAK Hook. f. (*Sapindaceæ*.) A tree.  
 Bayúco, V.; Cóbe; Cúbi; Dúca, V.; Guishíhan, T.
- DODONAEA VISCOSA Linn. (*Sapindaceæ*.) A shrub, the leaves somewhat viscid with a shining yellow resin. Seacoast.  
 Alipáta, T.; Calapímai, T.; Casírag, Z.; Haguyúy (Tayabas).
- DOLICHANDRONE SPATHACEA K. Sch. (*Bignoniaceæ*.) A tree usually found near the sea, with large white flowers.  
 Túa; Túi, T.; Tué, T.; Toi, T.; Tiúí, V.; Tanhás, V.
- DOLICHOS. (*Leguminosæ*.) Twining herbs, both species cultivated.  
 Quibál, T.
- D. ECHINULATUS Blanco. Tútao, T.
- D. LABLAB L. Búlai (Batangas); Bátao, T., V.
- D. SESQUIPEDALIS L. Sílao.
- DONAX ARUNDASTRUM Lour. (*Marantaceæ*.) Bában (Zamboanga); Aláro, V.; Bambán, T.; Baubán, T.; Banbóm, T.; Bayambán; Galáñga; Maubán, T.
- DRACAENA. (*Liliaceæ*.) Balinúay, T.
- DRACONTOMELUM. (*Anacardiaceæ*.) Trees. Malaácle (Tayabas); Malafhao, T.
- D. CUMINGIANUM Baill. Alaúfhao; Batfean; Dáo, T.; Malaadúas, T.
- D. MANGIFERUM Blume. Búbur; Batóan, V.; Dáo, T., V.; Lamfo, T.; Malafyao, T.
- DROSER A INDICA L. (*Droseraceæ*.) Low herbs, the leaves being adapted to catching insects.  
 Hintipálo, T.
- DUABANGA MOLUCCANA Blume. (*Lythraceæ*.) A tree found near the seashores.  
 Cádír; Caddíl, B.; Baligáñgan, B.; Caráuan, B.; Loctón; Lubtúb; Malabanabá, T.
- DURIO ZIBETHINUS Linn. (*Malvaceæ*.) A tree found in Jolo and Mindanao, much prized for its edible fruit, the durian.  
 Durián; Duñán; Dulñan (Jolo).
- DYSOXYLUM. (*Meliaceæ*.) Trees with straight, nearly unbranched trunks, the long, pinnate leaves being crowded at the top.  
 Agús-us (Tayabas); Balucánad, T.; Catubacúlan, T.; Dinálat-náftem; Malabayábas; Pandapánda, T.

- D. ARBORESCENS Miq. Malaságuin.  
 D. BLANCOI Vidal. Águio, T.; Ananátag, V.; Águin. Pamp.; Ágin, T.; Ananántang, V.; Bacúgan, V.; Binǵliu, V.; Basiloag, Il.; Boháve, V.; Bolóng támbal, V.; Himámaw, T.; Ígiw, T.; Igufo, Pamp.; Mananaúǵtáng, V.; Malabánǵao, Pamp.; Macasli. V.; Malabága, Pamp.; Talictán, T., Pamp.

## E.

- ECLIPTA ALBA Hassk. (*Composita.*) An erect or diffuse slender annual with small heads of white flowers.  
 Híguis-manóe?, T.; Tintaftnta, Il.  
 EHRETIA. (*Borraginacea.*) Trees or shrubs with alternate leaves and axillary or terminal paniculate or corymbose inflorescence of small white flowers.  
 Bágao; Chá-cimarrón; Halimómo, T.  
 E. BLANCOI A. DC. Itmóng-dalága, T.  
 E. BUXIFOLIA Roxb. Alaǵúitǵit, T., V.; Aláǵúit; Buyóc buyóc; Cham-búndoc, T.; Maǵúit; Mangúit, T., V.; Putpátay, B.  
 E. ONAVA A. DC. Ngaǵáfta, T.; Onáva, T.  
 E. PHILIPPINENSIS A. DC. Macaisá, B.; Salimómo, T.; Talibóbong, V.  
 ELAEAGNUS LATIFOLIA L. (*Elacagnacea.*) A shrub or small tree, the leaves silvery or rusty beneath.  
 Aliǵáro, T.  
 ELAOCARPUS. (*Tiliacea.*) Trees with simple leaves, the flowers in axillary racemes.  
 Birlág, T.; Calumácan, V.; Culilísiao (Tayabas); Gulilísiao (Tayabas); Hagónoy-sa-lásang, V.; Hóngo, T.; Ilónǵo, T.; Malacapí, T.  
 E. FLORIBUNDUS Blume. Conácon; Gusután.  
 E. LANCEAEFOLIUS Roxb. Calomála, T.  
 E. MONOCERA Cav. Malacálios.  
 E. MULTIFLORUS F. Vill. Tigálot, V.  
 E. OBLONGUS Gaertn. Cabálte, V.; Cabílte, V.  
 E. OBOVATUS Arn. Calunácan, V.  
 ELATOSTEMA. (*Urticacea.*) Herbs or undershrubs with alternate leaves and minute flowers.  
 Anǵánǵe, Ig.  
 ELEOCHARIS (*Cyperacc.*) Glabrous sedge-like plants with simple erect unjointed stems.  
 Absíc, T.; Balág-balanggótan, T.; Buslíg, Il.; Táyoc-táyoc, V.; Ubo-dúbod, T.  
 E. PELLUCIDA Presl. Gúmi-gúmi, T.  
 ELEPHANTOPUS MOLLIS H. B. K. (*Composita.*) Rigid erect herbs with scabrid leaves, the heads surrounded by leafy bracts.  
 Díla-díla, T.  
 E. SCABER L. Tabatabacáhan, T.  
 E. SPICATUS Juss. Ardátag, V.; Cabcáron, Il.; Dílang usa, T.; Hábul, V.; Sigáng-dátag, T.; Símag, Pamp.

- ELETTARIA. (*Scitiminæa.*) Leafy erect herbaceous plants.  
Panáon, V.
- ELEUSINE INDICA Gaertn. (*Graminæa.*) Common in waste places, inflorescence digitate.  
Baquisquisan; Sábong-sabóñgan, T.; Sambále, T.
- EMILIA SONCHIFOLIA DC. (*Compositæa.*) An annual herbaceous plant with purple flowers, a common weed.  
Libún, V.; Tagulínao, T., Pamp.
- ENGELHARDTIA. (*Juglandaceæa.*) Trees, the fruit adnate to a three-lobed bract.  
Bíbit, T.; Píngol, T.
- ENIALUS KOENIGII Rich. (*Hydrocharidaceæa.*) A submerged marine herb with very narrow leaves 2 to 3 ft. long.  
Ísai, T.
- ENTADA SCANDENS Benth. (*Leguminosæa.*) A large woody tendril-bearing vine with jointed pods, 2 to 3 ft. long or more, 3 to 4 in. wide. The bark is extensively used as a substitute for soap.  
Balógo, V., Pamp.; Balónos, V.; Bayógo, T., V., Pamp.; Gógo, T.; Góhong báca, V., Pamp.
- EPIPREMNUM MEDIUM Engl. (*Aroidæa.*) A scandent shrub, rooting on trees, with distichous pinnatifid leaves.  
Amólong, Il.; Balicúpcup, V.; Bisáco, V.; Dafla, V.; Dibátib, V.; Garbán, V.; Hórog, V.; Malapaepác-baláuay, T.; Tibátib, T.; Tirbátib, V.
- ERAGROSTIS PLUMOSA Link. (*Graminæa.*) Slender tufted grasses.  
Caliráorao, T.
- E. TENELLA R. and S. Buguíbuc, T.
- ERANTHEMUM BICOLOR Schrank. (*Acanthaceæa.*) A small shrub with entire leaves and spicate inflorescence.  
Alyópyop, V.; Átay-átay, V.; Cínco-llágas; Limáng-súgat; Maladosdós, V.; Mandalúsa (Cebu); Mópío, V.; Panaptúm, V.; Quiuatu-lúan, T.; Silisilíhan, T.; Tíhol-tíhol, V.
- ERIACHNE. (*Graminæa.*) Slender tufted grasses.  
Gúme, T.
- ERIOCAULON SEXANGULARE Linn. (*Eriocaulonaceæa.*) Slender glabrous sedge-like plants, found in very wet places.  
Gúmi-gúmi, T.
- ERIOGLOSSUM. (*Sapindaceæa.*) Shrubs or small trees.  
Calamáyo, T.
- E. EDULE Blume. Dúca, V.; Malacacáo, T.; Malaságuin-putí (Tayabas).
- ERIOSEMA CHINENSE Vog. (*Leguminosæa.*) Slender, erect, 1 to 2 ft. high from a woody tuber, flowers short peduncled in the leaf axils.  
Cátíl, Ig.; Cutíl, Ig.; Lincamas, Il.
- ERYCIBE. (*Convolvulaceæa.*) Scandent diffuse shrubs with densely hairy corolla tubes.  
Malútay, T.

E. PANICULATA Roxb. Saláday, V.

ERYTHRINA INDICA Lam. (*Leguminosae*.) A tree with crimson flowers, much planted for ornamental purposes.

Bagbág, II.; Búbug; Cabráb, B., T., V.; Carapdáp, T.; Casindíc, T.; Cosindíc; Dapdáp, T., V., Pamp.; Dapedápe; Selbáng; Sulbáng, Pamp.; Telbóng.

E. OVALIFOLIA Roxb. Aní, T.; Córong-córoug, V.

ERYTHROPALUM. (*Oleaceae*.) Climbing shrubs with alternate palmi-nerved leaves.

Baliñgáyo, T.

EUGENIA. (*Myrtaceae*.) Small or large trees with white flowers, some species with edible fruit, others valuable for timber. A very large critical genus, the Philippine species, 50 or more, very imperfectly known.

Águis, V.; Anúbing, T.; Aráñga blanco, T.; Aráñgan, T.; Aráua, B.; Bagábac, Pamp.; Bágui-lómboy; Balacánog, T.; Baligán-nin-gáñgan, B.; Balíscup (Zamboanga); Balóbac, Pamp.; Balúbat, Pang.; Bansaláguin, T.; Baranhányo, V.; Bilólo, T.; Binólo, B.; Bislót, T.; Bitbíd, B.; Cabáhoy; Cabájuy; Cabaó-y, V.; Cabítong, Pang.; Calocágo, B.; Calúbcub, T.; Calúceog, T.; Calúcepup, T.; Caracób-butiguí, V.; Carocób, B.; Caróbcob-butiguí (Camarines); Colopócop, T.; Corocób, B.; Cúloc-cúloc, V.; Cupecúp, Pamp.; Dalocnásan, B.; Dinglás; Dinlás, T.; Dolocnásan, B.; Ductúlan, T.; Dúgan, T.; Guenáyang, T.; Guisihan, T.; Hagáho, V.; Husuhúsu, B.; Igút, V.; Líbas; Línas, B.; Lipóte, T.; Lutánan (Zamboanga); Mabútbót, B., V.; Macaásin; Macaásin-pulá, T.; Macásin; Macásin-muláto, T.; Malabáguis, B.; Malabáli, B.; Malabayábas, T.; Maladúhat, B.; Malagaráyat, T.; Malarúhat, B.; Malaságging-putí, T.; Malatampóy, T.; Malatúbig, T.; Malayámbo, T.; Miágus, V.; Nángos, V.; Paglunhúyen; Palo-dúro (Zamboanga); Palumbúyen, Pang.; Pam-lombóyan, II.; Pañghing-búyen (Abra); Panlambúyen, II.; Pañg-lombóyan, II.; Papóñga, Z.; Potían, T.; Pulanbalát; Puso-púso, T.; Putían, T.; Salarádan, B.; Tambís; Tambít (Dinagat)\*; Támbu-háñguin, II.; Tampúe, T.

E. CYMOsa Lam. Malarúhat-na-pula, T.

E. JAMBOLANA Lam. Fruit edible.

Dúat, T., V., Pamp.; Dúhat, T., V., Pamp.; Lumbóy, T.; Lumbói, T., Pamp., V., II.

E. JAMBOS L. Fruit edible.

Balábae, T.; Balóbar, Pamp.; Barábag; Baracbae, II.; Calocób, T.; Macúpa, T.; Manzána-rósa, Sp. Fil.; Tampói, T., V.; Yámbo, T.; Yambolín; Yambósa.

E. JAVANICA Lam. Manquíl, T.

E. LINEATA Duthie. Bacánis (Zamboanga); Lági-lági, V.; Macaásin, T.

E. MACROCARPA Roxb. Darob-cób, T.

E. MALACCENSIS L. Macúpa, T., V.

E. MONTANA Blanco. Copcóp, T.; Malacaropecóp (Bataan).

- E. OPERCULATA Roxb. Bárong? (Cagayan); Malarúhat, T.
- E. TETRAGONA Wight. Dáua, T.
- EULOPHIA ELONGATA Blume. (*Orchidaceae*.) Terrestrial herbs.  
Lóbi-lóbi, V.
- EUCONYMUS. (*Celastraceae*.) Trees or shrubs.  
Sárang-putí, V.
- EUPATORIUM AYAPANA Vent. (*Compositae*.) An American herb, introduced, cultivated, and spontaneous, used in the practice of medicine.  
Apána, T.; Ayapána, T.
- EUPHORBIA ATOTO Forst. An erect frutescent herb with abundant milky sap, common on sandy seashores.  
Búto-butonisan, T.
- E. NERIFOLIA L. (*Euphorbiaceae*.) A small erect glabrous, fleshy shrub.  
Baít, T., Pamp.; Carambuáya, Il.; Léngua-de-pérro, Sp. Fil.; Sorog-sórog, T., Pamp.; Sóro-sóro, T., Pamp.
- E. PILULIFERA L. A small prostrate herb, densely pubescent, much used in medicine.  
Batobatónis, T.; Bolobotónes, Pamp.; Botobótones; Bóvi, V.; Buyayáya, V.; Gátas-gátas, T., V.; Golandrína, Sp.; Magátas, Pamp.; Malismalís, Pamp.; Sayfean, T.; Sisióhan, Pamp.; Sisíwhan, Pamp.; Taváya, V.
- E. PULCHERRIMA Willd. Introduced from America, cultivated for ornament.  
Pascúas.
- E. THUCALLI. An erect unarmed shrub, the branches green, leafless.  
Catúit, T.
- EURYA JAPONICA Thunb. (*Ternstroemiaceae*.) A shrub, the flowers small, in axillary fascicles of two each.  
Bógua, V.
- EURYNES AMBOINENSIS Herb. (*Amaryllidaceae*.) Ábod, V.; Ábud, V.; Cantangál, V.; Catúngal, T.; Cósol, V.; Daúsum, V.; Panábor, V.; Talaónor, V.; Tambál, T.; Tanúal, V.; Tomúar, V.
- E. SYLVESTRIS Salisb. Ábur, V.
- EUSIDERONYLON. (*Laurineae*.) Olívas, Sp. Fil.
- EVODIA. (*Rutaceae*.) Trees or shrubs with small flowers in axillary pinnate cymes.  
Bábay-bánay; Cáhoi dalága, T.; Calimántao (Unisan); Camalón, T.; Malamoláuin, T.; Toneápan, V.; Túnco-túnco, T.
- E. LATIFOLIA DC. Bintóco, B.; Tancápan, B.
- E. MINDANAENSIS Merrill. Malíco, V.
- E. ROXBURGHIANA Benth. Matáng diáblo, T.; Píras, T.
- E. TRIPHYLLA DC. Balúgua, V.
- EXACUM TETRAGONUM Roxb. (*Gentianaceae*.) An erect branched herb with blue flowers.  
Cánto-cánto, T.

EXCOECARIA AGALLOCHA L. (*Euphorbiaceæ.*) A small evergreen tree of the tidal forests, with alternate long petioled leaves.

Ali, Ig.; Alipáta, V.; Búta, T.; Bóta-bóta, T.; Butabúta, T., Pamp.; Díla-díla (Marinduque); Himbabáo, V., Pamp.; Lipáta, V.; Sfac, V.

## F.

FAGRAEA. (*Loganiaceæ.*) Trees or shrubs with opposite entire leaves.

Bujécan (Albay); Gatásan, T., V.; Malasinóro, B.

F. CRASSIPES Benth. Cacáo-íta (Balabac).

F. FRAGRANS Roxb. Úrung (Paragua).

F. MORINDEAFOLIA Blume. Báiao, T.; Cabál, T.; Gatásan, V.; Magusáyac, V.

F. VOLUBILIS Jack. Mangasinóro, T.

FERONIA ELEPHANTUM Correa. (*Rutaceæ.*) A spinous tree with alternate leaves, with the odor of aniseed.

Ponoán, V.; Pamunoán, V.

FICUS. (*Urticaceæ.*) Shrubs or trees with milky sap, the inflorescence a hollow, fleshy, globose receptacle on the trunk, branches, or branchlets. A very large critical genus.

Aga (Nueva Ecija); Balítang payápa, T.; Bigáa, V.; Cam-máleg (Abra); Catón (Albay); Cayantón, Z.; Daláquit, V.; Esesmáya, T.; Hagosós, T.; Hagufnut, V.; Hagúpít, V.; Hanéle, T.; Haufli, T.; Hawili, T.; Lac-há; Lagnób; Lagnúb; Lío-lío, Ig.; Lonóc, V.; Lub-tób; Malaisís, T.; Maranmárang, V.; Nábo, V.; Noc-nóc, V.; Oplí, T.; Oplíng-máya (Tayabas); Pagaplacím, Il.; Pagufling, T.; Paquíling, Pamp.; Pasácla, Il.; Pasápila, Il.; Pilén, V.; Pílic (Cebu); Ray-yaray-yá, Il.; Taguísan-bayáuag (Unisan); Taguláuay; Talícot, V.; Talfcut; Talíctoc (N. Ecija); Tandadáguy; Tañgísan, T.; Tañgísang-bayúac, T.; Taquínes, V.; Teb-bég, Ig.; Tebéc; Tecbéc, Il.; Tipíg; Uplí (Tayabas).

F. AMPELAS Burm. Malaúpli; Palític.

F. ASPERA Blanco. A shrub with very harsh leaves.

Alásas, Pamp.; Is-fs, T., V., Pamp.

F. CAULOCARPA Miq. Luná.

F. CLUSIOIDES Miq. A tree, fruit red.

Baléte, T.; Balíti pulá, T.

F. CUMINGII Miq. A shrub with linear leaves.

Lafñging, T.

F. CUNEATA Miq. Duñgárug, V.; Tañgínsan-bayáuac, T.

F. GLOMERATA Roxb. A small tree with the green fruit in great masses on the trunk and larger branches, very common.

Afmit, V.; Amíson; Aymít; Tibíg, T.; Tibíg-na-laláqui, T.

F. HETEROPHYLLA L. A small shrub with green or red fruit, leaves exceedingly variable.

As-fs, T.; Uplás, Il.

F. HIRTA Vahl. Biri.

- F. *HISPIDA* Blanco. Agósoc, T.; Agós-os, T.; As-is, T., V., Pamp.; Isiof-sio, T., V., Pamp.
- F. *INDICA* Linn. A small tree with small purplish receptacles on the ultimate branches.  
Balíti, T., Pamp.; Dalañguit; Daláguit, V.; Dayáquit; Nonóc, V.
- F. *LUZONENSIS* Merrill. Malanáca.
- F. *MINNAHASSAE* Miq. A tree, the fruit purplish on long specialized branches 6 to 10 ft. long, from the trunk and larger branches.  
Áymit, T.; Ayúmit. T.
- F. *PAYAPA* Blanco. Payápa, T.
- F. *PSEUDOPALMA* Blanco. A slender unbranched shrub 10 to 15 ft. high, the large leaves all crowded at the apex of the stem, giving the plant a palm-like appearance.  
Labsób; Nióg niógan, T.; Sulániog, V.
- F. *QUERCIFOLIA* Roxb. A small shrub with harsh, variable leaves.  
Agúpit; Dayágsac.
- F. *RADICANS* Roxb. Baléte-gapang (Marinduque).
- F. *FIMBRISTYLIS MILIACEA* Vahl. (*Cyperacea*.) Low, tufted, grass-like plants.  
Ágor, T.
- F. *SCHOENOIDES* Vahl. Gúmi-gúmi, T.
- F. *FLACOURTEA*. (*Bixacea*.) Trees or shrubs with toothed or crenate leaves.  
Palápil.
- F. *CATAPHRACTA* Roxb. Bitanhól, T.
- F. *SEPIARIA* Roxb. Bitóngol, T. Sáua-sáua, V.
- F. *FLAGELLARIA INDICA* Linn. (*Flagellariacea*.) A long slender vine with linear parallel-veined leaves, climbing by means of the prehensile leaf tip.  
Aráyan, T.; Balñgay; Balñgay, T.; Balenñgay; Balñguay, T.; Hoág, V.; Huác, V.; Uác, V.; Yngula, T.
- F. *FLEMINGIA*. (*Leguminosca*.) Shrubs. Lacláy-gufnan, T.; Malabalátong. Pamp.; Payáñgea (Bulacan).
- F. *STROBILIFERA* R. Br. Gan-gán, V.
- F. *FLEURYA INTERRUPTA* Gaud. (*Urticacea*.) An annual herb with stinging hairs.  
Dalámo, V.; Damóro, V.; Daodáua, V.; Lanñgála, V.; Lipá, T.; Lipáñgáso; Lipáng-castila, T.; Lopá, Pamp.
- F. *FLUGGEEA OBOVATA* Wall. (*Euphorbiacea*.) Botólan, T.; Butúlan (Tayabas); Magaspáng, V.
- F. *FOENICULUM VULGARE* Gaertn. (*Umbellifera*.) An aromatic, stout, smooth herb, cultivated: "fennel."  
Anís, Sp. Fil.
- F. *FRAGARIA INDICA* Andr. (*Rosacea*.) A strawberry. Daguínot, V.
- F. *FREYCINETIA*. (*Pandanacea*.) A climbing shrub, the leaves spirally arranged.  
Alásas, T.
- F. *INSIGNIS* Blume. Malapangdán, T.
- F. *LUZONENSIS* Presl. Pañgdán, T.

## G.

- GANOPHYLLUM FALCATUM* Blume. (*Burseracea.*) Pandapánda. T.; Tapúyay, V.
- GARCINIA.* (*Guttiferae.*) Trees, usually with yellow juice, with evergreen coriaceous leaves. Several species yield gamboge.  
Alipáchao, Il.; Bágo-bágo. V.; Gaguinúbang na pulá (Negros); Balúcot; Banágo, T.; Banítí, T.; Batúan, V.; Bónog (Paragua); Cavál, T.; Culambísan. B.; Dolítan-putí, T.; Gatásan dilao (Tayabas); Járas; Páglá, B.; Paitán, T.; Pildís, Pamp.; Píris, T.; Tatlácanáe, T.
- G. CAMBOGIA* Desrouss. Bágo-bágo (Bohol); Bilúcao, T.; Binúcao, T.
- G. CORNEA* Linn. Gatásan, T., V.; Mangostán, V.
- G. COWA* Roxb. Háras, V.; Sadúnġan, V.
- G. DUODECANDRA* Pierre. Gatásan, T.
- G. MANGOSTANA* Linn. Fruit edible, highly prized. The mangosteen.  
Mággis (Jolo); Manguís (Jolo).
- G. OVALIFOLIA* H. f. and T. Malabatóan, T.; Mangostána, V.
- G. VENULOSA* Choisy. Bábo-bágo (Bohol); Gatásan pulá, T.; Gúta-gámba, Macambójo (Iloilo).
- GARDENIA.* (*Rubiaceae.*) Shrubs or small trees, the white flowers very fragrant.  
Calanġi, V.; Tayácan, Mang.; Mayáno. (Paragua).
- G. OBSCURA* Vidal. Caraglí, T.; Baya-bayabásan, T.; Malabayábas, T.; Pagbút, Pamp.
- G. PSEUDOPSISIDIUM* Blanco. Malabayábas, T.; Sulípa.
- GARUGA.* (*Burseraceae.*) Trees with alternate leaves and globose fleshy drupes.  
Bagulíbas, T.; Bógo; Gabílo, T.; Taquíp-asín, T.
- G. FLORIBUNDA* Decne. Abiláo, T.; Abílo, T.; Avílo, T.; Bagó; Bfo, Il.; Búgo, V., T.
- GAULTHERIA.* (*Ericaceae.*) Low herbs in the mountains.  
Calunúġa, Ig.
- GELONIUM.* (*Euphorbiaceae.*) Evergreen glabrous shrubs or small trees.  
Píli (Zamboanga).
- G. GLOMERULATUM* Hassk. Pañġlancaén, Il.; Sañġítan?.
- GEODORUM SEMICRISTATUM* Lindl. (*Orchidaceae.*) Terrestrial herbs.  
Camáog, V.; Cóla, T.; Cólas, T.; Cólang-bundóe, T.; Faríqtan, T.; Lubí-lubí, V.; Nfog-nfog, T.
- GEUNZIA CUMINGIANA* Rolfe. (*Verbenaceae.*) Shrubs or small trees.  
Magulíe, T.; Sobsógan-bógo, B.
- GIRONNIERA CELTIDIFOLIA* Gaud. (*Urticaceae.*) Evergreen unarmed shrubs or small trees.  
Amamánpang (Albay).
- GLIRICIDIA MACULATA* H. B. K. (*Leguminosae.*) A small tree of American origin, with white or purplish flowers.  
Cacahuáte, Pamp.; Cacauáte; Cúpang-bundóe, B.; Balóc-balóc, T.; Mádre-cacáo, Sp. Fil.; Maricacáo, T.



- GLOBBA MARANTINA Linn. (*Scitiminacea.*) Lampúyang-*n̄ga* guinatóla; Lampúyang-*n̄ga*-mapulá, V.; Panítan.
- G. PARVIFLORA Presl. Lúya-lúya-it-áyam (Iloilo); Malalúya, T.
- G. STROBILIFERA Zoll. Dúlao-babáye, T.; Tamohílan, T.
- GLOCHIDIUM. (*Euphorbiacea.*) Shrubs or small trees, a large and critical genus, of little or no economic importance.  
Antobáng, T.; Bagáng-bagáng, B.; Báгна, T.; Balíng cáhoy, V.; Búгна, V.; Calían, T.; Carmái, T.; Dampól, T.; Malaátes, T.; Malacafé, T.; Uanuána-na-putí, B.
- G. LITORALE Blume. Cáyong, V.; Ságsa, V.
- GLYCOSMIS. (*Rutacea.*) Shrubs.  
Malamoláuin, T.
- G. PENTAPHYLLA Corr. Gufúñguen, T.
- G. MELINA. (*Verbenacea.*) Shrubs with showy yellow flowers.  
Alípung, T.
- G. ASIATICA L. Bága-báboi, T. V.; Balabaláyan, T., V.
- G. VILLOSA Roxb. Bága-báboi, V.; Bohól; Talúñgun, V.
- GNAPHALIUM. (*Composita.*) Small, herbs, found on the higher mountains.  
Buquín̄gan.
- G. INDICUM L. Bádóc, H.
- G. LUTEO-ALBUM L. Onánat, Ig.
- GNETUM GNEMON L. (*Gnetacea.*) Small trees or vines, rather common in forests.  
Bagó, V.; Bágo-síli; Bañgál, T.; Coliát, T.; Culiát, V., T.; Itmóng-ouác, T.; Lamparáhan, T.; Malaítmo, T.; Nábo, B.
- G. SCANDENS L. Biás, T.; Tóval, T.
- GOMPHIA. (*Ochnacea.*) Glabrous shrubs or trees with yellow flowers in axillary or terminal racemes or umbels.  
Bansílai, T.; Bulánan, V.
- G. ANGUSTIFOLIA Vahl. Bulocánan, V.; Caranyán, V.; Postalágon; Ta-loctón, Z.
- GOMPHIRENA GLOBOSA L. (*Amarantacea.*) Hirsute or villous herbs with thickened nodes.  
Botoncillo, T.; Buquín̄gan, T.
- GONIOTHALAMUS. (*Anonacea.*) Small trees or shrubs with a solitary or fascicled flowers.  
Lanótan, T.
- G. GIGANTEUS Hook. f. and Th. Lanútan putí.
- GONOCARYUM. (*Loganiacea.*) Malapandaéane, B.; Malasituín, Pamp.; Pamulacláquin, T.; Tan̄gíli (Tarlac).
- G. TARLACENSE Vidal. Lúnas, T.; Lúnas-na-itím.
- GORDONIA. (*Ternstrocmiacea.*) Trees with evergreen leaves, flowers usually axillary, large.  
Surán-surán, V.
- G. LUZONICA Vidal. Suransurán.
- GOSSYPIUM ARBOREUM L. (*Malvacea.*) Cotton. Several species and many varieties of cotton are cultivated in the Philippines, but little attention is given to the industry.  
Búlac-na-búndóc, T.; Búlac-na-totóo, T.; Búlac-*n̄ga*-bisáya, V.

- G. BARBADENSE L. Cantón; Pernambuco, Sp. Fil.
- G. HERBACEUM Linn. Bálac-castila, Pamp.; Búlac, T.; Búlag, T.; Cadába; Candába, V.; Gápas, V.; Gápas costa; Gaspás-caséra.
- G. PERENNE L. Búlac-cáhoj, T.; Búlac-na-montí, T.; Búlac-na-totóo, T.
- GOUANIA. (*Rhamnaceæ.*) Unarmed climbing shrubs with alternate leaves.  
Leterán, T.; Pahampác, Pamp.
- GRAPTOPHYLLUM HORTENSE Nees. (*Acanthaceæ.*) A glabrous shrub; the leaves purple, or sometimes variegated; commonly cultivated for ornamental purposes.  
Antólang, T.; Ataiátai, T.; Balásbas, V., T.; Balásbas-malómay, T.; Morádo, Sp. Fil.; Morádong-maputí, T.; Morádong-maputi; Pásao, V.; Sarása, T.; Ternáte, T.; Yóvas, T.
- GREWIA. (*Tiliaceæ.*) Shrubs or trees, more or less stellate-pubescent.  
Balábo, T.; Balibágo, T.; Dánḡoy, T.; íring, T.; Lígao; Malatápay, T.
- G. LAEVIGATA Vahl. Dánḡli (Tayabas); Dánḡlín, Il.; Danylin, T.
- G. UMBELLATA Roxb. Danlóy.
- G. PANICULATA Roxb. Baḡḡálad, V.
- GUETTARDA SPECIOSA Linn. (*Rubiaceæ.*) A small evergreen tree with broadly ovate leaves and woody globose drupes, common in littoral and tidal forests.  
Bagaólan, T.; Balaḡḡágan, V.; Balibágan, V.; Banáro, T.; Calunpanḡín, T.; Lagbáḡḡan; Malasúrut, B.
- GYMNOSPORIA. (*Gymnosporiaceæ.*) Shrubs or small trees, with alternate leaves, the branches often spinescent.  
Camayúan, T.; Tamaúyan-putí, Z.
- G. AMBIGUA Vidal. Tamaúyan.
- G. MONTANA Roxb. Malaráyap, T.
- GYNANDROPSIS PENTAPHYLLA DC. (*Capparidaceæ.*) An annual herb with 5-foliolate leaves and white or purplish flowers in glutinous racemes; common; used in medicine.  
Apóiapayan, T.; Balabalanóyan, T.; Huláya, V.; Cínco-cínco; Sili-slihan.
- G. SPECIOSA DC. An American species sometimes cultivated for ornamental purposes.  
Arána (Manila).
- GYNOTROCHES Blume. (*Rhizophoraceæ.*) A small tree with oblong coriaceous leaves and numerous small axillary flowers.  
Malacláin-bísan, T.
- G. AXILLARIS Blume. Bayasbás, V.; Doyóe-doyóe, V.
- GYNURA ANGULOSA DC. (*Compositæ.*) A robust, glabrous, corymbosely branched herb, with large sessile leaves.  
Sampága-del-mónte, T.
- G. SARMENTOSA DC. A glabrous climbing plant.  
Camáḡḡí, T.
- GYROCARPUS JACQUINI Roxb. (*Combretaceæ.*) A tall tree with alternate long-petioled leaves, the nut bony, crowned by the elongate spatulate calyx lobes; common near the seashore.  
Hanḡdong, T.; Lapolápo, Il.

## H.

- HABRANTHUS. (*Amaryllidaceæ.*) Ajos-ajos ñga mapotí, V.  
H. VERSICOLOR Herd. Lírío, T.  
HARPULLIA ARBOREA Radlk. (*Sapindaceæ.*) Shrubs or trees.  
Magálat.  
H. BLANCOI F. Vill. Ioás, T.; Póas, T.; Púas.  
HARRISONIA BENNETII Benth. and Hook. f. (*Simarubiaceæ.*) A glabrous shrub with short recurved spines in the lower parts of the branches. and pinnate leaves, used in medicine.  
Asímao, T.; Bacúit, Pang., T.; Cámot-púsa, T.; Camúñgui (Zamboanga); Lafya; Mamaguél, T.; Muntáni, V.  
HEDYCHUM. (*Scitimineæ.*) Herbaceous plants with distichous oblong or lanceolate leaves.  
Bánai, V.  
H. CORONARIUM Koenig. Bánay, V.; Cateátau, V.; Catótang, V.  
H. HASSELTII Blume. Banáoag, V.  
HELICIA CUMINGIANA Presl. (*Proteaceæ.*) Trees or shrubs with alternate leaves, the flowers in terminal or axillary racemes.  
Olét, Ig.  
HELICONIA. (*Scitimineæ.*) Agótai, V.; Agútai, V.  
HELIOCONIOPSIS AMBOINENSIS Miq. (*Scitimineæ.*) Manálsid, V.  
HELICTERES. (*Sterculiaceæ.*) Trees or shrubs, more or less stellate-pubescent, with simple leaves and axillary solitary or fascicled flowers.  
Búntut-úsa, V.; Paronápin, Il.  
H. SPICATA Colinb. Báquin-baquít, Il.; Bóntot-usá, V.. T.; Dañglíng-áso, V., T.; Talósan, T.  
HELIOTROPIUM INDICUM Linn. (*Borraginaceæ.*) A low herbaceous plant with densely flowered spicate inflorescense. A common weed, used in the practice of medicine.  
Cábra-cábra, V.; Cámbra-cámbra, V.; Contíng-cotíñgan, T.; Coting-cotíñgan; Ifilalay-ón; Himlalay-ón, T.; feog-feog-sang-cuti, V.; Trompalipaúte, V.  
HEMIGRAPHIS REPENS Blanco. (*Acanthaceæ.*) An herb with opposite leaves, the flowers sessile in heads or spikes.  
Pálad-pálad, V.  
HEMIGYROSA. (*Sapindaceæ.*) Trees with alternate abruptly pinnate pallid leaves.  
Malacaúyan, Z.  
H. CANESCENS Thw. Manuñgbága, V.; Sálab, T.; Sálag.  
HENSLOWIA. (*Santalaceæ.*) Parasitic shrubs with spreading, erect, or twining branches, alternate thick leaves, and minute flowers.  
Camín, Z.  
HEPTAPLEURUM. (*Araliaceæ.*) Large shrubs or trees, glabrous or tomentose, with digitate leaves.  
Carancán, V., B.: Taguíma.  
H. CAUDATUM Vidal. Limalíma, T., V., Pamp.; Limólímo, T.

- H. SUBULATUM Seem. Calangeáng, V.
- H. VENULOSUM Seem. Carañgeány, V.; Cayañgeán, V.; Galámai-ámo, T., V.; Tuglíma, V.
- HERITIERA LITTORALIS Dry. (*Sterculiaceae*.) A small tree with oblong leaves, white beneath, and oblong, woody, boat-shaped fruits, 2 to 4 inches long. Common along the seashore.
- Dun̄gón-láte, T.; Dún̄gón, T., V.; Dugón-láte, T.; Dongón, T.; Dún̄gun, T., V.; Liosín (Zambales); Maladún̄gun, T.; Malarúngon, T.; Palonápoy, Z.; Paronápin, Il.; Palun̄gápoy, Il.
- HERNANDIA PELTATA Meissn. (*Hernandiaceae*.) A tree with rounded-ovate acute or obtuse peltate leaves, common on the seashore.
- Coloncógon, B.; Malatan̄gan-tán̄gan, B.; Tábag.
- HETEROPOGON CONTORTUS Roem. and Schult. (*Gramineae*.) A tufted grass.
- Tigbáo, V.
- HETEROSTEMMA CUSPIDATUM Decne. (*Asclepiadaceae*.) A twining, nearly glabrous shrub.
- Biniguásan, T.
- HIBISCUS. (*Malvaceae*.) Herbs, shrubs, or trees, with usually showy flowers.
- Cayañgarósa, Il.; Lanótan-itím; Malibágo, T.; Malubágo, B.; Sapénot, T.; Sapínit, V.
- H. ABELMOSCHUS L. An annual hispid herbaceous plant with yellow flowers and polymorphous leaves.
- Cástio, T.; Cástio-castiógan, T.; Castiógan, T.; Cásto-castolfan, Pamp.; Castóli, T.; Castóli, T.; Castúli, T.; Dalúpan, T.; Ducúm, V.; Marapóto, V.; Maricúm, V.; Maropóto, V.; Marucúm, V.; Putucán, T.
- H. SURATTENSIS Linn. A weak-stemmed trailing plant, the stem with recurved prickles, the flowers yellow with a dark-colored center.
- Lábog, V.
- H. GREWIAEFOLIUS Hassk. Lanótan, T.
- H. MUTABILIS Linn. A small tree without prickles, the flowers pink or white, turning red at night, cultivated for ornament.
- Mapolá.
- H. ROSA-SINENSIS L. A shrub with ovate acuminate leaves and large red flowers. Commonly cultivated for ornament.
- Antolán̄gan, T., V.; Arogánan, T., Pamp., V.; Cayága; Cayañga, T., V., Pamp., Il.; Gomamíla, T., V., Pamp.; Gumaméla; Tapolán̄ga, T., V., Pamp.; Tapulága; Tapurán̄ga, V.; Tarocán̄ga, T., V., Pamp.
- H. TILIACEUS L. A much-branched tree with cordate leaves and yellow flowers, common near the seashores.
- Balabágo, V.; Balibágo, T., Pamp.; Malabágo, V.; Malabáyo; Raquindí, Pamp.
- HIPPEASTRUM. (*Amaryllidaceae*.) Báčong, T.
- H. MINIATUM Herb. Talicorán, T.
- HIPPOCRATEA OBTUSIFOLIA Roxb. (*Celastraceae*.) A climbing shrub, the young branches often quadrangular.
- Tatlóng-pálad, T.

- HOLARRIENA. (*Apocinacea*.) Trees or shrubs with opposite leaves and white flowers in many flowered corymbose cymes.  
Gufñguin, T.
- H. MACROCARPA Hassk. Gíngufu, T.; Malayantóe, T.
- HOMALANTHIUS. (*Euphorbiacea*.) Glabrous trees or shrubs.  
Bútanṅ gúbat, T.
- H. FASTUOSUS F. Vill. Leaves peltate.  
Balánti, T.; Balánti, V.; Bótang-gúbot, T.
- HOMALIUM LUZONIENSE F. Vill. (*Samydacea*.) A tree with alternate leaves and small hairy flowers in slender racemes.  
Aráñga, T.
- H. PANAYAMUM F. Vill. Ampupúyot, V.
- H. VILLARIANUM Vidal. Cuéla.
- HOMALOCENCHIUS HEXANDRUS O. Ktze. (*Gramineæ*.) A slender grass, commonly cultivated in paddies near Manila for forage.  
Bárit, T.; Búñgalon, V.; Zaeate Sp.
- HOMALOMENA. (*Aroidæ*.) Herbs.  
Alipáyo, V.; Alipáyong, V.; Bìga, T.
- H. MIQUELIANA Schott. Capaláuan, V.; Paláo-an, V.
- HOMONOIA RIPARIA Lour. (*Euphorbiacea*.) A small shrub with the appearance of *Salix*, very common along river banks, bars, etc.  
Agóy-oy, T.; Agúene, T.; Balánti, T.; Dumánai, T.; Lumánai, T.; Lumanája; Mayágos, V.; Mayóyos, V.; Miágos, V.; Mímbre.
- HOPEA. (*Dipterocarpaceæ*.) Large forest trees with winged fruits, valuable timber trees.  
Baliút, Pang.; Bañglés, Il.; Barineucúrong, Il.; Cúliot, Pang.; Dinglás?, Il.; Garouñgón?, Cag.; Gínlagáse (Mindoro); Sambulúan (Mindoro).
- H. PHILIPPINENSIS Dyer. Baguitárim, T.
- H. FLAGATA Vid. Banútan (Nueva Viscaya); Cúliot, Pang., Il.; Iácal, T.; Saplúnṅan, T.; Sapolónṅan, T.; Síggay, Il.; Pafna, T.; Yácal, T.
- HOYA. (*Aselepiadacea*.) Twining pendulous shrubs with milky sap, the flowers in umbels, the leaves coriaceous.  
Quenaluscús, T.
- H. DIVERSIFOLIA Blume. Balé-balé, T.
- H. MULTIFLORA Blume. Cápal, T.; Dapóng-bába, T.; Mangágao, V.
- HYDNOCARPUS HETEROPHYLLA Blume. (*Bisaccea*.) Tree.  
Butúnṅ-manóe, B.
- HYDNOPIETUM. (*Rubiacea*.) Epiphytic glabrous shrubs, with opposite leathery obtuse leaves, the swollen base inhabited by ants.  
Bang-háy, V.
- HYDRILLA. (*Hydrocharidæ*.) Submerged leafy dioecious herb, forming large masses in still or slowly running waters.  
Ináta, T.
- H. VERTICILLATA Casp. Lómot-lomótan, T.
- HYDROCOTYLE ASIATICA L. (*Umbellifereæ*.) A low prostrate herb used in medicine.  
Tagup sósó; Tagup-cóhol, T.; Tagup-cúhol; Tagup-súso, T.; Yáhon-yáhon, V.

- HYGROPHILA SALICIFOLIA Nees. (*Acanthaceae*.) Herbs with opposite leaves and bluish flowers.  
Cáñgon-cáñgon, T.; Mamític, T., V.
- HYMENOCALLIS. (*Amaryllidaceae*.) Ajos-ajos ñga mapotí, V.
- HYMENODICTYON. (*Rubiaceae*.) Trees or shrubs with thick branches and bitter bark.  
Haligáñga, T.; Haligáñgo, T.
- H. EXCELSUM Wall. Leaves ovate, pubescent, panicles large, often drooping.  
Cucún-banúe (Masbate); Huligáñga, T.
- HYPOESTES (*Acanthaceae*.) Herbs or shrubs with entire or toothed leaves.  
Aguibágan (Cagayan); Dilan-áso, T.
- H. LAXIFLORA Nees. Branches herbaceous, diffuse, minutely pubescent; corolla pink or white.  
Cumbár, Pamp.; Pansipansí, T.
- H. FRANQUEVILLEI Miq. Cogón-cogon, T.
- HYPTAGE MADABOTA Gaertn. (*Malpighiaceae*.) Climbing or suberect shrub; flowers fragrant; fruit winged.  
Comimpól, V.
- HYPTIS BREVIPIES Poir. (*Labiatae*.) An erect annual, flowers in heads  $\frac{1}{2}$  inch in diameter.  
Combarcombáran, T.
- H. CAPITATA Jacq. Combarcombáran, T.; Lingálimñgáhan, T.; Palapaságni, V.; Turucán, T.
- H. SUAVEOLENS Poir. Flowers blue, plant aromatic, very common.  
Lóco-lóco, V.; Pansipansían, T.; Sóob-cabáyo, T.

## I.

- ICHNOCARPUS FRUTESCENS R. Br. (*Apocinaceae*.) An extensive climber with variable leaves and rusty-pubescent axillary and terminal cymes.  
Coprálín, T.; Hinguío, T.
- I. OVATIFOLIUS A. DC. Hipgí, V.; Sadác, Ig.
- IGUANURA. (*Palmæ*.) Slender unarmed palms.  
Casibainláng (Paragua); Lumbiáe (Tayabas).
- ILEX. (*Ilicineae*.) Shrubs or small trees with alternate simple glossy, often spinous, leaves.  
Talotó-on (Benguet).
- ILLIPE. (*Sapotaceae*.) Trees with milky sap.  
Tagátói, T.
- I. BETIS Merrill. A large tree, the timber of much value.  
Bacáyao, Pang.; Baníti, B.; Bétis, T., Pamp.; Bétis laláque, T.; Bítis, T.; Pagpágan, Cag.; Pañlan; Pappágay, Cag.
- IMPATIENS BALSAMINA L. (*Geraniaceae*.) A succulent glabrous or pubescent herb with rose-colored flowers, commonly cultivated for ornament.  
Camantígni, T., Pamp.; Solónga, V.; Suráñga, V.

- IMPERATA ARUNDINACEA Cyrill. (*Gramineæ*.) A perennial grass 1 to 3 ft. high with narrow silvery-silky panicles; common.  
Balíli, Pamp.; Cisca cógon, T., V., B.; flib, Pamp.
- INDIGOFERA. (*Leguminosæ*.) Small undershrubs, the source of the dye indigo.  
Tágum-tágum, V.; Táyum, T.
- I. ANGUSTIFOLIUS L. Táyon-táyon.
- I. TEYSMANNI Miq. Balabalatúnġan, B.; Tágum, V.
- I. TINCTORIA L. Añil, Sp. Fil.; Tágum, V.; Tágung, V.; Taváng-tayúnġan. B.; Táyon, T.; Táyung, Pamp.
- IPOMOEA. (*Convolvulacæ*.) Twining, usually herbaceous vines, with large, usually white or pink flowers.  
Báguin-castíla, T.; Cebólli-cebollisan, T.; Halobagbúg, T.
- I. BATATAS L. The sweet potato.  
Camóte, Sp. Fil.; Tigsí, V.
- I. BONA-NOX Linn. Calacamóte, V.; Camocamotílan, T., V.; Malacámóte, V.
- I. HEDERACEA Jacq. Cultivated for ornament and spontaneous; flowers pale blue, turning pink.  
Bulacán, T.
- I. MARIANENSIS Chois. Tuguf-tugufan, T.
- I. MURICATA Jacq. Tunquín.
- I. PANICULATA R. Br. Hímag, V.; Puntaspuntás, T.
- I. PELTATA Choisy. Bulacán, T.; Búlae-bulácan.
- I. PES-CAPRAE Roth. Flowers purplish; common on sandy seashores.  
Arodáyday, T., B.; Bagasóa, T., V.; Canġang, T., V.; Cátang-cátang. T.; Cátang-cátang, T., B.; Darípay, T., B., V.; Lagáyrai, T., B.; Lampayóng, T., B., V.; Lambayóng, T., B., II.; Pólang-pólang (Iloilo).
- I. PES-TIGRIDIS Linn. Malasandía, V.; Salasandía, V.
- I. QUAMOCLIT L. Flowers crimson, leaves incised. Introduced from America, cultivated for ornament and spontaneous.  
Ágao; Agóho, T., V.; Malabobóc.
- I. REPTANS Poir. Common in stagnant water and very wet soils.  
Cañġóng, T., Pamp.; Tancóng, V.; Tánġcong, V.
- ISCHAEMUM CILIARE Retz. (*Gramineæ*.) A low grass.  
Tinitrígo, T.
- ISOLEPIS BARBATA R. Br. (*Cyperacæ*.) A small tufted grass-like plant, common on sandy seashores.  
Culflis, T.
- ITEADAPINE CONFUSA Blume. (*Lauracæ*.) Malabónġa, T.
- IXORA. (*Rubiaccæ*.) Shrubs or trees with white, pink, or red flowers in corymbose cymes.  
Baguñ, II.; Balái-toeác, Ig.; Balináonao (Unisan); Bantána; Bislís (Tayabas); Dúbat-manóc, T.; Malaġgot, B.; Pamayugsúcon; Quin-tasín, B.
- I. AMBOINICA DC. Lipatát-gúbat, B.

- I. COCCINEA L. A shrub, frequently cultivated for ornament.  
Santán, T.; Tañgápó, V.
- I. FULGENS Roxb. Tahód-ñga-iláhas, V.
- I. LANCEOLARIA Coleb. Alipóong, V.
- I. MACROPHYLLA Bartl. Bágo-bágo.
- I. STRICTA Roxb. Ás-as, T.; Santa Ana; Santán, T.

### J.

- JASMINUM. (*Oleaceae*.) Scandent or erect shrubs with very fragrant white flowers.  
Muráon-baloñgón (Iloilo): Ubáldo, Z.
- J. LUZONIENSIS Vidal. Sinñgitan, Ig.
- J. MARIANUM DC. Laióc-laióc, V.; Silisili, T.; Sinñgculcúgos, T.
- J. SAMBAC Ait. Commonly cultivated for ornament.  
Capópat visaya, V.; Campópot, Pamp.; Culátaí, Pamp.; Húbar (Balabac); Manúl, V.; Poñgso, Pamp.; Sampága, T.; Sampángang, Pamp.; Sampaguíta.
- JATROPHA CURCAS L. (*Euphorbiaceae*.) A small shrub, introduced from America and commonly cultivated for a hedge plant. The seeds yield a purgative oil.  
Bolóng-cáuit: Casla, V.; Tatatabá, T.; Tavatáva, Il.; Tawatáva, Il.; Túba.
- J. MULTIFIDA L. Differs from the preceding in its incised leaves.  
Maná, T., Il.
- JUSSIAEA REPENS L. (*Onagraceae*.) A creeping herb in very wet soils with small white flowers.  
Cangcóng-dápo, T.
- J. SUFFRUTICOSA L. An erect herb with 4-parted yellow flowers.  
Balácbac, T.?, Malapáco, T.; Malapóco, T.
- JUSTICIA. (*Acanthaceae*.) Herbs or shrubs; flowers sessile or nearly so in spikes or panicles.  
Báto (Balabac); Morádong; Morádong-maputí, T.
- J. DICHOTOMA Blume. Dalaóra, V.
- J. GENDARUSSA L. A shrub, 3 to 5 ft. high, corolla white or rose, with purplish spots.  
Bunláo, V.; Capanitúlot, T.; Paritúlot, T.

### K.

- KAEMPHERIA GALANGA L. (*Scitiminaceae*.) Cósol, V.; Cuñsol, V.; Cúsol, Pamp., V.; Cúsul, V.; Dósol, Z.; Dúso, T.; Dúsul, T.; Guñsol, T.; Guñsul, V.; Quñsol, V.
- KALANCHOE LACINIATA DC. (*Crassulaceae*.) Succulent, erect herb, with laciniate leaves.  
Catacatacá, T.; Siemprevéca, Sp. Fil.
- K. SPATHULATA DC. Leaves spathulate-oblong, crenate.  
Caritána, V.
- KAYEA PHILIPPINENSIS Planch. (*Guttiferaceae*.) A tree.  
Malaguinsan, V.



- K. RACEMOSA Pl. and Tr. Guislan, T.  
 KIBARA CORIACEA Perk. (*Monimiaceæ.*) A tree.  
 Malatambís; Púlub (Zamboanga).  
 KLEINHOVIA HOSPITA L. (*Sterculiaceæ.*) A tree with palminerved leaves,  
 lax paniculate inflorescence, and inflated membraneous capsules. The  
 bark yields a strong bast fiber.  
 Bignón, Il.; Bitang; Bitnóg, Il.; Bitnúu; Bitnóng, Il.; Hamitanágo,  
 V.; Pampár; Panampát, Pamp.; Tan-ág, T., V.  
 KOORDERSOIDENDRON PINNATUM Merrill. (*Anacardiaceæ.*) A tree with  
 pinnate leaves, tufted at the ends of the branches; yields a valuable  
 timber.  
 Amogués; Amoguís, T.; Amuguís, T., V.; Calumánog, V.; Manga-  
 tólay?; Palosánto, T.; Muguís; Sambalabúan; Sambuláguan.  
 KYLLINGA MONOCEPHALA Rottb. (*Cyperaceæ.*) Low, tufted, grass-like  
 plant.  
 Anúang, T.; Barubatónes, V.; Bolobotónes, V.; Borobotónes, V.;  
 Bosícad, V.; Bóton-eflo, V.; Malaapólid, Pamp.; Malabotónes, V.;  
 Mútha, V.; Sud-súd, V.; Tóbo-tóbo-láñgit, V.

## L.

- LAGENARIA VULGARIS Seringe. (*Cucurbitaceæ.*) A large tendril-bearing  
 climber cultivated for its large edible, bottle-shaped fruit.  
 Calúbay, V.; Ópo, T.; Síeay, V.; Úpo.  
 LAGERSTROEMIA. (*Lythraceæ.*) Trees or shrubs with showy flowers.  
 Mídla, Pamp.  
 L. BATITINAN Vid. A tree yielding a valuable timber.  
 Batitínan, T.; Buguáron; Lumáti; Mañgláti.  
 L. INDICA L. A shrub with showy bright pink flowers, cultivated for  
 ornament.  
 Melíndres (Manila). The "crape myrtle."  
 L. SPECIOSA Pers. A medium-sized tree with large purplish flowers. The  
 wood is hard and durable.  
 Agáro, Z.; Banabá, T., V., Mang.; Macabálo, Pang.; Mítla, Pamp.;  
 Tabáñgan, Cag.  
 LANSIUM DOMESTICUM Jack. (*Meliaceæ.*) A tree with pinnate leaves and  
 sessile or subsessile flowers, cultivated for its edible fruit.  
 Bóboa, V.; Boocán, V.; Buláhan, V.; Lansóne, T.; Lansónes, T.;  
 Lanzón.  
 LANTANA CAMARA L. (*Verbenaceæ.*) An aromatic shrub with heads of  
 yellow, pink, or red flowers, introduced from America and now  
 common about towns in the Philippines.  
 Bóho-bóho, V.; Coronítas, Sp. Fil.  
 LAPORTEA GAUDICHAUDIANA Wedd. (*Urticaceæ.*) Perennial herb with  
 stinging hairs.  
 Apariágua, T., V.; Búlan-búlan, V.; Lasñgáton, T., V.; Liñgátón, (?);  
 Lipá, T.; Lipáng-dóton, Pamp.; Lípay, V.

- LAWSONIA ALBA Lam. (*Lythraceæ*.) A shrub or small tree with panicles of straw-colored flowers, introduced from Asia and cultivated for ornament.
- Cinamómo, Sp. Fil.
- LEEA. (*Ampelidaceæ*.) Shrubs or small trees with terminal corymbose cymes and red, yellow, or green flowers.
- Bálam-bálam; Hára, T.; Taliántán, T.; Talostós.
- L. ACULEATA Blanco. Malí-malí, T., Pamp.; Pamangquilón, V.; Panangquilón, V.
- L. JAVANICA Blume. Carádat, V.; Garádat, B.; Panayanġtagón, V.; Spitcáit; Súpit-caġ, T.
- L. RUBRA Blume. Abáng abáng, T.; Caliantāġ, T.
- L. SAMBUCINA Willd. Amamále, V.; Caliangtáng; Hamamále, V.; Mamále, V.
- LEMNA. (*Lemnaceæ*.) Minute, floating, green, scale-like plants.
- Inália, T.
- LEONURUS SIBIRICUS L. (*Labiataæ*.) An erect, leafy, stout herb, the inflorescence whorled, axillary, corolla red.
- Camariáng songsóng, T.
- LEPIDAGATHIS. (*Acanthaceæ*.) Herbs or undershrubs, the flowers sessile, usually capitate.
- Hāġut-na-babáe.
- L. LUZONIAE Nees. Lipsipán, T.
- LEPIDOPETALUM. (*Sapindaceæ*.) Shrubs or trees.
- Díla-díla, Pamp.; Hualís, T.; Malacacáo; Ngisiġsí, T.; Palo-négro.
- L. PERROTTETII Blume. Báhay, T., V.
- LEPINOOPSIS TERNATENSIS Valetón. (*Apocinaceæ*.) Tree.
- Cúyon-cúyon, V.
- LEPISTEMON RENIFORMIS Hassk. (*Convolvulaceæ*.) A twining herbaceous vine.
- Batobató, T.; cúpit-cúpit, Il.
- LEPTOSOLENA HAENKEI Presl. Haguġuit, V.
- LEUCAENA GLAUCA Benth. (*Leguminoseæ*.) A small shrub with globose heads of white flowers. Introduced from America and common about towns.
- Ágho, V.; Santa Helena.
- LEUCAS. (*Labiataæ*.) Woolly or villous herbs or undershrubs with axillary whorls of white flowers.
- Maputí, T.
- L. ASPERA Spreng. Carucansóli, T.; Paipáisi, V.; Pansipansí, T., V.; Paypáisi, V.; Solasolasían, T.
- L. LINIFOLIA Spreng. Parnipansí.
- LEUCOSYKE CAPITELLATA Wedd. (*Urticaceæ*.) A shrub or small tree, the leaves white beneath, prominently nerved.
- Alaggási, V.; Alánggasi, V.; Anagási, B.; Haganási (Camarines); Lalási, Ig.; Langgási, V.; Layasín, T.; Leásin, T.
- L. HISPIDISSIMA Miq. Salaguíso (Albay).
- LICUALA. (*Palmææ*.) Balátbat (Paragua).

- L. ELEGANS Mart. Anáhao, T.  
 L. SPECTABILIS Miq. Anáhao, T., V.  
 LILIUM PHILIPPINENSE Baker. (*Liliaceæ.*) A lily with large white flowers found in the mountains of Northern Luzon.  
 Cañón, Il.; Soyósoy, Ig.  
 LIMNANTHEMUM CRISTATUM Griseb. (*Gentianaceæ.*) An aquatic herb with long floating stems.  
 Láuas, T.; Loloquisen, Il.  
 LIMNOPHILA GRATIOLOIDES R. Br. (*Sorophulariaceæ.*) A small herbaceous plant found in swamps and rice paddies. It has the odor of turpentine.  
 Ináta, T.  
 L. MENTHASTRUM Benth. Talatála, Pamp.; Taramhampám, T.; Taratára, Il.  
 L. REPENS Benth. Orégano, Sp. Fil.  
 L. ROXBURGHII G. Don. Tála, T.  
 LIMNOPHYTON OBTUSIFOLIUM Miq. (*Alismaceæ.*) An erect succulent marsh plant.  
 Locáy?, T.  
 LINOCIERA. (*Oleaceæ.*) Shrubs or trees with opposite entire leaves and axillary or terminal inflorescence.  
 Balóc-balóc, T.; Carocsán, T.; Cayantól, Z.; Daláyat, Z.; Puténg, T.; Urután, T.  
 L. CORIACEA Vidal. Anátao, T.; Pulát, T.  
 L. CUMINGIANA Vidal. Culilísiao (Tayabas).  
 L. LUZONICA F. Vill. Caropsán; Guruguanábao, V.  
 LIPPIA NODIFLORA Rich. (*Verbenaceæ.*) An annual, creeping, much-branched herb with numerous heads of pink flowers.  
 Chachachacháhan, T.; Corocarcúdan, V.; Siríc-púyo, V.; Tsatsatsatsáhan, T.  
 LITSEA. (*Lauraceæ.*) Trees, some species being valuable for their timber.  
 Anónag, T.; Arána, B.; Bácan, T.; Batfno, T.; Batobató, T., V.; Bitocoling, T.; Calaitic, Mang.; Calambáe, V.; Hópong-hópong; Libácan, T.; Magnúlic, Z.; Malabilúcas, T.; Malacalubcúb, T.; Malamánga, Cag.; Malapúso, B.; Malasfco, T.; Maraécúlan, Il.; Márang, T.; Nolaláqui, T.; Ópong-ópong, B.; Paimasbai, T.; Paloaf, B.; Pasasablút, Il.; Paúhan (Mindoro); Saripongpóng, B.  
 L. ALBAYANA Vidal. Aráhan (Albay).  
 L. CHINENSIS Lam. Láuat, V.; Pusopúso, T.; Sablút, Il.  
 L. GARCIAE Vidal. Pípi, V.  
 L. LUZONICA Blanco. Balíbay.  
 L. MAGNIFICA B. and H. Mádang, T.  
 L. PERROTTEI B. and H. Indáng, V.; Baticulfn, T.; Baticulng, T.  
 LIVISTONA. (*Palmeæ.*) Anáhao, T., V.  
 L. PAPUANA Becc. Anáo, Pamp.; Bolóng lúyoñg, Pamp.  
 L. ROTUNDIFOLIA Mart. Abián, Pang.; Anaáo, Il.; Anáhao, T.; Anan, Cag.; Báhi, V.; Bállang, Cag.; Lábig, Il.; Labindanáia?, Il.; Pálma-bráva.

- LOPHOPETALUM. (*Celastraceæ.*) Trees or shrubs.  
 Búyun (Zamboanga).
- L. TOXICUM Loher. A tree, the bark used by natives to poison arrows.  
 Abútab.
- LORANTHUS. (*Loranthaceæ.*) Small parasitic shrubs.  
 Basár-basár, Il.; Císip, Ig.; Gácca, Ig.; Pañglonbóyen, Ig.; Úbic-  
 úbis, Il.
- L. AMPULLACEUS L. Dapó-sa-pájo, T.
- L. BLANCOANUS F. Vill. Malabáchao (Cebu).
- L. PAUCIFLORUS Blanco. Binbínguay, Il.
- L. PENTANDRUS L. Mampól, V.
- L. PHILIPPINENSIS Blanco. Dápo-sa-cáhuy.
- L. SPICIFER F. Vill. Catún̄gao, Ig.
- LUCUMA MAMMOSA Gaertn. (*Sapotaceæ.*) A tree introduced from America  
 and cultivated for its edible fruit.  
 Chíco-maméy; Maméy, T.
- LUFFA ACUTANGULA Roxb. (*Curcubitaceæ.*) An herbaceous vine, fruit  
 elongate, 10-angled.  
 Saycúa, V.
- L. AEGYPTIACA Mill. Cultivated for its edible fruit.  
 Patóla, T., V.
- LUMNITZERA PURPUREA Presl. (*Combretaceæ.*) A shrub or small tree  
 with crimson flowers, common along the seashore, borders of man-  
 grove swamps, etc.  
 Agnáya, T.; Culási, T.; Dalíru-babáe, B.; Doblésa, T.; Libáto, T.;  
 Libáto-pulá (Tayabas); Maóro, V.; Sagása; Tóñog, B.
- LUNASIA. (*Rutaceæ.*) Shrubs.  
 Cacáo-cacáuan, T.; Malalígas-na-babáe.
- L. AMARA Blanco. Bonlaí, B.; Lúnas, T.; Lúnas-bundóe, T.; Macabúhai,  
 T.; Paít, T.; Paitán, T.; Paít-paít (Zamboanga); Patan, V.; Sagúit.
- L. GRANDIFLORA Muell. Arg. Malacacáo, T.
- LYCOPERSICUM ESCULENTUM Mill. (*Solanaceæ.*) The tomato, introduced  
 from America; cultivated and spontaneous.  
 Camátis, T., Il.; Tomátes, Sp. Fil.
- LYCOPODIUM. (*Lycopodiaceæ.*) Pacayómcon.
- LYGODIUM DICHOTOMUM Sw. (*Filices.*) Twining ferns, the stems being  
 used by the natives in the manufacture of hats, etc.  
 Níto, T., V.
- L. SCANDENS Sw. Nítong-putí, T.

### M.

- MABA BUXIFOLIA Pers. (*Ebenaceæ.*) Ebony, the wood black.  
 Ébano.
- MACARANGA. (*Euphorbiaceæ.*) Shrubs or small trees.  
 Anítap, Ig.; Belún̄ga, T.; Bilúa, Pamp.; Bilúan-laláque, T.; Bílung,  
 T.; Ginábang, Il.; Malabón̄ga, T.
- M. BICOLOR Muell. Arg. Amúblit, V.; Hamíndan, V.

- M. MAPPA Muell Arg. Camáisa, T.; Biláun; Binǵábing, T.; Binuáng, T.;  
Bonǵábong, V.
- M. TANARIUS Muell. Arg. Bílan, Pamp.; Binónǵa, T., V., Pamp.; Binúan,  
T.; Bilúnǵa, T.; Binúnǵa, V.; Guinábang (Abra); Malabúnǵa;  
Mimónǵa, T.; Samác, Il.; Taquípasín, T.
- MAESA. (*Myrsinaceæ*.) Shrubs or small trees.  
Dagang-dáng (Jolo); Palípal, T.; Patéput, T.; Patípol (Morong).
- M. GAUDICHAUDII, A. DC. Solíno, T.
- M. HAENKEANA Miq. Maguttáta, V.
- M. INDICA A. DC. Calícot (Tayabas); Catícot, T.
- M. LAXA Mez. Bagumaóniao, B.
- MALACHRA BRACTEATA Cav. (*Málvaceæ*.) An annual or perennial coarsely  
hairy herb with angled leaves and yellow flowers.  
Anábo, V.; Lábog-lábog, V.; Lapnís; Lapnís na bolohán, T.; Vocábul, T.
- MALAYSIA TORTUOSA Blanco. (*Urticaceæ*.) Hinǵuén, T.; Malaisís, T.;  
Sabá, T.
- MALLOTUS. (*Euphorbiaceæ*.) Shrubs or small trees.  
Dáha; Mahótay, V.; Malambáng, T.
- M. FLORIBUNDUS Muell. Arg. Túla-túla, B.; Túya-túya, B.
- M. MOLUCCANUS Muell. Arg. Áhling, T.; Álim, T.; Áling, B.; Cáhoy da-  
lága, T.; Taguíp-asín, T.
- M. PANICULATUS Muell. Arg. Halaúmo, V.
- M. PHILIPPINENSIS Muell. Arg. Fruit red, medicinal.  
Apúyot, Z.; Banáto, T.; Banáto, T.; Buás, Il.; Sála, T., V.; Vúas, Il.
- M. RICINOIDES Muell. Arg. Álem, Il.; Álim, T.; Alum, V.; Árum; Balacbá-  
lac, T.; Búntot-púsa, T.; Gá-ga, T.; Malaachuéte, Pamp.; Pacácal;  
Pacalcál, Pamp.; Pilípu, V.; Sála; Tambón-tambón (Tayabas);  
Tapít, B.; Taquíp-asín, T.; Tobógor, T.; Tres-púntas, Sp. Fil.; Vílos,  
Pamp.
- MANGIFERA. (*Anacardiaceæ*.) Trees.  
Malapáho, T.; Paupaútan, T.
- M. ALTISSIMA Blanco. Áppan (Cagayan); Magatádi (?), Cag.
- M. ANISODORA Blanco. Mánga-anís.
- M. CÆSIA Jack. Balúnut; Bayúno, V.; Uáni, (Jolo).
- M. FOETIDA Lour. Paopáuan T.
- M. INDICA Linn. The mango.  
Mampálan (Jolo); Mánga, T., V.; Mángga, T., V.
- M. LONGIPES Griff. Páho, T., V.; Páho-séco (Cebu); Pájo, T.; Páo, Il.;  
Paopánan; Papohótan; Papónya.
- M. ODORATA Griff. Pahohótan, V. T.; Páli, V.
- MANIHOT UTILISSIMA Pohl (*Euphorbiaceæ*.) An erect frutescent plant  
from large tuberous roots. The tapioca plant.  
Camóting cáhoy, T., V.
- MAOUTIA. (*Urticaceæ*.) A shrub.  
Aróe-mámay, B.
- M. PLATYSTIGMA Wedd. Pinúan, Ig.
- MARLEA BEGONIFOLIA Roxb. (*Cornaceæ*.) A tree.  
Bagalóan, T.; Bagaólan, T.; Calumpagín, T.

- MARSDENIA TAGUDINIA Blanco. (*Asclepiadaceae*.) Tayomtáyom, Il.  
 M. TINCTORIA R. Br. A tall climbing vine.  
 Arínŕit, V.; Payanguít, V.
- MELASTOMA. (*Melastomaceae*.) Shrubs with showy purplish flowers.  
 Boslóg-ámo, T.; Búyong, V.; Granátis; Hantutúnŕao, T.; Léngay, T.;  
 Malatú-ao, Cag.; Túnŕao, B.
- M. IMBRICATUM Wall. Agúsip, V.  
 M. MALABATRICUM L. Granátis, T.  
 M. OBVOLUTUM Jack. Boáda, Ig.; Bóta-bóta, Il.; Túnan-túnan, V.
- MELIA. (*Meliaceae*.) Trees.  
 Malatibí (Morong).
- M. AZEDARACH L. A shrub, cultivated for ornament.  
 Paraíso, Sp. Fil.
- M. CANDOLLEI Juss. Balagángo, T.; Malaba, T.; Malongáin, T.; Malu-  
 nŕáyen; Quintána, T.
- M. DUBIA Cav. Bagalúga, V.
- MELICOPE TERNATA Forst. (*Rutaceae*.) A shrub.  
 Matáng-árao, T.
- MELOCHIA. (*Sterculiaceae*.) Herbs or shrubs.  
 Samác, Pamp.
- M. ARBOREA Blanco. A shrub or small tree, the herbaceous portions stellate-  
 hairy. The bark yields a strong bast fiber.  
 Balígnon, V.; Balítton, V.; Banítton; Binúnŕa, Il.; Malaachuéte, T.
- M. CORCHORFOLIA L. An erect, much-branched herb.  
 Calínŕan, V.
- MELODORUM FULGENS Hook. f. & Th. (*Anonaceae*.) A large woody climber  
 or (?) a small tree.  
 Amúyon; Amúyong, Pamp.
- MELOTHRIA INDICA Lour. (*Cucurbitaceae*.) A nearly glabrous climbing  
 vine with globose fruits.  
 Milón-dagá, T.
- MEMECYLON. (*Melastomaceae*.) Glabrous shrubs or trees with opposite  
 leaves and small flowers.  
 Anátan, T.; Díac, Pamp.; Hágon, B.; Malabahío, B.; Panaypáy; Pani-  
 lónŕa-báca; Sínit.
- M. EDULE Roxb. Cácha; Candón, Il.; Coles, T.; Cúles, T.; Cúlis, T.;  
 Saguínsín, V.
- M. FLORIBUNDA Blume. Babágon.  
 M. PANICULATUM Jack. Pasaguít, T.
- METROSIDEROS VERA Rumph. (*Myrtaceae*.) Bárit, V.
- METROXYLON (*Palmae*.) Ambólong, V.; Ambúlong, V.; Sacsác, V.
- MEUSA FERREA Linn. (*Guttiferae*.) A glabrous tree with yellow flowers.  
 Malaboebóc, Malabuebúc (?), T.
- MEZONEURUM (*Leguminosae*.) Robust woody, prickly climbers with bipin-  
 nate leaves and paniculate inflorescence.  
 Cámot-púsa, T.; Cánus-cábag, T.
- M. GLABRUM Desf. Cabít-cábag, T.; Sagnít, T.; Sapnít, T., Pamp.; Síit, V.;  
 Tugábang, V.; Ugábang, V.

- MICHELIA CHAMPACA** L. (*Magnoliaceæ.*) A tree with pale yellow or orange very fragrant flowers. Cultivated for ornament.  
Sampác, T.; Sampáca, T.; Champáca, Sp. Fil.; Champága, T.; Tsampáca, T.
- MICROMELUM.** (*Rutaceæ.*) Shrubs or small trees.  
Áyo-áyo; Áyu-áyu; Cáhoj dalága; Malalúpay, Pamp.; Matáares, T.; Paít.
- M. TEPHROCARPUM** Turcz. Bintíng-dalága, (Tayabas); Calimbahín, T.; Malacádpó, T.; Mayúmus; Paít-paít; Tulíbas, T.
- MILLETIA PULCHRA** Benth. (*Leguminosæ.*) An erect tree, the branches and leaves beneath clothed with a grayish silky pubescence.  
Bútong, V.
- M. SERICEA** W. & A. A woody climber.  
Bótong, V.
- M. SPLENDENS** W. & A. Túbli, T.
- MIMUSOPS.** (*Sapotaceæ.*) Trees.  
Pisangdáya, T.; Postalágon, Z.
- M. ELENGI** L. A tree with fragrant straw colored flowers, frequently cultivated for ornament.  
Bansalágue, T., V.; Cabtquí, T., V.; Bansalágin, T.; Bansalágon, T., V.; Bársic, T.; Pasác, T., Z.; Talipópo, V.
- MIMOSA PUDICA** L. (*Leguminosæ.*) A prostrate spreading plant with numerous heads of pink flowers and sensitive leaves. Introduced from America.  
Damó-hía, T.; Húya-húya, V.; Macahíya, T.
- MIRABILIS JALAPA** L. (*Nyctaginaceæ.*) A somewhat succulent herb with white, or more often, red flowers. Introduced from America and cultivated for ornament, also spontaneous.  
Guilalás, T.; Diégo-de-noche; Gilalás, T.; Maravillas, Sp. Fil.; Oración, Sp. Fil.; Suspíros, Sp.
- MITRAGNE.** (*Rubiaceæ.*) Shrubs or trees, the flowers in globose heads.  
Mambóg, T.
- MITREPHORA RETICULATA** H. f. & Th. (*Anonaceæ.*) A tree.  
Talimúrong, T.
- MODECCA CARDIOPHYLLA** Mart. (*Passifloraceæ.*) A shrub with long petioled cordate-ovate, acute leaves.  
Salápong, T.
- M. HETEROPHYLLA** Blume. Melóng-ouác, T.
- M. PALMATA** L. Leaves glandular, palmately lobed or entire.  
Binoyóc-boyóc, T.
- M. TRILOBATA** Roxb. Leaves three lobed.  
Libas.
- MOLLUGO.** (*Ficoideæ.*) Herbs.  
Amargóro bábi, Pamp.; Margóso damulog, Pamp.
- M. HIRTA** Thunb. Prostrate, stellately wooly.  
Lobío, T.
- M. OPPOSITIFOLIA** L. Sarsalída, T.

- M. PENTAPHYLLA Linn. Malugóso, V.; Salsalída, V.
- M. STRICTA L. Often a foot high, glabrous.  
Malagóso, T.; Molugóso, T.
- MOMORDICA BALSAMINA L. (*Curcubitaceæ.*) A slender herbaceous vine, the rough, elongated fruit edible. Cultivated.  
Amargóso, Sp. Fil.; Ampaláya, T.; Ampaléa, T.; Apaláya, T.; Apália, Pamp.; Margóso, T.; Palía, V.; Pállá, T.; Paría, Il.; Sampalía, V.
- M. COCHINCHINENSIS Spreng. A large vine with ovate, muricate red fruit.  
Bóyoc-bóyoc, T.; Buyóc-buyóc, T.
- MONOCARPIA BLANCOI F. Vill. (*Anonaceæ.*) Cálai, T.
- MONOCHORIA HASTÆFOLIA Presl. (*Pontederiaceæ.*) Aquatic herbs.  
Cósol-cósol, V.; Gábi-gábi, V.; Gabínan, T.; Páyao-páyao, V.
- M. VAGINALIS Presl. Calabáo, T.; Calabóa; Hinḡufon.
- MORINDA BRACTEATA Roxb. (*Rubiaceæ.*) A shrub.  
Abegáste, V.; Aliáma; Aníno, V.; Apátot, Il.; Apátut, T.; Bancóro, T.; Bañgéoro, T., V.; Bañgéudo, V.; Cahoy-dalága, T.; Cóles, T.; Cúlit, T., V.; Líno, Pamp.; Mambóg, T., V.; Níno, T. V.; Pancúdo, T. V.; Sicáleḡ, V.; Taliantár, Pamp.; Túmbong-áso, T.
- M. CITRIFOLIA L. Bancúdo, T., V.; Bañgéudo, V.; Líno, V.; Níno, T., V.; Tombóng-áso.
- M. TINCTORIA Roxb. Halon, T.; Túmbong-áso-hápay, T.
- M. UMBELLATA Linn. Túnbon-áso.
- MORINGA OLEIFERA Lam. (*Moringaceæ.*) A small tree with soft white wood, white flowers, 9-ribbed capsule and winged seeds.  
Balúnḡgay, V.; Béhen; Calúgay, T.; Calúnḡgai, T., V., Pamp.; Camalúnḡue, Pamp.; Camalónḡgay, T., V.; Dóol, V., Pamp.; Malúnḡgay, T., V.; Malúnḡgit, V., Pamp.; Malúgit, V., Pamp.
- MORUS ALBA Linn. (*Urticaceæ.*) A small tree, the mulberry, introduced from Asia and occasionally cultivated.  
Morál; Móras.
- MOSCHOSMA POLYSTACHYUM Benth. (*Labiatae.*) A slender, much-branched herb, 2 to 4 ft. high, the angles of the stem frequently rough.  
Lodócong, Pamp.
- MUCUNA ATROPURPUREA DC. (*Leguminosae.*) A woody climber, the pod covered with yellowish brown irritating bristles.  
Nípai, V.
- M. MONOSPERMA DC. A woody climber with a 1-seeded pod.  
Buiquíquit, T.; Lípai, T.
- M. NIVEA DC. An annual climbing vine, the pods glabrous when mature.  
Calabantós, V.
- M. PRURIENS DC. An annual vine, cultivated.  
Lípay, V.; Nípay, T.
- MUEHLENBECKIA. (*Gramineæ.*) Slender grasses.  
Aluphan, T.
- MUNTINGIA CALABURA Linn. (*Tiliaceæ.*) A small tree with small edible dark fruits. Introduced from Mexico.  
Cerézas, Sp. Fil.: Dátiles, Ratiles.



- MURRAYA EXOTICA** L. (*Rutaceæ*.) A shrub or small tree with glabrous 3 to 8 foliate leaves and small globose berries.  
 Banaási, Il.; Banáot, Z.; Banási, Pang.; Banáti, V., Pamp.; Bannaasi, Il.; Camuníng, T.; Camunín, V., Pamp.; Moláuin, T.; Molávin, T.
- MUSA.** (*Musaceæ*.) The bananas, plantains, Manila hemp, etc.  
 Agútay, V.; Alatónay (Cagayan); Áua, Il.; Batabáa, ñga potí, V.; Búy, Il.; Canála, V.; Canára, V., T.; Culubúng, Pamp.; Lisóhan, V.; Pácol, V.; Quilalá, V.
- M. PARADISIACA** L. The plantain. Many varieties are recognized by the natives.  
 Afapúyan, (Cagayan); Afúyan, (Cagayan); Alimúquen, Il.; Anuáng, T.; Aricúndai, V.; Aricúndal, V.; Báloi, V.; Báloy, T.; Binaláton, V.; Binñticóhol, T.; Bisco, T.; Botohán, T.; Buñgúlan, T.; Caractón, V.; Dalívi-dalága; Dinugúan, T.; Goyóran, T.; Lantúndal; Machín; Matávia, T.; Plátano, Sp.; Quinanáyan, T.; Sabáng-visáya; Ságuing, T.; Tinálong, T.
- M. SAPIENTUM** L. The banana. Many varieties are recognized by the natives. Probably not specifically distinct from the preceding.  
 Ampál, V.; Anonóo; Anuáng; Carnáte, V.; Baláñgun, V.; Baláyang, Il.; Batávia; Benticóhol, T.; Bináto, V.; Botóan, T.; Bunnéc, Il.; Butnég, Il.; Butnéng, Il.; Butúan, T.; Dinugúan; Lacatán, T.; Móco, (Iloilo); Pampáng, V.; Plátano, Sp.; Sabá, Il.; Ságing, T., V.; Tampuhíng, T.; Tarnáte, V.
- M. TEXTILIS** Nees. The plant that produces the fiber known in commerce as Manila hemp.  
 Abacá, T., V.; Lánot, V.; Lanótan, V.; Págua, V.; Útta (Cag.).
- MUSSAENDA.** (*Rubiaceæ*.) Shrubs with yellow flowers, each flower with a large white leaf-like bract.  
 Bayág usá; Bota, Ig.; Búyor, V.; Tálic-haráp, (Tayabas); Tinulúang-gátas, T.; Tenoluáng gátos, T.
- M. ANISOPHYLLA** Vidal. Búyon, V.
- M. FRONDOSA** L. Buláclac-nañg-dalága; Matinggafin.
- M. GRANDIFLORA** Rolfe. Agbóy, V.; Balái-lamóc, Il.; Buyén (Balabac); Cáhoý dalága, T.; Malacafé (?), V.; Matang-áran, V.; Taba-tabá, V.; Tínga-tínga, T.
- MYRISTICA.** (*Myristicaceæ*.) Trees generally with hard wood. The nutmeg belongs in this genus.  
 Alanígni (Zamboanga); Banabanálo, T.; Bitanhól-na-babáe, B.; Carúgu, T., V.; Dugóan, B.; Durúgu, T., V.; Hindurúgu, T. V.; Láho, V.; Malacádios; Oyísan, T.; Oyóc, Ig.; Saguing-nang-cáloa, B.; Tãmbao, T.; Ubían (Tarlac).
- M. CUMINGII** Warb. Dugúan, T.; Malatálang, T.
- M. GUATTERIFOLIA** A. DC. Camás, (Zamboanga); Tálang-bundóc, T.; Túgan, T.
- M. MINDANAENSIS** Warb. Duháo, (Zamboanga).
- M. PHILIPPINENSIS** Lam. Anís cáhoi, T.; Anís moscáda, T.; Balintúa, (Zamboanga); Dugóan; Tálang-tálang, T.
- M. SIMIARUM** A. DC. Anúping, (Zamboanga); Manumbága, (Zamboanga).

## N.

- NARAVELIA. (*Ranunculaceæ.*) Climbing shrubs with flowers in axillary 1-flowered peduncles.  
 Cáuad caúasan, T.; Óvai-na-pañgláo, Il.; Parápit-hañgin, T.
- M. LAURIFOLIA Wall. Bánai-bánai, Il., T.; Ductúng-áhas, T.
- NAUCLEA. (*Rubiaceæ.*) Shrubs or trees with white flowers in a dense globose inflorescence.  
 Bagarílao na itfm, T.; Bancál, T.; Bancalánan, (Zamboanga); Bañgal, T.; Hambabái, V.; Himbabálob, T.; Hambálob, T., V.; Hambabáyod, V.; Lisác, T.; Magarílao, T.; Oisác, T.
- N. BLANCOI Vidal. Mambóg, B.
- N. GLABERRIMA Blanco. Bangeál.
- N. GLABRA DC. Bagalfrat.
- N. OBTUSA Blume. Ambabálud, V.; Ambálob, T., V.; Babálob, T., V.; Bálob, T., V.; Hambabálob, T., V.
- N. PURPUREA Roxb. Caluntínṅan-ṅga-itfm, V.; Caluntínṅan-ṅga-muláto, V.
- NEESIA ALTISSIMA Blume. (*Malvaceæ.*) A lofty tree.  
 Libato-na-putí, T.
- NELITRIS. (*Rubiaceæ.*) Álungcágay, V.; Granátes, T.; Malatumbága, T.
- NELUMBIUM SPECIOSUM Willd. (*Nymphaeaceæ.*) An erect, large water herb with peltate leaves and white or pink flowers.  
 Baño, T.; Baynó, T.; Súcao, Il.
- NEPENTHES. (*Nepenthaceæ.*) Usually climbing plants, the midrib of the leaves produced into a peduncle which bears a pitcher of various forms.  
 Arán-cálo, V.; Cáca, T.; Inúmang-cálo, T.; Jarríto, T.; Pichél, T.
- N. ALATA Blanco. Batbatidór, Ig.; Batidór, Il.; Cadúng, Ig.; Gorgoréta, Il.; Járro, Il.
- N. GRACILIS Korth. Sogonsógon, V.; Suludsúlud, V.
- N. VENTRICOSA Blanco. Saludsalúd.
- NEPHELIUM. (*Sapindaceæ.*) Trees, some species valued for their timber.  
 Apátong, T.; Ayúpag, T.; Bacálo, Pang.; Sambuálau, V.
- N. GLABRUM Noronh. Alípai, T; Alípay; Alpay, T.; Alúpag, T.; Alúpay; Baccálo; Bóboa, V.; Guisfan, T.; Guisfhan, T.; Lechías, T.; Tinai-ṅguí, T.
- N. LITCHI Camb. Fruit edible.  
 Halópag-ámo (Tayabas); Lechía.
- N. LONGANA Camb. Alípai, T.; Alpái, T.; Alúpag, T.; Alúpai, T.; Lechías, T.
- NICOTIANA TABACUM L. (*Solanaceæ.*) Tobacco. Introduced from America.  
 Tabáco, Sp. Fil.
- NIPA FRUCTICANS Wurm. (*Palma.*) The leaves of this species are extensively used for the purpose of thatching houses.  
 Lása; Nípa, T.; Sága, Z.; Sasá, T.; Táta, Cag.
- NYMPHÆA LOTUS L. (*Nymphaeaceæ.*) Large aquatic herbs, the pond lilies.  
 Gávai-gávai, V., T., Pamp.; Gáway-gáway; Lávas, T., V., Pamp.; Lúnas; Talaflo, T., V., Pamp.; Túnas, T., V., Pamp.; Taláylo.
- N. STELLATA Willd. Láuas, T.

## O.

- OCHNA SQUARROSA Linn. (*Ochnaceæ.*) A shrub or tree with alternate serrate leaves and yellow flowers.  
Bansflay, V.; Basflay.
- OCHROCARPUS. (*Guttifereæ.*) Trees with coriaceous leaves and axillary flowers.  
Malabúnao, B.
- O. PENTAPETALUS Blanco. Namacpácan, Il. (?); Pamitláin, Il.; Pamitlátin, Il.
- OCIMUM BASILICUM L. (*Labiataeæ.*) A strongly scented herb with pink or purplish flowers.  
Bonác, V.; Calóoy, V.; Canéla, V.; Solási, T.; Sulási, T.
- O. GRATISSIMUM L. Strongly scented, shrubby. Flowers yellow.  
Coloncógon, V.
- O. SANCTUM Linn. Strongly scented, herbaceous.  
Albaháca; Balánoi, T.; Bíday, Il.; Camañge, V.; Colocógo, V.; Lóco-lóco, T., Pamp.
- OCTOMELES SUMATRANA Miq. (*Datisaceæ.*) A tree.  
Banuáng, T.; Bilúa, T.; Bilúan, T.; Binónang, T.; Binuáng.
- OLAX. (*Olacineæ.*) Trees or shrubs, often scandent, sometimes prickly.  
Lágu, T.
- O. IMBRICATA Roxb. Scandent, unarmed, leaves ovate-oblong, racemes many flowered.  
Malabáguio, T.
- OLDENLANDIA DIFFUSA Roxb. (*Rubiaceæ.*) An annual glabrous diffuse annual with linear leaves.  
Agúho, V.; Danfri, V.
- OLEA. (*Oleaceæ.*) Trees or shrubs with small flowers in axillary or terminal panicles.  
Baúso (Central Luzon); Dílan-báca, B.; Malabútong, T.; Malapúad, Pamp.
- ONYCHIMUM AURATUM Kaulf. (*Filices.*) A fern with finely dissected leaves, yellow beneath.  
Díla-díla; Pácong-anúang.
- OPHIORRHIZA. (*Rubiaceæ.*) Erect, creeping, or decumbent herbs.  
Cayob-cób (Cebu).
- OPILIA JAVANICA Miq. (*Olacineæ.*) A low, scrambling shrub with alternate entire distichous leaves.  
Aragóroy, V.
- OPUNTIA COCHINILLIFERA Mill. (*Cactaceæ.*) A cactus introduced from America, occasionally cultivated for ornament.  
Dápal, V.; Dílang-báca, T.
- ORANIA REGALIS Zipp. (*Palmæ.*) A palm resembling the cocoanut palm in habit, but with numerous small globose fruits 2 inches in diameter.  
Baráñgoi (Bulacan); Palindán, T.
- ORCHIPEDA FOETIDA Blume. (*Apocinaceæ.*) Small tree with rather large flowers.  
Bayág cambíng, T.; Bayág usá, T.; Pantóg-sang-usá, V.

- ORMOSIA CALAVENSIS Blanco. (*Leguminosæ.*) A tree, the pods with small red seeds.  
Báhay, T.; Malaamúyon, T.; Malasága, T.
- OROPHEA. (*Anonaceæ.*) Trees or shrubs.  
Maquitarín (Tayabas); Palosáto, T.
- O. ENTEROCARPOIDEA Vidal. Pañganáua, Cag.
- OROXYLUM INDICUM L. (*Bignoniaceæ.*) A small tree with large pods, 3 ft. long.  
Abáng abáng, T., V.; Abóng abóng, V.; Balflang oác, T.; Pincapínca, T.; Pincapincáhan, T.
- ORYZA MINUTA Presl. (*Gramineæ.*) A variety of rice.  
Capútol, V.
- O. SATIVA L. Rice, of which many varieties are recognized by the natives.  
Bígas, T.; Binambáng, T.; Boláhan; Bolohán, T.; Dumali, T.; Lamúyo, T.; Malagquit, T.; Nilómot (Tayabas); Paláy, T.; Quinandá, T.; Tañgi, T.
- OSBECKIA CHINENSIS L. (*Melastomaceæ.*) Changpárang (Angat).
- OSBORNIA OCTODONTA F. Vill. (*Myrtaceæ.*) Sagása, T.
- OSMELIA. (*Samydaceæ.*) A tree with alternate glabrous leaves and terminal panicles. Flowers white, tinged with red.  
Lubí-lubí.
- OSMOXYLON. (*Araliaceæ.*) A tree.  
Nfóg-nfóg, T.
- O. PULCHERRIMUM Vidal. Apálong; Apúlong, V.
- OTOPHORA BLANCOI Blume. (*Sapindaceæ.*) A small tree.  
Balináonao, T., V.; Dírig, Il.
- O. SPECTABILIS Blume. Paloáhan.
- OTELIA ALISMOIDES Pers. (*Hydrocharidæ.*) A submerged fresh-water herb with rather large white flowers.  
Calabáo, T.
- OXALIS ACETOSELLA L. (*Geraniaceæ.*) The common sorrel. Mistaken by Philippine authors for the next species?  
Ayo, Pamp.; Cuñgí, Pamp.; Cúñgui; Darásig, V.; Lujúla.
- O. CORNICULATA L. A small herb with an acid taste, flowers yellow.  
Congí, Pamp.; Malabalúgbug-dágis, Pamp.; Susocayóhi, T.; Taigan-dóga, T.; Taiñáng-dagá; Yáyo, Pamp.

## P.

- PACHYRHYZUS ANGULATUS Rich. (*Leguminosæ.*) A climbing herbaceous plant from a turnip-like tuber, which is edible. Cultivated.  
Hicamás, T.; Sincamás, T.; Ticamás, V.
- PAEDERIA FOETIDA L. (*Rubiaceæ.*) A climbing herbaceous vine with foetid flowers.  
Cantútae, T.; Cantótai, T., Pamp.; Cantútan, T.; Cantótan, T.; Cantótay, T.; Dieúta, Maboloc., Pamp.; Lilítan, V.; Matabáng-dicut, Pamp.; Taitai, V.

- PALAUQUIUM.** (*Sapotaceae.*) Trees, all of which produce gutta-percha, the leaves of most species glistening beneath. Flowers on the branches below the terminal leaves.  
Anúsep, T.; Calapía (Mindanao); Dulítan-pulá, T.; Macaásin-putí, T.; Malaputát, T.; Malasaputí, Pamp.; Malaputútan, T.; Rírao, B.
- P. BARNESII** Merrill. Leaves obovate obtuse, pubescent beneath.  
Náto, V.
- P. CUNEATUM** Vid. Leaves small, glabrous beneath.  
Anósep, T.
- P. LANCEOLATUM** Blanco. Bagalángit, T.
- P. LATIFOLIUM** Blanco. Leaves large, densely rusty tomentose beneath.  
Alacáac, T.; Alácao, Pamp.; Alácap, T.; Pacaneál, Pamp.; Pálapáac, T.
- P. LUZONIENSE** Vidal. Leaves long petioled, glabrous beneath.  
Bagalángit, T.; Bitocolíng, T.; Dolítan.
- P. OLEIFERUM** Blanco. Similar to *P. latifolium*, but leaves acute, not obtuse.  
Dalácan, Il.; Daracán, Il.; Malaamá, T., Pamp.
- PANAX FRUTICOSUM** L. (*Araliaceae.*) A shrub 3 to 6 ft. high, with tripinnate leaves. Cultivated for ornament.  
Macán, V.; Papúa, T., V., Pamp.
- PANCRATIUM ZEYLANICUM** Linn. (*Amaryllidaceae.*) Ájos-ájos ñga mapotí, V.; Bácong sa Persia; Báong-baoang, V.; Catóngal, T.; Hagobáoa, V.; Lúnas; Rósas-de-pérsia, Sp. Fil.
- PANDANUS.** (*Pandanaceae.*) The "screw-pines," so called from the spiral arrangement of the leaves. The leaves are much used for the manufacture of mats, baskets, etc.  
Carahúmai, T.; Pandán-sabotán, T.; Salógo, V.
- P. DUBIUS** Spreng. Bálio, V.; Bañgécang-bondóc, T.; Báren, V.
- P. EXALTATUS** Blanco. Alásas, T.
- P. FASCICULARIS** Lam. Arquíng, (?) Cag.
- P. ODORATISSINUS** Linn. f. Láha (?) (Jolo); Paddán, Cag.; Pandán, T., V.; Pañgdán, V.; Panhácad, V.
- P. RADICANS** Blanco. Olánggo, V.
- P. SABOTAN** Blanco. Sabotán, T.
- P. SYLVESTRIS** Rumph. Lalógo, V.; Lanógo, V.
- PANGIUM EDULE** Reinw. (*Bixaceae.*) A tree.  
Páñgi, T.; Páñgui, V.
- PANICUM.** (*Gramineae.*) Coarse or fine grasses.  
Bisaclát, T.; Canubsúban, T.; Cáuad-cauáran, T.; Damúng-pásig, T.; Damús-ápi, T.; Duaduáran, T.; Hagusnáy, T.; Lúya-lúya, T.; Mala-cauáyan, T.; Málit-calabáo, T.; Tuadtuáran, T.
- P. COLONUM** L. Tiribúhan, T.
- P. CRUSGALLI** L. The "barn-yard grass" of the United States.  
Dáua-dáua, T.
- P. FLAVIDUM** Retz. Sabóng-sabúñgan, T.
- P. INDICUM** L. Sangúmuy, T.
- P. REPENS** L. Lúya-luyáhan, T.

- PARAMERIA PHILIPPINENSIS Radlk. (*Apocinaceæ*.) A woody vine with white fragrant flowers, the bark producing an abundance of milky sap, which on coagulation becomes rubber.  
Búlao-búlao, V.; Dugtóng-áhas, T.; Gamót-sambáli, T.; Itfban, T.; Parogtóng-áhas, T.; Pasác; Sagíd, V.; Sagít, T.; Tagúe-tagúe, V.; Taguláuay, T., V.; Tayuláuay (Iloilo).
- PARASPONIA. (*Urticaceæ*.) Tanagdón.
- PARASTOMON. (*Rosaceæ*.) Shrub or small tree.  
Inoyában.
- PARINARIUM. (*Rosaceæ*.) Trees.  
Alámag, Bitai-bálang, Pang.
- PARKIA ROXBURGHII G. Don. (*Leguminosæ*.) A large tree bearing long dark-colored pods.  
Bagó-oen, Il.; Bagúen, Il.; Baláy-oác, Il.; Cópang, T., Il.; Cúpang, T.
- PASPALUM (*Gramineæ*.) Tufted grasses, usually found in wet places.  
Paragís, T.; Sábung-sabúnġan, T.
- PAVETTA. (*Rubiaceæ*.) Shrubs or small trees.  
Cáhoý dalága.
- P. ANGUSTIFOLIA R. & S. Alipóong, V.
- PAYENA. (*Sapotaceæ*.) Trees, yielding gutta-percha.  
Lísong-insfe, T.; Lóno-lóno.
- PEMPHIS ACIDULA Forst. (*Lythraceæ*.) A shrub or small tree, common along the seashore. Flowers small, white.  
Bantġgui, V.; Pantġgui, V.; Pilit, B.
- PENNISETUM NIGRICANS Miq. (*Gramineæ*.) Agufúnġai, T.
- PERISTROPHE CONTORTA Blanco. (*Acanthaceæ*.) An erect spreading herb.  
Sapinsapín, T.
- PHENTHUS CUMINGII Miq. (*Anonaceæ*.) A small tree.  
Bignáy-pógo.
- P. NUTANS Hook. f. & Th. Lanótang-itím, T.; Lanútan itím.
- PHALAENOPSIS AMABALIS Blume. (*Orchidaceæ*.) A very striking epiphytic orchid.  
Dápo-Maripósa.
- PHALERIA PERROTTETIANA B. and H. (*Thymeliaceæ*.) A tree.  
Salágo, V.
- PHASEOLUS CARACALLA Blanco. (*Leguminosæ*.) A twining herbaceous vine.  
Caracálla.
- P. LUNATUS Linn. A twining biennial, everywhere cultivated for its edible seeds.  
Hába, Sp.; Patáni, T., V.; Zabbáche.
- P. MUNGO L. Cultivated.  
Balátong, T.; Boláton; Móngos, T.; Múngo, V.
- P. VULGARIS DC. Cultivated.  
Birnġi, T.; Bútiġġ; Butġġa, T.
- PHOEBE. (*Laurinæ*.) Evergreen trees or shrubs.  
Malacádios, T.

- P. UMBELLIFLORA Blume. Malabúnga, B.
- PHRAGMITES ROXBURGHII Nees. (*Gramineæ*.) A very coarse reed-like grass found in wet places.  
Tambó, T.
- PHRYNIUM. (*Scitimineæ*.) Hagniché, V.
- PHYLLANTHUS. (*Euphorbiaceæ*.) Trees, shrubs, or herbs.  
Agay, T.; Ásac-tálong; Búto-butónis, V.; Carámay; Lagári; Murúgna, V.; Tañgisan-púnay, V.; Tenáan; Tináan, T.
- P. ACIDUS Muell. Arg. A tree, fruit edible.  
Caguínd; Calutpámo; Lanḡuḡgi.
- P. DISTICHUS Muell. Arg. A tree, fruit edible, very acid.  
Banquílin, T.; Banḡquíling, V., T.; fba, T., Pamp.; Layóhan, V.; Póras, V.; Yba, T.
- P. NIRURI Muell. Arg. A small herbaceous plant much used in medicine.  
Hiérba de San Pédro, Sp.
- P. RETICULATUS Muell. Arg. A small shrub with black berry-like fruit; very common.  
Malafba, T.; Malatínta, T.; Matáng-oláng, V.; Nípin (Zamboanga); Súḡgot-oláng, V.; Tinatínan, T.; Tintatintáhan, T.
- P. URINARIA L. A small herb used in the practice of medicine.  
Ibaibáan, T.
- PHYLOSTACHYS BAMBUSOIDES Sieb and Zucc. (*Gramineæ*.) A bamboo.  
Cauáyan-ḡga-itúm, V.
- PHYSALIS ANGULATA L. (*Solanaceæ*.) An herbaceous plant, common in waste places.  
Asísio, V.; Camátis; Sísio, V.; Tuttulláca, T.
- P. PERUVIANA L. Similar to the preceding, but the fruit edible; cultivated.  
Capúli; Potocán, T.; Potóe-potocán, T.; Sísio, V.;
- PICRAMMA JAVANICA Blume. (*Simarubaceæ*.) A tree with large unequally pinnate leaves.  
Lanéte, V.; Nális.
- PIERARDIA?. (*Euphorbiaceæ*.) Shrubs or trees.  
Banítlong (Zamboanga); Tincál (Zamboango).
- PINUS INSULARIS Endl. (*Coniferæ*.) A pine tree found in Benguet, etc. Three leaves in a fascicle.  
Alal, Ig.; Balébo, Ig.; Bariát; Báta; Bátang (Bontoc); Bébe; Bébeng; Boó-boó, Ig.; Palopíno; Párua, Il.; Ságin, T.; Sáleng, Il.
- P. MERCURII J. and de V. Pine from Zambales, two leaves in a fascicle.  
Palosápis, T.; Sáleng, Z.; Tapálah, Zamb.; Tapálah.
- PIPER. (*Piperaceæ*.) Herbaceous vines.  
Chileng-bundóe, T.; Litlít; Salimára, T.
- P. BETLE L. The leaves of this species are chewed with the nut of the Areca palm.  
Búyo, V., T.; Canísi, V.; Hojas de buyo; Ítmo, V., T.; Mamín, B., T.; Mainón, V.; Póro; Sámat, Pamp.
- P. CANINUM A. Dietr. Búyo-búyo (Albay); Búyo it ámo, V.; Búyo it áyam, V.; Búyo it lintí, V.; Sábia, T.

- P. CORYLISTACHYON C. DC. Háras, V.; Létlet-túbuy, T.; Litbft, V.; Litlf, V.; Nápan, B.; Sañglo, V.; Sáog, V.
- P. NIGRUM L. Yields the black pepper of commerce.  
Malísa, T.; Pimiénta, Sp.
- P. PHILIPPINUM Miq. Pimiéntang-bundóe, T.
- P. SUBPELTATUM Willd. Tabáyac (Iloilo).
- PIPTURUS ASPER Wedd. (*Urticaceæ*.) A small shrub.  
Alañgisi, V.; Dalonóban; Dalónot, T., Pamp.; Dalonótan, V.; Dalúnót, T.; Handalámáy; Handarámai, V.; Himarámay, V.; Hindalámái, V.
- PISONIA ACULEATA L. (*Nyctaginaceæ*.) A tall woody climber with axillary recurved prickles.  
Digquí-t-digquí, T.; Pácat-áro, T.; Panácla (Bulacan); Puriquet, Il.
- P. INERMIS Forst. A tree, unarmed.  
Coles malúeo, T.; Malúeo, T.
- P. UMBELLATA Seem. A tree 40 to 50 ft. high.  
Malagasáha, B.
- PISTIA STRATIOTES Linn. (*Aroidæ*.) A floating stemless herb, the leaves forming an erect cup.  
Alulúan, Cag.; Cayápo, V.; Loloán, Il.; Lóuan-lóuan, V.; Quiápo, T.
- PITHECOLOBIUM. (*Leguminosæ*.) Trees.  
Gógo-cásay, T.; Téque, T.
- P. ACLE Vidal. A large and valuable timber tree.  
Acle, T.
- P. DULCE Benth. A medium or large tree now common in the Philippines, introduced from America. The fleshy aril surrounding the seed is edible.  
Camanchíle, T.; Camanchíles; Camachílis, T.; Camansíle, T.; Camantirís, Il.; Camastéles; Camochíle; Camochíles, T.; Commonsí, V.; Camonsíles, T.; Damortís, Ig.
- P. LOBATUM Benth. A valuable timber tree.  
Alobáhai, T.; Anagáb; Anagáp, T.; Anagát; Anaguép; Anárep, Il.; Bintínŕ-dalága, T.; Culceul, V.
- P. MONTANUM Benth. Anagáp, T.; Cásai, T.; Cásay, V.; Malacamonsíle, T.; Tiqués, T.
- PITTIOSPORUM. (*Pittosporaceæ*.) Trees or shrubs.  
Bulálang, B.; Malambangcábas (Zamboanga); Mamális-babáe, T.; Óte-óte.
- P. FERNANDEZII Vidal. Mamális, T.
- P. FLORBUNDUM W. & A. Baluñgeanáyan, V.
- PLANCHONIA. (*Myrtacæ*.) Trees with the alternate leaves crowded at the ends of the branches. Racemes short, terminal, flowers greenish-yellow or white.  
Abóbo, B.; Alitáptap, B.; Malanbán, T.; Maúban, T.
- PLANTAGO EROSA Wall. (*Plantaginaceæ*.) Lantín, T.
- PLECTOCOMIA ELONGATA Mart. & Blume. (*Palmeæ*.) Scandent palms.  
Nánga, V.



- PLECTRONIA. (*Rubiaceæ.*) Unarmed or spinous shrubs, erect or climbing.  
Cuteáran, T.; Subfan-dagá; Sulfac-dagá, T.
- P. HORRIDA H. & T. Stems with many hooked spines.  
Dáyap-dáyap.
- P. MOLUCCANA Merrill. Silisli.
- PLUCHEA INDICA Less. (*Compositæ.*) A low shrub, growing in the salt marshes.  
Lagúndi láti, T.; Túlo-laláqui (Iloilo).
- PLUMBAGO ZEYLANICA L. (*Plumbaginaceæ.*) Herbs or undershrubs with diffuse branches, the rachis of the spike pubescent or glandular.  
Bangbáng, Il.; Sañdigéquit, T.; Talancaó, Il.; Talangeáw, Il.
- PLUMIERA ACUTIFOLIA Poir. (*Apocinaceæ.*) A tree with very fragrant white flowers, introduced from America and cultivated for ornament.  
Calachúchi, T.; Calasúsi, T.; Calatsútsi, T.; Calatúche, V.; Carachúcha, T.
- PODOCARPUS. (*Coniferæ.*) Large trees found in the higher mountains.  
Dilag-butiquí, T.; Salupísín (Bontoc).
- PONOGATHERUM CRINITUM Trin. (*Gramineæ.*) A delicate grass found on damp ledges along rivers, etc.  
Damúng-gúbat, T.
- POGOSTEMON CABLIN Benth. (*Labiataæ.*) Herbs or undershrubs.  
Cadlín, V.; Cadlóm, V.; Carlín, T.; Sároc, Ig.; Catluén, V.
- P. HEYNEANUS Benth. Cablín, T., Pamp.
- POINCIANA REGIA Bojer. (*Leguminosæ.*) The "fire tree," commonly planted in the Philippines for ornamental purposes.  
Arbol de fuego, Sp. Fil.
- POLLIA SORZOGONENSIS Endl. (*Commelinaceæ.*) Large herbs with lanceolate leaves, the stem erect, viscid.  
Lohód-lohód, V.
- POLLIA THRYSIFLORA Endl. Sapíco, Ig.
- POLYALTHIA. (*Anonaceæ.*) A tree.  
Dalinhás, T.
- P. LANCEOLATA Vid. Anólang, T.
- POLYANTHES TUBEROSA L. (*Amaryllidaceæ.*) Azúcena; Nárdó (Cebu).
- POLYGONUM. (*Polygonaceæ.*) Herbs with alternate entire leaves, inflorescence a spiciform or paniced raceme.  
Malabalánte, T.
- P. BARBATUM L. The nodes furnished with long bearded stipules.  
Canubsúban, Pamp.; Subsúban, T.
- POLYPODIUM. (*Filices.*) A large genus of exceedingly variable ferns.  
Agnáya; Dilimán (Manila); Hagnáya.
- P. DIPTERIS Blanco. Cádco, Ig.; Marapáco, Il.
- P. QUERCIFOLIUM L. An epiphytic fern.  
Cabeáh, V.; Cabeában, V.; Cabeábun, V.; Capeápa, Il.; Góna, Pamp.;  
I -láuin, T.; Paipaf-ámo, T.; Tibátib, Pamp.

- POLYPORUS. A genus of pore-bearing woody fungi.  
Cabúti, T.
- POLYSCIAS NODOSA Seem. (*Araliaceæ*.) A glabrous shrub with paniced umbels and pinnate leaves.  
Biás-biás, T., V.; Binǵlín, T., V.; Bonǵlfu, V., T.; Bonlín, T.; Buñǵlín, T.; Buñǵ-lóy, V.; Malapapáya, T., V.
- POMETIA. (*Sapindaceæ*.) Tall trees with pinnate leaves and simple or paniced, elongated, slender racemes.  
Cuya-quía, Z.; Quiaquía, Z.
- PONGAMIA GLABRA Vent. (*Leguminosææ*.) An erect tree with odd-pinnate leaves and woody, flattened, indilhiscent pods, common near the seashore.  
Balíc-balíc, T.; Balóc balóc, T.; Balót-balót (Tayabas); Báui, T.; Bayóc-bayóc, T.; Búton, V.; Caddól.
- PORTULACA OLERACEA L. (*Portulacaceæ*.) A prostrate succulent weed, the "purslane" of the United States.  
Ausíman, B.; Colasíman, T.; Golasíman, T.; Olasíman, T.; Sayícan, T.
- P. QUADRIFIDA L. Sayícan, T.
- POTAMOGATON JAVANICUS Hassk. (*Naiadaceæ*.) Submerged water plant with floating leaves.  
Lómot, T.
- PÓTHOS. (*Aroidææ*.) Climbing branched shrubs, the branches rooting.  
Apís, T.
- P. CYLINDRICUS Presl. Hólog-ñga-isá, V.
- POUZOLZIA INDICA Gaud. (*Urticaceæ*.) A slender, erect or prostrate herb with axillary white flowers.  
Tufa, T.
- PREMNA. (*Verbenacææ*.) Shrubs or small trees with corymbose or paniced cymes of rather small greenish or yellowish flowers.  
Adío (Tayabas); Agdáo, T.; Alága, T.; Alagáo dágat, T.; Alogba-gúnit, T.; Áñghet, T.; Anoáang; Aragáo, V.; Malaápi, T.; Manabá, B.; Muláuin-áso, T.; Tanáua, T.; Úban.
- P. VESTITA Schauer. Leaves softly pubescent.  
Aagáo, T.; Adgáo, V.; Alagáo, T.; Algóa, T.; Anobrán, II.; Argáo, V.; Moláuin-áso, T.; Pamúhat, V.; Tañǵláy-malóto, Pamp.
- PROSOPIS JULIFLORA DC. (*Leguminosææ*.) A shrub or small tree introduced from America and now very common along the seashores in certain places. Thorns stout, flowers yellow.  
Aróma, T.
- PSIDIUM GUAYAVA L. (*Myrtaceæ*.) A shrub or small tree, native of America and now very common in the Philippines. The fruit is edible.  
Arráyan; Bayábas, T.; Calinbagín, T.; Guayábas, Sp.; Guayábo; Guyába, Sp.; Guyábas, Sp.; Tayábas, T.
- PSOPHOCARPUS PALUSTRIS Desv. (*Leguminosææ*.) A twining herb from a large tuberous root. Pod 3 to 4 inches long. Cultivated.  
Balágay, V.

- P. TETRAGONOLOBUS DC. Similar, but with a pod 6 inches long or more, square-winged. Cultivated.  
Calamismís, T.; Calamísmis; Camalúson, V.; Pal-lám, II.
- PSYCHOTRIA. (*Rubiaceæ.*) Shrubs or small trees.  
Tataníe, T.
- P. MALAYANA Jack. Léno, T.; Sagómay; Tagpó, T.
- PTERIS OPACA J. Sm. (*Filices.*) Dagábas, T., V.; Daríás, T., V.
- PTEROCARPUS. (*Leguminosæ.*) Trees with yellow flowers and orbicular pods which have a rigid wing. Valuable timber trees.  
Danápra; Daytánag, Pamp.; Idíao; Tagpá, C.; Udiáon, T.
- P. BLANCOI Merrill. Leaves acuminate, pods glabrous, wing broad, wood odorous.  
Sanqué, V.; Urían, Apálit, Pamp.
- P. INDICUS L. Similar to preceding species but leaves acute and wing of pod much narrower.  
Agána; Antágan; Asána, T.; Daitánag, Pamp.; Nága, V.; Nárra, T., V.
- P. VIDALIANUS Rolfe. Pods covered with stout spines.  
Nárra pula (Unisan).
- PTEROCAULON CYLINDROSTACHYUM Clarke. (*Compositæ.*) A tomentose herb with alternate decurrent leaves and sessile heads of yellow flowers.  
Sambóng-galá, T.
- PTEROCYMBIUM JAVANICUM R. Br. (*Sterculiaceæ.*) A tall tree, the seeds winged.  
Bangót, T.; Busáin (Leyte); Dúha, (?) V.; Fangínhan; Malasapsáp, T.; Talóto, T.; Talúto.
- PTEROSPERMUM. (*Sterculiaceæ.*) Scaly or stellate-tomentose trees, with leathery oblique leaves, woody-angled capsules, and winged seeds.  
Bariúan, II.; Bayúg, V.; Bayóg-bayóg, Pamp.; Calatínġan, T.; Cantínġan (Mang.); Quínay-quínay, T.; Taligána, Z.
- P. ACERIFOLIUM Willd. Leaves roundish or oblong, entire or coarsely toothed.  
Bayóe, T.
- P. BLUMEANUM Kth. Bayóe, T.; Bayóe, T.; Bayóg, T.; Bayugtín, T.
- P. DIVERSIFOLIUM Blume. Leaves horary beneath, acuminate.  
Bágud, T.; Baláy-báyan, Z.; Bároy; Bayóe, T.; Búnġa, Cag.
- P. OBLIQUUM Blume. Calocatínġan, T.; Panalinġáen; Tíngan-tíngan, T.
- PTYCHOSPERMA PUNICEA Miq. (*Palmae.*) Salóag, V.
- PUERARIA JAVANICA Benth. (*Leguminosæ.*) Stems twining, covered with dense, spreading brown hairs.  
Simcamás-áso, T.
- P. PHASEOLOIDES Benth. Báhay, V.
- PUNICA GRANATUM L. (*Lythraceæ.*) A shrub, the pomegranate, cultivated.  
Dalíma (Jolo); Granáda, Sp.
- PÛPALIA ATROPURPUREA Moq. (*Amarantaceæ.*) A slender, erect herb, with acuminate leaves and long spikes.  
Dócot-dócot, V.

PYGEUM. (*Rosaceæ.*) Evergreen trees or shrubs.

Amúgan, T.; Báhay, T., V.; Cagatún̄gan, T.; Dun̄gón-dun̄gónan, T.;  
Gulit, T.; Luyúsin, T.; Malaemáe, T., Pamp.; Malapúyao, T.; Taloc-  
nási.

P. ARBOREUM Endl. Pasác, T.

P. LATIFOLIUM Miq. Cambál.

## Q.

QUERCUS. (*Cupuliferae.*) The oaks. Many species are found in the mountain forests in the Philippines.

Babaisáan, T.; Bagmán, T.; Baymán, T.; Bayúcan, T.; Manlóab, T.;  
Maúring, T.; Paenán, T.; Pañganán; Tieléb, Ig.; Uyáyan, V.

Q. BLANCOI A. DC. Uayán, T.

Q. CASTELLARANAUIANA Vidal. Pusopúso (Marinduque).

Q. JORDANÆ Lag. Paláyen, Ig.

Q. LLANOSII A. DC. Aláyan, T.; Hayópag, T.; Macabún̄gao, T.

Q. PHILIPPINENSIS A. DC. Mangasiríqui (Bulacan).

Q. SOLERIANA Vidal. Cacána, T.; Oláyan.

Q. VIDALII F. Vill. Siríque.

QUISQUALIS INDICA Linn. (*Combretaceæ.*) A rambling, scandent shrub with slender, elongated fragrant white, pink, or red flowers.

Babebábe, Pamp.; Balitádhm, V.; Níog-níogan, T.; Pinónes, V.;  
Talólón (Marinduque); Tangálon (Marinduque); Tan̄gólón, T., V.;  
Tan̄gúlón, T.; Tartaráo, Il.; Tortoráoc, T.

## R.

RANDIA. (*Rubiaceæ.*) Shrubs or small trees.

Bayábar áso, Pamp.; Malabacáuan, T.; Malacafé, T.; Malacárpa;  
Tán̄go-tán̄go.

R. CUMINGIANA Vidal. Palo-pálo, B.

R. DUMETORUM L. Sinampága, T.

RAUWOLFIA. (*Apocinaceæ.*) Shrubs or small trees.

Curcanéla (Albay); Lipáta, T.

R. AMSONLEFOLIA A. DC. Maladíta, T.; Pandacáque lalaque, T.

RAPANEA PHILIPPINENSIS Mez. (*Myrsinaceæ.*) A small tree.

Calumánay, T.; Tan̄gad (Dinagat).

RATONIA MONTANA B. & H. (*Sapindaceæ.*) Shrubs or trees.

Guisán, T.

RHAMNUS. (*Rhamnaceæ.*) Shrubs or trees with alternate leaves and small berry-like drupes.

Bícal, Il.

R. WIGHTII W. & A. Cabatíti, T.

RHAPHIDOPHORA. (*Aroideæ.*) Amúlung, Cag.; Hólog, V.; Hótog, V.

R. MONTANA Schott. Dapóng-tibátib, T.

R. PERTUSA Schott. Dayá, V.; Mámao (Jolo); Paepáe-lánin, T.

RHAPIS FLABELLIFORMIS Ait. (*Palmae.*) Anáhao, T.

RHIZOPHORA. (*Rhizophoraceæ.*) A constituent of the mangrove swamps.

Petals, four.

Búuas, T.

- R. CONJUGATA L. Bacáuan laláqui, T.; Tón̄gog, V.
- R. MUCRONATA Lam. Bácao, T. V.; Bacáuan, T.; Oón̄gon, II.; Parácan, II.; Pelótan; Pototán; Tañgál, T.; Tigasán.
- RHODAMNIA GLABRA Vidal. (*Myrtaceæ.*) Small tree or shrub.  
Gas-gás, V.; Guis-gúis, T.
- RHODODENDRON ROSMARINIFOLIUM Vidal. (*Ericaceæ.*) Small shrubs, found on the higher mountains.  
Vicb́qui, Ig.
- R. VERTICILLATUM Vidal. Lopóng, Ig.
- RICINUS COMMUNIS L. (*Euphorbiaceæ.*) The castor oil plant.  
Lansína, T.; Lingásína, T.; Táñgan-táñgan, T., II.; Tavatavangsína, II.; Tawatawasíñga, II.
- ROSMARINUS OFFICINALIS Linn. (*Labiatae.*) The rosemary, introduced from Europe, cultivated and (?) spontaneous.  
Roméro, Sp.
- ROTTBOELLIA MURICATA Retz. (*Gramineæ.*) Stout coarse grass.  
Timsín, T.
- ROUREA. (*Cunmaraceæ.*) Trees or shrubs, sometimes scandent, with odd pinnate leaves and axillary paniculate inflorescence.  
Ibaibán, T.
- R. HETEROPHYLLA Planch. A scandent shrub with small white flowers and red capsules.  
Camágsa, T.; Camágsa taguflis, T.; Camf́min, T.; Gufcos gufcos, T.; Gurayácan, T.; Hanmababáo, T., V., Pamp.; Magtábíg, V., Pamp.; Mavindáto, V., Pamp.; Palosáto, T.; Ungáli-na-pulá, V., Pamp.
- R. MULTIFLORA Planch. Malacahue, T.
- RUBUS. (*Rosaceæ.*) The raspberry. Several species are found in the Philippines: berries usually rather tasteless.  
Sabnét, T.; Sapnít, T.
- R. GLOMERATUS Blume. Dagámit, V.; Sapnít, V.
- R. PARVIFLORUS L. Dagúinot, V.
- R. ROS.FOLIUS Smith. Sagmít, T.; Sapnít, T.
- RUTA GRAVEOLENS L. (*Rutaceæ.*) A strong-smelling herb, cultivated.  
Dúra, V.
- RYPAROSA LONGIPEDUNCULATA. (*Euphorbiaceæ.*) Buñgánon (Tinago).

### S.

- SACCHARUM OFFICINARUM L. (*Gramineæ.*) The sugar cane.  
Ágbo, Cag.; Caña-dúlce, Sp.; Quilalá, V.; Tubó, T.
- SACCOLABIUM. (*Orchidaceæ.*) Epiphytic orchids.  
Manágo, V.
- SACCOPETALUM. (*Anonaceæ.*) Trees.  
Calabúyo, T.
- S. LONGIPES Vidal. Dañglúc, T.; Lanútan, T.
- SAGERETIA. (*Rhamnaceæ.*) Shrubs with rigid or scandent branches and very small sessile flowers.  
Adadínco (Benguet).

- SALACIA PRINOIDES DC. (*Celastraceæ*.) A large climbing shrub with coriaceous leaves.  
Matáng-oláng, T.
- SALIX AZAOLANA Blanco. (Quid?) Sañce; Tiáun, T.
- SAMADERA INDICA Gaertn. (*Simarubiaceæ*.) A small tree with fleshy leaves and long peduncled many-flowered umbels.  
Daráput, V.; Linatogánae, V.; Lintón-gámai, V.; Moñgal, T.; Manungál, T., B., V., Pamp.; Mañing-dáto, V.; Palagárium, V.; Palágium, V.; Ponoán, V.
- SAMBUCUS JAVANICA Blume. (*Caprifoliaceæ*.) A straggling shrub with corymbose inflorescence and small white flowers.  
Hagónoy-sa-húquid; Sañco.
- SANDORICUM VIDALII Merrill. (*Meliaceæ*.) Trees with trifoliolate leaves and fleshy fruits.  
Malasantól, T.
- S. INDICUM L. A tree cultivated for its edible fruit.  
Santól, T., V.; Santór (Zamboanga).
- SANTIRIA. (*Burseraceæ*.) Balsamiferous trees with alternate trifoliolate leaves.  
Ábar, T.; Bólao, Pamp.; Búlao, T.; Paútan, T.
- SAPINDUS. (*Sapindaceæ*.) Trees.  
Atalapilpi, Z.; Báloe; Sansáli, T.
- S. TURCZANINOWII Vid. Casiben, Il.; Catíguis, T.; Cosibén, Il.; Malapalítpit, Pamp.; Malapatpít; Palicpíc-píto, Pamp.; Panosibén (Tiagan); Tiquís tiquís, T.; Sausaáli.
- SARCOCEPHALUS CORDATUS Miq. (*Rubiaceæ*.) A tree with globose heads of white flowers.  
Baneál, T.; Baneál-cábog; Bangeál, T.; Bulála, Il.; Cábag; Cábag hambabálos, V.; Hambabálos, T.; Mabálot, T.; Nambabálos.
- SAURAUJA. (*Ternstroemiaceæ*.) Trees or shrubs with the leaves approximate at the ends of the branches.  
Masipón, Cag.; Panoddías, V.; Purá, B.
- SAUROPOD ANDROGYNUS Merrill. (*Euphorbiaceæ*.) Binahían, T.
- SCÆVOLA KOENIGII Vahl. (*Goodenoviaceæ*.) A small shrub with stout branches, tufted leaves and pale blue flowers, common on the seashore.  
Balóe-balóe, T.; Bocáboe, T., V.; Bosbóron, T., V.; Bóto, T., V.; Línog, Z.; Mosborón, T., V.; Panabólóng; Panabólóng, T., V.; Panabúlóng, V.; Panãngãtóng, T., V.; Tagustús, V.
- SCHIZOSTACHYUM. (*Gramineæ*.) A bamboo.  
Balcao, V.
- S. ACUTIFLORUM Munro. Bocánuay, T.; Cauáyan-bocánu; Cauáyan-osu; Canáyan-táyo-uánae (Tayabas).
- ?S. BLUMEI Nees. Cauáyan-chína.
- SCHLEICHERA. (*Sapindaceæ*.) Trees.  
Dapnít, Pamp.; Matamatá, B. Carabdáp.
- SCHIRANKIA ACULEATA Willd. (*Crucifereæ*.) Sapnít, T.

- SCIRPUS. (*Cyperaceae*.) Usually coarse rushes, growing in wet soils.  
Calantípay, T.; Camubsúban, T.; Libíran, T.
- S. MUCRONATA L. Baláñgud, T.
- SCLERIA. (*Cyperaceae*.) Slender or coarse grass-like plants, in wet soils.  
Arát, T.; Baroquéboe, T.; Dáat, T.; Dát, V.; Dáut, T.; Háras, V.
- SCOLOPIA. (*Bixaceae*.) Spinous trees with alternate entire leaves.  
Páyna, T.
- S. CRENATA Clos. Bitanhól, T.; Bitúñgol, T.
- S. DASYANTHERA Benth. Sána-sáua.
- S. ROXBURGHII Clos. Agas-ás.
- SCOPARIA DULCIS L. (*Scrophulariaceae*.) A much-branched herb with numerous small white flowers, common in open places.  
Chacha-chacháchan, T.; Malaanís, Pamp.; Saíng cabáyo, T.
- SCYPHIPIORA HYDROPHYLLACEA Gaertn. (*Rubiaceae*.) A glabrous tree found along the seashore with coriaceous leaves, the young branches viscid.  
Manílad, T.; Nilád, T.; Nilár, T.; Pipisíc, T.; Sabása, T.
- SELAGINELLA. (*Selaginellaceae*.) Crocalásay; Dansó, T.
- S. CAULESCENS Spring. Atoátong, Ig.
- SEMELCARPUS. (*Anacardiaceae*.) Trees.  
Angás babáe, T. ?; Camíring, Il.; Lúbidlúbid, B.; Pahútan, T.
- S. ANACARDIUM L. f. Anágas.
- S. GIGANTIFOLIA Vidal. Leaves 3 ft. long or more, crowded at the ends of the few branches.  
Malabalúbat?; Tocud-langit, T.
- S. MACROPHYLLA Merrill. Leaves obovate,  $\frac{1}{2}$  to 2 ft. long.  
Pípi, V.
- S. FERROTETHI March. Alágas; Anágas, V.; Balinhásay (Abra); Búgnao; Ingás; Lauñgas, V.; Légas, T.; Ligáas, T.; Lígas, T.; Lóñgas (Cebu).
- SERIANTHES GRANDIFLORA Benth. (*Leguminosae*.) Unarmed tree with bipinnate leaves and large yellowish flowers.  
Tonóe.
- SESAMUM INDICUM L. (*Pedalinea*.) An erect herbaceous plant with white flowers, cultivated and spontaneous. The seeds yield a valuable oil, known in commerce as sesamum oil.  
Lána; Láuñga (Cag.); Lauñés, Pamp.; Langúñgá, T.; Lauñguís, Léngúñga, T.; Lúñga, T.; Lúñgó; Lóñga, V.
- SESBANIA AEGYPTIACA Pers. (*Leguminosae*.) A shrub with pale yellow flowers.  
Malacaquós, T.
- S. GRANDIFLORA Pers. A small tree with very large white flowers and slender pods a foot in length.  
Cutúrai, T.; Gáuay-gáuay, V.; Gáuay-gáuay ñga pulá, V.
- SESUVIUM PORTULACASTRUM L. (*Ficoidea*.) A succulent branching herb, found along the seashores.  
Bílang-bílang, V.; Carampálit, Pamp.; Dampálit, T., V., Pamp.; Tarumpálit, T.

- SETARIA GLAUCA Beauv. (*Gramineæ.*) "Pigeon grass" of the United States.  
Búntot-púsa, T.
- S. ITALICA Beauv. (*Gramineæ.*) Italian millet; cultivated.  
Bicácao, Il.; Boróna, Pamp.; Bucácao, Il.; Dáo. V.; Dáu, T., V.;  
Dáva, T., V.; Míjo (Cebu).
- SHOREA. (*Dipterocarpaceæ.*) Large trees, valuable for their timber.  
Calyx in fruit with an obscure tube, two segments enlarged.  
Alñgá, Pang.; Banbáyan, Il.; Batítan, T.; Binalúan, T.; Bític, T.;  
Buécan, T.; Dalindñgan, T.; Danlíg.; Dúyong, Il.; Macaásin, V.;  
Mangasinóro, Z.; Palosápis; Pauhápi, T.; Tañgñli, T.; Tiáni, T.
- S. GUIISO Blume. Catápang; Curúcat (Nueva Viscaya); Curyáo (Nueva Viscaya); Guíjo, T.; Guisñang; Guiso, T.; Guisóc, T.; Sáray, Cag; Yambán, Il.; Zítan, Cag.
- S. MALAANONAN Blume. Malaanónan, T.
- S. MANGACHAPUY F. Vill. Guísong-diláo, T.
- SIDA CARPINIFOLIA L. (*Malvaceæ.*) An undershrub with yellow flowers.  
Escobaghába, T.; Higtbaláto, T., V., Pamp.; Pamális, T., V., Pamp.;  
Silhigón, V.; Wawalisán.
- S. FRUTESCENS Blanco. Mamólis, T., V., Pamp.; Taquing-báca, Il.; Taquing-báca-báca, Il.; Uualisín, T., V., Pamp.
- S. RHOMBIFOLIA L. Báseng-báseng, V.; Eseóbang-habá, T., V., Pamp.
- SIDEROXYLON. (*Sapotaceæ.*) Trees, some species yielding gutta-percha.  
Acána; Dolítan-pacátan, T.; Dolótan-pulá, T.; Marumaneás, T.; Marumaneás-na-laláque, T.
- S. BALITBITAN Blanco. Balitbítan, T.
- S. CINEREUM L. Duéltan.
- S. DUCLITAN Blanco. Duéltan, T.
- SINDORA. (*Leguminosæ.*) Trees.  
Yácot, Z.
- S. WALLICHII Benth. A tree growing near the seashore, calyx beset with soft bristle-like processes. Pod armed with stout spines.  
Malapáho, T.; Manápo, B.; Pámo; Pamalalfán, Cag.; Pancalfán, Cag.; Súpa, T.; Yácal-diláo, T.
- SMILAX. (*Liliaceæ.*) Climbing shrubs with alternate 3 to 5 nerved leaves and small dioecious flowers.  
Hampás-tabálang, T.; Óbat, T.; Rónas; Tighálang, T.; Unéfon.
- S. CHINA L. Bánag, V. T.; Bárag, Pamp.; Óbi-ubíhan, T.
- S. DIVARICATA Blanco. Himpás-lagbálang.
- S. INDICA Vitm. Banágan, V.; Camágsa, T.; Oláng, T.
- S. LATIFOLIA Blanco. Sípit-olág.
- SOLANUM. (*Solanaceæ.*) Herbs, shrubs, or small trees, spinous or un-armed. Fruit a berry.  
Talampáy, T.; Talónñgon, T.
- S. FEROX L. Tagútong, V.; Tálóng-gúbat, T.; Tarambólo, T.
- S. MELONGENA L. The egg plant, cultivated.  
Tálong, T., V.



- S. NIGRUM L. A common weed with small black berries, used in medicine.  
 Bolagtab, V.; Camacamatsan, T.; Cönty, T.; Cúnti, T.; Cúti, B.;  
 Gamagamatsan, T.; Hulablúb, V.; Lagpácum, V.: Lubí-lubí, T., V.,  
 B.; Ónti, T.
- S. SANCTUM L. Talañgbúlo, T.; Tánġan-tánġan, T.
- S. TUBEROSUM L. The potato, cultivated in the mountain regions.  
 Pápas; Patátas, Sp. Fil.
- S. VERBASCIFOLIUM L. Nógog-nógog (Cebu); Tabáco tabacóhan; Ung-áli, V.
- SONNERATIA PAGATPAT Blanco. (*Lythraceæ.*) Tree, growing in and on the  
 borders of mangrove swamps, with broad leaves and rather large  
 flowers.  
 Bunáyon; Buñgálan, V.; Dalúru-laláque, B.; Pagatpát, T., V., B.:  
 Palápad, T.; Palatpát, T.
- SOPHORA TOMENTOSA L. (*Leguminosæ.*) A small tree with leaves densely  
 tomentose beneath and yellow flowers. Common on the seashores.  
 Bañíl, T., V.; Baraumáran, T., V.; Cabaicábai, T., V.; Cáuai, T., V.;  
 Guíson, T., V.; Mangúyao, B.; Mantála, T. V.; Olaómag, T., V.;  
 Pañgalañġan, T., V.; Rocnóhan, T., V.; Sandalaitán, T.; Tambala-  
 guísai, T., V.; Tambalísa, T., V.; Yábag, T., V.
- SORGUM VULGARE Pers. (*Graminæ.*) Cultivated, "sorghum."  
 Bátad, V.
- SPHERANTHUS AFRICANUS L. (*Compositæ.*) A low annual, the branches  
 winged, whole plant fragrant, a weed in waste places.  
 Talababáco, V.
- S. INDICUS L. Differing from the preceding in its toothed wings of the  
 branches and other characters.  
 Sambóng-galá, T.
- SPHENOCLEA ZEYLANICA L. (*Campanulaceæ.*) An annual erect herb with  
 axillary and terminal spikes, common in rice paddies, swamps, etc.  
 Silisilhan, T.
- SPLANTHES ACMELLA L. (*Compositæ.*) An annual erect or ascending herb  
 with solitary or paniced heads. Much used in medicine.  
 Agónoi, V.; Hagónog, T.; Hagónoi, T.; Palúnag; Palúnai, Pamp.
- SPINIFEX SQUARROSUS L. (*Graminæ.*) A very coarse trailing grass with  
 spherical, spiny inflorescence; very common on sandy seashores.  
 Báqui-báqui, V.; Damón-dágat.
- SPONDIAS MANGIFERA Wall. (*Anacardiaceæ.*) A glabrous tree cultivated  
 for its edible fruit.  
 Alubñhod, V.; Alubñhon, T.
- S. PURPUREA L. Similar to the preceding, introduced from America.  
 Cirúllas Sirihúelas, T.
- SPONIA. (*Urticaceæ.*) Hanáron, T.
- STEPHEGYNE. (*Rubiaceæ.*) Shrubs or small trees with globose inflorescence.  
 Anítag, T.; Calamansálai, T.; Calamansálan, T.; Calamansánai, T.;  
 Chéche (Nueva Viscaya).
- S. DIVERSIFOLIA Hook. Mambób.
- S. SPECIOSA Korth. Mambóg.

- STERCULIA. (*Sterculiaceæ.*) Large trees or shrubs, with simple, palmately lobed or digitate leaves.  
 Amláng, T.; Anahánon, B.; Bácan, T.; Balabónot; Busáin, V.; Maglóloy, Z.; Malabunót, T.; Malacacáo, T.; Malaúnót, T.; Panaquitín, T.; Tncán-cálaho, T.
- S. BALANGHAS Blanco. Balánghas.
- S. FÆTIDA L. Leaves digitate. The seeds yield a valuable oil. The flowers have a fœtid odor.  
 Bañgár, Il.; Bóbog, V.; Calompán, T.; Calúmpag, T.; Calúmpán, Pamp.; Calúmpang, T.; Calúmpang; Calúmpang, T.; Caumpáng (Jolo).
- S. OBLONGATA R. Br. Uós, B.
- S. RUBIGINOSA Vent. Náto, T.
- S. STIPULARIS R. Br. Malabonót.
- S. URENS Roxb. Banílad, V., T.
- STEROSPERMUM. (*Bignoniaceæ.*) Trees with 1 or 2-pinnate leaves and large lax terminal panicles.  
 Bíbit-párang; Macatúray; Malacatúray, Z.
- S. PINNATUM Rolfe. Bánai-bánai, T.
- S. QUADRIPINNATUM F. Vill. Ansóhan, V.; Badlán, V.; Bánai-bánai, T.; Bánai-bánayan, V.; Bánay; Banáyan; Baticulín, T.; Báltan; Bótong-manóc, T.; Uimbabáon, T.
- STREBLUS. (*Urticaceæ.*) Shrubs with small harsh leaves.  
 Búc-bóc, Pamp.
- S. ASPER Lour. Alásis; Alódig, Il., T.; Ámpas, Pamp.; Balañgáquin, Cag.; Bócboc, T.; Bógto-táe, V.; Cacádle, T.; Cálíos, T.; Calóis; Calúis, T.; Malaipútai, B.
- STREPTOCAULON BAUMII Decne. (*Asclepiadaceæ.*) Twining tomentose shrubby vine.  
 Dugtúng-áhas, T.; Parongtóng-áhas, T.
- STRYCHNOS. (*Loganiaceæ.*) Trees or scandent shrubs. The fruit of several species yield strychnine.  
 Cabucabuláuan, B.; Malagaráyat, T.; Tálang-Indong, B.
- S. CELEBICA Koorders. Bugájin, V.
- S. IGNATII Berg. Fruit large, spherical, medicinal.  
 Agnáson, V.; Cabalónñan, T., Pamp.; Catalónña, V.; Catbulonga; Dancági, V.; Canlára, V.; Frúta, Sp. Fil.; Igásud, V.; Mina-naóg, V.; Pañgaguáson, V.; Pepíta, T.; Pepíta-de-San Ignácio, Sp. Fil.; Pepíta-sa-catbalónñan, V., T., B., Pamp.
- S. MULTIFLORA Benth. Bátul, T.
- S. POTATORUM L. f. Camótin, T.
- SUMBAVIA ROTTLEROIDES Baill. (*Euphorbiaceæ.*) A tree with stellate pubescence.  
 Alipáro, T.; Quiráp, T.
- SYMPHOREMA LUZONENSIS Vidal. (*Verbenaceæ.*) A scandent shrub with capitate peduncled cymes, with an involucre of 6 bracts. Flowers blue or purple.  
 Balfbai, Pamp.; Malabuláon, Pamp.; Malascóg, T.; Pamulacláquin, T.

SYMPLOCOS. (*Stryacca*.) Trees or shrubs, often drying yellow. Species many in the Philippines.

Calomansóla, T.; Libas-lfbas: Maragahúlo, T.; Matalápay, B.

### T.

TABERNÆMONTANA. (*Apocinacea*.) Shrubs with milky sap, white flowers, and red fruits; much used in medicine.

fris. Mang.: Jandayageót. V.: Sapít-usá (Albay); Talanísoy, B.; Tampúpót, T.: Túncal, V.

T. CUMINGIANA A. DC. Halibutbút, B.

T. GLOBOSA Blanco. Fruit globose.

Bayág-usá, T.

T. PANDACAQUI Poir. Fruit elongated.

Alibúbut, V.; Campópót, T.; Curribuétbuét, Il.; Pandacágue, T.; Pandacáqui, T., V., Pamp.; Pandáya, V.; Toár, V.

TACCA. (*Taccacea*.) Herbaceous plants from a creeping rootstalk, the scape leafless; flowers umbelled.

Parañgisát-it-manatád, V.; Túncut-lañguit, T.

T. PALMATA Blume. Magsalóro, V.

T. PINNATIFIDA Forst.

Canóbong, V.; Magsalóro-ñga-dacú, V.; Panarién, Il.; Pannirién, Il.: Tayóbong, V.

T. RUMPHII Schauer. Bágong, V.; Bágong-bágong, V.; Canálong, V.

TALAUMA. (*Magnoliacea*.) Trees or shrubs with large white flowers and large fruits.

Anúbiong (Tayabas); Cacao-cacáon; Macalascálas, B.

T. ANGATENSIS F. Vill. Anóbong, Pamp.; Anóbling, T.; Anúbbling, V.; Bali-cásan, T., V.; Malicascásan, V.

T. VILLARIANA Rolfe. Anóbling, T.

TAMARINDUS INDICA Linn. (*Leguminosæ*.) A tree with straw-yellow flowers. Seeds embedded in an edible pulp. The tamarind.

Camalágui, V.; Macasampáloe, T.; Salomágue, Il.; Salumágui, Il.; Samalágui, V.; Sambác, B.; Sambág, V.; Sambágui, V.; Sambalágui, V.; Sampalágui, B.; Sampáloe, T., B., Pamp.; Sumalágui, V.: Tamaríndo. Sp. Fil.

TARRIETIA SYLVATICA Merrill. (*Sterculiacea*.) Tall tree with leaves white beneath, fruit winged. A valuable timber tree.

Duñgól; Dúñgon; Dúñgón; Dúñgun, T., V.; Duñgún, V.; Palonápin; Palonápoy, Z.; Paronápin, Il.

TAXOTROPHIS ILICIFOLIA Vidal. (*Urticacea*.) A small shrub with glossy leaves similar to "holly."

Cúyos-cúyos, V.; Malalimón.

TECTONA GRANDIS L. f. (*Verbenacea*.) A large tree, stellate tomentose, leaves large ovate, inflorescence paniculate. Teak

Calayáte, V.; Dalánan, V.; Dalandón. V.; Dalondón. V.; Sagunyáte, V.; Téca. Sp. Fil.; Tída, T.; Yáte, V.

TEPHROSIA. (*Leguminosæ*.) Herbs or undershrubs.

Dacandáng, V.

T. LUZONENSIS Vogel. Herbaceous, prostrate.

Dagañdáng, V.; Maasíc, Pamp.; Tágum-tágum, V.; Tayomtáyóman, T.

TERMINALIA. (*Combretaceæ*.) Trees with leaves and spicate inflorescence approximate at the ends of the branches.

Aritóngtong, Il.; Balitóson: Bilúng-dalága, T.; Binólo, T.; Binúlo, T.; Calamáyon, T.; Calamittít; Cal-aúttít, Il.; Diglás, T.; Dalénse, T.; Dalénsin, T.; Dampól, T.; Dinglás, T.?. Gatásan, T.; Liápa, Z.; Magarapála, T.; Magarílaó, T.; Malagahánip, T.; Malaputát, T.; Malasácot, T.; Malatalísay, V.: Nátob, T.; Paitán, T.; Paitán; Sacáp, Z.; Bobosábo, T.; Tagógon, Z.; Tanǵisan, T.; Tanǵál, B.; Tugó-gong, Z.

T. CALAMANSANAY Rolfe. A tree with winged fruits.

Bancaláguan; Bancaláuag, V.; Bancaláuan, T.; Calamansánai, T.; Lumánog, V.; Malacalúmpít, B.

T. CATAPPA L. Commonly cultivated for shade tree, fruit edible.

Alméndro, Sp. Fil.; Banílae, V.; Dalára; Dalinsi, B.; Calísai, Pamp.; Dalísay (Mindanao); Hintán; Hítam, V.; Lúgo, Il.; Nátó, V.; Pandán, Il.; Salaysáy; Salísay; Talísay, T., V., Pamp.

T. EDULIS Blanco. A forest tree, fruit edible.

Calompít, T.; Calumánog, V.; Calumpít, T.; Cótmoec, B.

T. NITENS Presl. Sacát, T.

TERNSTROEMIA. (*Ternstroemiaceæ*.) Glabrous evergreen trees with leathery leaves.

Bíteac, T.; Cianbóg-túgba.

T. TOQUIAN F. Vill. Garamansátay, T.; Toquían, T.

TETRACERA MACROPHYLLA Wall. (*Dilleniaceæ*.) A shrub with rigid scabrid leaves.

Malacatmón, T.

THEMEDA GIGANTEA L. (*Gramineæ*.) A coarse, tufted grass, common in open dry lands.

Talaúyo, T.

THEOBROMA CACAO L. (*Sterculiaceæ*.) A small tree, introduced from America; cacao or chocolate.

Cacáo, Sp.

THESPESIA CAMPYLOSIPHON Rolfe. (*Malvaceæ*.) A tree with large flowers. Lanútan.

T. MACROPHYLLA Blume. A tree with large flowers, found near the sea coast.

Bañága-pulá, T.; Banáro (Pang.); Bannágo, T., V.; Bulacán, V.

T. POPULNEA Corr. Very closely related to the preceding.

Báboi-gúbat, T.; Bábuy, T.; Banálo, T.; Bóboi-gúbat, T.; Bábuy-gúbat, T.; Malibacán, V.; Malibágo, T.; Malasantól, T.

TIMONIUS PHILIPPINENSIS Merrill. (*Rubiaceæ*.) A small tree.

Mayóro; Payále.

TINOSPORA CRISPA Miers. (*Menispermaceæ*.) A climbing shrub with ovate cordate leaves and single or fascicled racemes.

Macabúhai, T.; Paliávan, V.; Panávan, V.; Panǵiávan, V.

TOURNEFORTIA. (*Borraginaceæ*.) Pánǵas, Pamp.; Sallocápo, Il.

- T. ARGENTEA L. f. A small shrub with thick branches, densely pubescent leaves, and numerous small woolly flowers, found on the seashores. Balacbálae, V.; Manául, V.
- T. SARMENTOSA Lam. A woody, climbing vine. Calagúñg-ñg, V.; Pátai-ódod, V.; Sallacápo, II.
- TRACHELOSPERMUM. (*Apocinacea.*) Climbing shrubs with white or purple flowers. Bayácto, B.
- TREMA AMBOINENSIS Blume. (*Urticacea.*) Shrub or small tree with tomentose leaves. Anabíon, V.; Hanárion, T.; Hinagdúng, V.
- TRIANTHEMA MONOGYNA L. Ayam, V.; Tostón, T.
- TRICHOCARYA. (*Rosacea.*) Loctón.
- TRICHODESMA ZEYLANICUM R. Br. (*Borraginacea.*) A coarse hispid herb. Mabúlo, T.; Olongáin.
- TRICHOLOTTIS RIGIDA Blume. (*Orchidacea.*) An epiphytic orchid. Sañgúmai, T.
- TRICHOSANTHES AMARA L. (*Cucurbitacea.*) Búyo-búyo; Caragdá; Igásur.
- T. ANGUINA L. A herbaceous, climbing vine, cultivated. Cucubítan, T., V., Pamp.; Curagdá, V., Pamp.; Hála-hála, T.; Hothót, T.; Paécápis, T.; Pocotpócot, V., Pamp.; Pucopúcot, V., Pamp.; Salagsálag, T.; Salimpócot, T.
- T. GLOBOSA Blume. Calán-um óñae, V.
- TRIPHACEA AURANTIOLA Lour. (*Rutacea.*) A shrub or small tree. Limonáto.
- T. TRIFOLIATA DC. Limoncíto, Sp.
- TRISTELLATEIA AUSTRALASICA A. Rich. (*Malphigiacea.*) A scandent shrub with yellow flowers, found near the sea shore. Bagnít, T.; Báguit, B.; Binusísi, T.; fbud-fbud, V.
- TRISTIRA TRIPTERA Radlk. (*Sapindacea.*) Large tree. Cáhoy-dalága; Maladíae.
- TRIUMFETTA SEMITRILOBA L. (*Tiliacea.*) An herbaceous plant with globose prickly fruits. Calótaug-bilóg; Colótan, T.; Daracót, V.
- TURRAEA VIRENS L. (*Burseracea.*) A shrub or small tree with axillary peduncles bearing elongated white or yellow flowers. Igufa.
- TYPHA ANGUSTIFOLIA Linn. (*Typhacea.*) Common in wet, open soil: "cat tail flag." Baláñgot, T.; Dilang-butiquí, T.; Homái-homái, V.; Lampacámai, V.
- TYPHONIUM DIVARICATUM Deene. (*Aroidca.*) Tuberous herbs. Gábi-gabíhan, T.

## U.

- UNCARIA. (*Rubiacea.*) Climbing shrubs, the flowers in loose globose heads. Canánuay, T.; Hagónog; Quiláp, T.
- U. ACIDA Roxb. Mampél, V.

- U. HOOKERI Vid. Baluelítu (Morong).
- UNONA. (*Anonacea.*) Trees or shrubs.  
Amúyon (Tayabas); Cábog, T.; Cáboy, Súsong calabáo, T.
- U. ODORATA (?) DC. Aláyan (Angat).
- URENA. (*Malvacea.*) Herbs or undershrubs more or less covered with rigid stellate hairs.  
Mankít, T.
- U. SINUATA L. Flowers pink.  
Colótan, T., V., Pamp.; Colót-colótan, T., V., Pamp.; Culuculútan, T.; Culútan; Dalúpan, T., V., Pamp.; Dalúpang, V.; Molopólo, T., V., Pamp.
- UROPHYLLUM GLABRUM Jack. (*Rubiacea.*) A shrub or small tree.  
Doátlo; Maglimócon.
- UTRICULARIA FLEXUOSA Vahl. (*Lentibulariaceae.*) A floating herb with yellow flowers.  
Ináta (Bulacan).
- UVARIA. (*Anonacea.*) Trees or shrubs.  
Súsong-damúlag, Pamp.; Tanġísan, T.
- U. DULCIS Dunal. Dalagánun, V.; Dalágao, V.
- U. OVALIFOLIA Blume. Bulágac, B.
- U. PURPUREA Blume. Banánae, T., V.; Súsong calabao, T., V.
- V.**
- VACCINIUM BARANDANUM Vidal. (*Ericacea.*) Shrubs or undershrubs of the higher mountains. The "blue berries" of the United States.  
Lúsong (Lepanto).
- V. INDUTUM Vidal. Banuáy, Ig.; Bunuáy (Bontoe).
- VALLISNERIA SPIRALIS L. (*Hydrocharidacea.*) A submerged marine herb with very long linear leaves.  
Cintas-cintásan, T.
- VANDA LISSOCHILOIDES Lindl. (*Orchidacea.*) An epiphytic orchid.  
Sábila, T.
- VANGUERIA SPINOSA Roxb. (*Rubiacea.*) A shrub or small tree with numerous spines and small edible drupes.  
Madondón, T.; Malaásis, T.
- VATICA. (*Dipterocarpaceae.*) Large trees yielding valuable timber.  
Bácuog, Pang.; Láuan-na-pulá, T.; Malacbán, T.; Yácal-putí, T.
- V. MANGACHAPOI Blanco. Mangachapói, T.
- VERNONIA. (*Compositae.*) Herbs, shrubs or trees.  
Aláui, T.; Fangfánġun, Ig.; Síngon, Ig.
- V. ARBOREA Ham. A small tree with purplish flowers.  
Laoepáo, Cag.; Patabugnín (Paragua).
- V. CHINENSIS Less. An annual herb.  
Bayaquiboc, T.; Hípon-hípon, V.; Lacobóng-lacobóng, V.
- V. VIDALII Merrill. Similar to *V. arborea*, but the leaves densely pubescent.  
Malasambóng, T.
- VERBENA BONARIENSIS L. (*Verbenacea.*) An herb with sessile oblong leaves.  
Poléo.

- VENTILAGO MADERSPATANA Gaertn. (*Rhamnaceæ*.) A scandent shrub with glabrous leaves, the flowers in simple or paniculate spikes.  
Salapáo, T.; Silípao, T.
- VIBURNUM LUZONICUM Rolfe. (*Caprifoliaceæ*.) A scandent shrub with Baguiróro, V.; Putúd (Nueva-Viscaya).
- V. ODORATISSIMUM Ker. Apít, Ig.
- VIDALIA. (*Guttifereæ*.) Trees with coriaceous leaves.  
Cáloc-cátmo; Magaán, B.; Malaságuin-laláque.
- V. LEPIDOTA F. Vill. Palo-maría, T.
- V. NAVESII F. Vill. Palo-mariáng-gúbat, T.
- VIGNA. (*Leguminosæ*.) Herbaceous vines.  
Butíngui.
- V. CATJANG Endl. Cultivated, the "cow pea" of the United States.  
Balátong, V.; Hamtác, V.; Lastón, V.; Quibal, T.; Sítao (Manila).
- VILLARIA PHILIPPINENSIS Rolfe. (*Rubiaceæ*.) Shrubs or trees.  
Lasgás, B.
- VILLEBRUNEA. (*Urticaceæ*.) Shrubs or trees.  
Alipasáio, B.
- V. FRUTESCENS Blume. Alámang.
- VINCA ROSEA Linn. (*Apocinaceæ*.) A low, erect undershrub with showy white or red flowers, common along the seashore.  
Cantótan, T.; Rósas-sa-bábay, V.
- VITEX. (*Verbenaceæ*.) Trailing or erect shrubs or large trees.  
Amuráong, B.; Baláuen, Pang.; Bulauísan, Il.; Calimántao; Gimubáon, V.; Hamoláun, V.; Limólímo, Il.; Magúmu (Albay); Malugagnao, V.; Marasagát, Il.; Muláto, T.; Muláuen-babáe; Pananculánan, B.; Salipapá (Albay).
- V. AHERNIANA Merrill. A tree with glossy leaves.  
Ígang, T.
- V. HETEROPHYLLA Roxb. A tree.  
Bagóaron, V.
- V. LITTORALIS Decne. A large tree, valuable for its timber.  
Amuáuan; Amugánan; Amuyáon, Buláon, T., Pamp.; Hamuláon, T., B.; Jamoláun; Muláon (Hoilo); Moláuin, T.; Moláve, T.; Molávin, T.; Muláuin, T.; Sagád, Il.; Sagát, Il.; Salineápa, Túgas.
- V. OBOVATA Thunb. A trailing shrub with obovate unifoliate leaves, common on the seashore.  
Agubárao, V.; Gápas-gápas, V.; Lagúndo, T.; Lagundíng-gápang, T.
- V. NEGUNDO Linn. An erect shrub with 5-foliate leaves.  
Agno-cásto, Sp. Fil. Vit.; Lagúndi, T.; Maláwin, T.; Molávin, T.
- V. PHILIPPINENSIS Merrill. A tree with large 5-foliate leaves, the petiole broadly foliate margined.  
Bulí-cáhoi.
- V. TRIFOLIA L. An erect shrub or small tree on seashore.  
Dáñgla, Il.; Lagundín-dágat.
- VITIS. (*Ampelidaceæ*.) Tendril-bearing woody vines. The grape and the "wood bine" of the United States belongs to this genus.  
Súgpon súgpon, V.; Tumintíng, V.

- V. CAPRIOLATA Don. Áyo, T.  
 V. CARNOSA Wall. Alaṅṅi, V.; Áyu, Pamp.; Caguṅdi, V.; Calitcálit, T.; Cavílan, T.; Culutpámo, Pamp.; Lagíni, V.; Lanṅi, V.; Lúpo, V.; Pacópod, T.  
 V. GENICULATA Blume. Lóbas, Pamp.; Sampáng, T.  
 V. LATIFOLIA Roxb. Bica, T., V.  
 V. LANCEOLARIA Roxb. Alupdan, V.; Háyo (Tayabas).  
 V. QUADRANGULARIS Wall. Dugdúng-áhas, T.; Súgpon-súgpon, V.  
 V. REPENS W. & A. Pirápit-áṅgin, Pamp.  
 VOACANGA. (*Apocinaceae*.) Shrubs or small trees with large white flowers.  
 Líta, V.

### W.

- WALLICHIA TREMULA Mart (?). (*Palmaceae*.) Dayáca, T.; Dumayáca, T.  
 WALSURA ROBUSTA Roxb. (*Meliaceae*.) A large tree.  
 Galamíny-amúc, B.; Palíng-huái, B.  
 WEBERA. (*Rubiaceae*.) Trees or shrubs.  
 Malacafé (Tayabas).  
 WEDELIA. (*Compositae*.) A clambering herbaceous plant with yellow flowers.  
 Hagónay, T.  
 WEINMANNIA LUZONIENSIS Vidal. (*Saxafragaceae*.) Sáyo, Ig.  
 WENDLANDOIA LUZONIENSIS DC. (*Rubiaceae*.) A shrub or small tree.  
 Ladeó, Ig.; Lasália.  
 WIKSTROEMIA INDICA Mey. (*Thymeliaceae*.) A shrub with subopposite leaves and flowers in terminal subsessile fascicles.  
 Malasampága, T.; Salágo, T., V.  
 W. OVATA Mey. Arandón, H.  
 WOLFFIA SCHLEIDENI Miq. (*Lemmaceae*.) Minute floating scale-like plant.  
 Dúgmán, V.; Lia, T.  
 WORMIA LUZONENSIS Vidal. (*Dilleniaceae*.) A tree with large flowers in terminal racemes or panicles.  
 Paṅgílnon, Z.; Paniṅguinón, Z.  
 WRIGHTIA (?). (*Apocinaceae*.) Trees.  
 Batéte.  
 W. OVATA A. DC. A tree with pubescent leaves, milky sap, and pink flowers, yielding a valuable timber.  
 Alanóti; Anótong (Zambales); Lamísi, C.; Lanóte, T.; Laníti, T.; Lanúsi, Cag.; Lanúti, H.; Lonṅayan; Loníti.

### X.

- XANTHOPHYLLUM. (*Polygalaceae*.) Trees with usually yellowish green leaves.  
 Bánig (Morong); Dáyap-gúbat, V.; Mogbóe, V.  
 XANTHOSTEMON VERDERGONIANUS Naves. (*Myrtaceae*.) A large tree with exceedingly hard wood.  
 Mancóno, V.; Palo-de-hierro, V.  
 XEROTES LONGIFOLIA R. Br. (*Juncaceae*.) Rush-like plants.  
 Dáat, T.



- XYLIA.** (*Leguminosae.*) Tall, unarmed trees with bipinnate leaves, the flowers in round heads.  
 Quitaquita, Il.; Tile, Z.
- XYLOPIA.** (*Anonaceae.*) Trees.  
 Amúyon, T.; Canñag, T.; Pálo, T.
- X. DEHISCENS** Merrill. Amúyon, B.; Banítan; Cálaí, T.; Lanútan, T.;  
 Tañgisang-bagfo, T.
- XYLOSMA CUMINGII** Clos. (*Bixaceae.*) A tree or shrub.  
 Amaét, V.
- XYLOCARPUS OBOVATUS** Juss. (*Meliaceae.*) A small tree frequent along tidal rivers, bearing large, spherical, woody fruits. Leaves obtuse.  
 Calumpánga-sa-láti, T.; Mígi, Pamp.; Míqui, Pamp.; Nígi, T.; Nígui, T.; Piágao, T.; Tibígi.
- X. GRANATUM** Koenig. Similar to the preceding, but leaves acute.  
 Calumpag-sa-láti, T.; Libáto-pulá, T.
- XYRIS COMPLANATA** R. Br. (*Xyridaceae.*) Tufted, rigid, grass-like herb.  
 Gúmi-gúmi, T.

### Z.

- ZALACCA EDULIS** Reinw. (*Palmeae.*) Limorán.
- ZANTHOXYLUM AVICENNAE** DC. (*Rutaceae.*) Tree or shrub.  
 Bága-tambál, V.; Cánḡay, Pamp.; Cayutána, Pamp.; Marbáar, V.;  
 Sálay, Pamp.; Sálay cánḡay, Pamp.
- Z. OXYPHYLLUM** Edgew. A shrub clothed with hooked prickles.  
 Casábang, Il.; Cayutána, T.; Ságay-cánḡay; Saláday; Sálay, V.
- ZEA MAYS** L. (*Gramineae.*) Corn, cultivated.  
 Boróna; Maíz, Sp. Fil.
- ZINGIBER.** (*Zingerberaceae.*) Herbaceous plants with aromatic root-stocks, the source of ginger.  
 Bañḡbáy, V., T.; Bañḡráy, V.; Lampúyan, T.; Lampúyang-itáyam, V.;  
 Linalína-áhan, T.; Lóy-a, V.; Lúya-lúya, T.; Luyan ḡga isá, V.;  
 Lúyang aso, T.; Luyang osiu, T.; Mañḡláy, Pamp.; Túmbong-áso, T.
- Z. OFFICINALE** Linn. Báseng, Il.; Layál, Z.; Lúya, T.; Páñḡgas, Z.
- Z. ZERUMBET** Rose. Dao, V.; Lampúyang, V.; Layá, B.; Támo, T.
- ZIZYPHUS.** (*Rhamnaeeae.*) Trees or shrubs with prominently veined leaves. Frequently armed with prickles.  
 Bíga, T.; Boñḡlás, V.; Buñḡlás; Dfa, Z.; Dirán, Il.; Talánas, T.
- Z. ARBOREA** Merrill. A large tree. Spineless, leaves glabrous.  
 Lígao, T.
- Z. DALANTA** Blanco. Dalantá, V.
- Z. TRINERVIS** Poir. A tree; leaves pubescent.  
 Balácat, T.; Bigáa, T.; Dicláp; Ducláp, T.; Lábba-lábba, Il.; Lígao, T.
- Z. JUJUBA** Linn. A small tree armed with short prickles and bearing an edible fruit; not a native of the Philippines, but frequently found in cultivation and spontaneous.  
 Manzánas, Sp. Fil.; Manzanitas, Sp. Fil.


















New York Botanical Garden Library

QK 369.95 .M398 gen  
Merrill, Elmer Drew/A dictionary of the



3 5185 00037 9295

